



**2023**

# **WATERING PRODUCTS**

CATALOGUE



## CONDITIONS

### FRANCO (TAXES EXCLUSIVE)

500 € without tax

### PAYMENT<sup>(\*)</sup>

45 end of month.

*(\*) The opening of an account is determined by the authorization of our risk department and we reserve the right at any time to require a cash payment on proforma invoice in case of financial difficulties or notorious doubtful solvency.*

### DELIVERY

8 working days.

### TARIFF CONDITIONS

Net prices listing.

### DISCOUNT

0 %

### STORES SUPPORT

- Regular follow up of stores' shelves.
- Training of sellers.
- Setting-up support: merchandising report.

### WATERING PLANS<sup>(\*\*)</sup>

- Possibility of using the software.
- Watering RFQs made by our technicians.  
*You can send your request by fax at the following number: +33 2 38 88 49 54 or by mail at the following address: [arrosage@jardibric.com](mailto:arrosage@jardibric.com).*
- Technical information by our office.

*(\*\*) the watering RFQs are only issued for customers working the underground watering range of products along with us.*

*SFC Jardibric*

CAPTION

### PACKAGING



Hanging strip of ...



... pieces per display



... pieces per display box

### PIECES PER PACK



... pieces per box



... pieces per pallet



... pieces per display box

### PRESENTATION



On cardboards



In box



In bags



In bags for display stands with pegs



EAN label

All the photographs presented in this catalogue are not contractual. Due to the technical processes of reproduction, the colours, appearance (...) of the products presented can be slightly different from the colours and actual materials used.

The photographs, apart from the products presented in this catalogue, come from the Pixabay.com and Pexels.com websites and are licensed under Creative Commons CC0.



# SUMMARY

## 4-12 NEW PRODUCTS

### 14 SPRAY

- 14 Sprayer with battery

## 16-18 BALCONY AND TERRACE

- 17 Expandable retractable hose set
- 18 Spiral hoses and accessories
- 18 Equipped mini portable hose reel

## 19-23 TIMERS

- 19 INTUITIVE LINE range
- 20 Bluetooth timers
- 20 Digital setting timers with batteries
- 20 Mechanical setting timers with batteries
- 20 Watering temporizator without battery
- 20 Accessory
- 22 Technical characteristics of our timers

## 24-29 HOSE CONNECTORS

- 24 Tap selectors
- 24 Tap connectors
- 25 Universal automatic connectors
- 25 Automatic connectors
- 26 Accessories for automatic connectors
- 27 Watering lances
- 27 High water flow connectors
- 28 Brass connectors
- 29 Clamps
- 29 Polypro tap connector

## 30-35 HOSE ENDS

- 30 Spray guns
- 32 Watering sets
- 32 Floral watering lances
- 32 Sprinklers
- 34 Accessories for high reach sprinklers
- 34 Watering tube with holes
- 34 Garden shower
- 35 Technical characteristics of our sprinklers

## 36-37 HOSES AND HOSE REELS

- 36 Watering hoses
- 37 Watering hoses extra-lightweight
- 37 Hose reels

## 38-50 DRIPPING WATERING

- 39 Starting
- 40 Main conduct
- 42 Secondary conduct
- 43 Drippers
- 44 Micro sprayer
- 45 Technical characteristics of our drippers and maxi-sprayers
- 46 Conduct tubes
- 46 Tubes with integrated drippers
- 46 Porous tubes
- 47 Complete kits
- 50 Autonomous drippers
- 50 Plants water gel

## 51-53 MIST COOLING

- 52 Misting kits
- 52 Mist cooler
- 52 Connectors
- 53 Temporizators
- 53 Accessories

## 54-66 UNDERGROUND WATERING

### 56-59 HUNTER

- 56 Rotors
- 56 Accessories for rotors
- 57 Eco Rotaror
- 57 Equipped sprays
- 58 Unequipped sprays
- 59 Nozzles
- 59 24 volts programming
- 59 24 volts electrovalves
- 59 9 volts electrovalve
- 59 Automation accessories

### 60-61 RAIN BIRD

- 60 Rotors
- 60 Sprays
- 60 Nozzles
- 61 24 volts programming
- 61 24 volts electrovalves
- 61 9 volts programming
- 61 9 volts electrovalve
- 61 Accessories

### 62-65 JARDIBRIC

- 62 24 volts programming
- 62 24 volts electrovalves
- 62 9 volts programming
- 62 9 volts electrovalve
- 62 Accessories
- 63 Rotors connectors
- 63 Saddle tees
- 64 Water connectors
- 65 Valve boxes
- 65 Water inlets
- 66 Technical characteristics of our timers

## 67-75 CONNECTORS

- 67 6 bars PE tubes
- 67 Compression connectors JARDIBRIC Ø 20-25-32
- 69 Compression connectors PLASSON Ø 20-25-32-40
- 72 Plastic connectors to screw
- 74 Polypropylene connectors

## 76-77 DISPLAYS

- 76 Display boxes
- 76 Distributor boxes
- 76 Display
- 77 "Honey combs" bottoms for display - carriers for rotors and sprayers
- 77 Promotional material

# ELASTIC15 - 25



*New products*

## EXPANDABLE POLYMER HOSE 15 AND 25 METERS

Premium expandable polymer hose, made of eco-friendly first quality materials.

Once connected to the water inlet, the hose expands up to 3 times its size, with the help of a little pressure to reach its maximum length (15 or 25 meters).

Light, flexible and space saving, easy to store after its use.



### Product benefits:



Anti-knot & Anti-twist



Extremely light product

**NO  
PHTALATE  
& BPA**

Non-toxic: BPA & phthalates free



Ready to use



### Quality/Guarantee:

- 100% recyclable
- European manufacturing
- 5 years Guarantee



# AFEX30B

*New products*

## EXPANDABLE POLYESTER HOSE 30 METERS

100% natural latex expandable hose and High tenacity 2000D Dacron polyester fabric cover.


Once connected to the water inlet, the hose expands up to 3 times its size, with the help of a little pressure to reach its maximum length (30 meters).

After its use, the hose takes up little space when retracted.

Sold with one water-hose nozzle and 2 repairable automatic connectors (guarantees a better hose longevity) and 1 3/4" tap connector with 1/2" reduction.



Sold in 6-box display



### Quality hose:

3 layers of 100% natural latex Ø6x9,5 mm.  
High tenacity **2000D** Dacron polyester fabric cover for greater solidity and durability.



### Quality/Guarantee:

- Pro Quality ★★★
- 3 years Guarantee
- 100% repairable



### For a regular use:

**More than 1 000 uses** for a maximum pressure of 4 bars.


## PNR04BT

*Evolution*

## TIMER

### 4 WAYS / BLUETOOTH®

- 4 valves for several watering zones.
- Remote programming (Bluetooth®) up to 50 meters, quick and easy, through its application.
- Each water outlet is programmable independently.  
13 programmable start-ups from 1 to 7 days, from 1 to 360 minutes.
- Activation of the manual mode from the device or through the application.
- Rain Delay option to postpone the watering in case of rain.





## A8944 / A8742

New products



3/4" metal entry  
swivel nut

## A8742

2 ways tap selector

Metal buttons



Bi-material,  
3/4" tap connector



x1



Rotating, bi-material  
3/4" tap connector

x2



Hang card with ties

## A8944

4 ways selector



## A3915BM / A3917BM

New products

## A3915BM

Automatic connector / External  
thread



Hang card  
with tie



Bi-material

3/4"

## A3917BM

Automatic connector / Internal  
thread



Hang card  
with tie



# AMT102 / AMT104

New products

## AMT102

2 washing  
jets gun

2 jets

1 rotating jet  
1 straight jet

**GROUND-BREAKING !**

Thumb control  
3 en 1

## AMT104

Washing and watering  
multi-jet gun

6 jets head

1 rotating jet  
1 straight jet  
1 misting jet  
1 full jet  
1 flat jet  
1 shower jet

Rubber  
encased  
metal

Automatic  
adaptor



Hang card with ties


## WASHING/WATERING GUNS

Any cleaning work to do? Get rid of the dirt and the debris with the help of the quick rotating jet of the washing guns.

Feel the power generated by this innovating jet for a faster cleaning throughout the season.

The 3 in 1 trigger enables to have an optimum handling of the gun, making it more comfortable and without effort.

intuitive  
**PREMIUM**





# DEVP30

*New product*

## PEDAL HOSE REEL 30 METERS - Ø 12,5 MM

*At each pedal stroke, the hose  
rolls up of about 50cm*



# Dripping range

*Evolution*

All the dripping range will have a packaging change for a more eco-friendly packaging.

As a change is rarely made alone, the graphic charter is also revised!

A range with a fruity and vivid color code, a modern and minimalist design but still explanatory.

It has been conceived to be hanged either on the front or on the back, as wished by the stores.

Recyclable hang card

PET case  
85% recycled



Start



Main conduct  
Ø 13 x 16 mm



Secondary conduct  
Ø 4 x 6 mm



Dripping and  
micro-diffusers





## A4610

*New product*

### MICRO-POROUS TUBE 10 M - Ø 4x6MM - BROWN



Ø 4x6 mm

Made of 55% of recycled material

For underground or surface use, the micro-porous tube is ideal for potted plants or hanging baskets, plant containers, small planters, small borders, small vegetable gardens, discrete surfaces and any other micro-watering needs.

Reduces the water use unlike other micro-watering methods. Easy to install, it ensures gentle watering, precise and without waste.



## REC50

*New product*



Ideal for the SK10

### WATER TANK - 50L

Ideal for balconies and terraces without a tap.

Combined with our dripping watering kits (sold separately), it is the perfect water supply to water the plants during the summer season. Very easy to dismantle and store for the winter.



Water tank of 50L

Very easy to put together

1 connection valve

Sold in a kit



Ideal for the KPP16SI



## KG10

*New product*

## GRAVITY DRIPPING SYSTEM KIT - 10 L

Ideal for holiday departures and shared gardens. This kit allows you to water up to 6 plants.

No need for a water supply, just a simple hanging tank that you hang up high and gravity takes care of sending water into the hose.





# DISCOVER OUR 2 PROFESSIONAL RANGES

## UPPER RANGE

intuitive  
**PREMIUM**

NICOREEL30



AMT94



AMT92



AMT2162



DTA20



G8121



DTA21



## MID-RANGE

Intuitive  
LINE

KPBRU20



PNRAD



PNRAD02



PNRDIAL



## SPRAY

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                         | Pck  | Pces / Pack                                                                                                                                                                   | Presentation                                                                        |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|-------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| • SPRAYER WITH BATTERY                                                            |                      |               |              |                                     |      |                                                                                                                                                                               |                                                                                     |
|  |                      | 3283460100344 | 6271001W     | Sprayer with battery - Easy Sprayer | PES1 |  6  150 |  |

# EASY SPRAYER

Sprayer **WITH BATTERY**  
USB cable power **CHARGING**



Presentation:  
6 Easy Sprayer  
in a display



*Ideal for gardening,  
household chores, misting ...*

### DESCRIPTION OF THE PRODUCT:

**Capacity:** 1 L

**Materials:**

- 0.4mm brass misting nozzle
- Joint in EPDM
- Polyethylene container

**Battery:** Rechargeable Lithium-ion (3.6V, 2000mAh)

**Charging:** standard android cell phone cable supplied. Power charging indicator.

**Battery duration:** 30L of misted water

**Charging time:** 2 hours



## 1 1 liter sprayer on battery:

Treatment capacity: 30 x 1 liter  
2 hours charging time via supplied USB cable.



## 2 Regulated spraying:

Thanks to its motorization, the pressure remains constant and regular without any loss, which ensures a homogeneous application of the treatment.



## 3 Sprays in any direction:

It's soft strainer can make the Easy Sprayer sprays in any direction, including an effective application under the foliage



## 4 Compatible with chemicals:

The Easy Sprayer is equipped with an EPDM seal that allows contact with different chemicals.

**STOP  
COVID-19**



**In this time of COVID-19,  
we all need to protect  
ourselves.**





The effortless Easy Sprayer device will make it easy to sanitize and disinfect your home, cars, equipments, offices, businesses, etc ...

### The + product

**EPDM joints:** this joints allows the contact with different kinds of chemical products such as: bleach, caustic soda, disinfectants, oxidant, concentrated alkaline products, cleaning products (such as shampoos for vehicles), etc...

**Lithium battery:** effortless spraying.  
USB rechargeable: 2 hours of charge = 30 liters of treatment.





# SURFACE WATERING

**CHOOSE YOUR CONNECTOR**

**Quick connectors**

Ø 15|12 mm

D3900BM D3903BM A3923BM

**Quick connectors**


Ø 19 mm

D3910BM D3933BM A3943BM

**Universal connectors**

Ø 19|15|12 mm

A3800 A3803 A3823



## 1 Connecting to the tap

Selectors:

• A8742

• A8944

Tap connectors:

• A2974BM

• A2975BM

## 2 Programming

Timers:

• PNRAD

• PNR11

• PNR04BT

## 3 Connecting

Quick connectors:

• D3900BM

Ø 15|12 mm

• D3910BM

Ø 19 mm

Universal quick connectors:

• A3800U

Ø 19|15|12 mm

## 4 Repairing, extending, deriving

Repairs:

• A3923BM

Ø 15|12 mm

• A3943BM

Ø 19 mm

Universal repairs:

• A33823U

Ø 19|15|12 mm

Derivation Y:

• A3001BM

## 5 Stopping water

STOP connector:

• D3903BM

Ø 15|12 mm

• D3933BM

Ø 19 mm

Universal STOP connector:

• A3803U

Ø 19|15|12 mm

## 6 Watering and cleaning

Metal sprayer

guns :

• AMT62

• AMT64

Rubber sprayers

guns :

• AMT92

• AMT94

## 7 Watering

Oscillating sprinkler :

• G8121

Head with sector watering sprinkler :

• DMA45

Rotative sprinkler :

• AMA10

Edge watering sprinkler :

• DTA20

## BALCONY AND TERRACE

*Light and easy to store, they do not make knots and do not twist.  
Tubes and tissues are set on the connectors.*

### ELASTIC

> Intensive use



2 sizes : 15m / 25m

Guarantee : 5 years

- Premium polymer coating
- 100 % recyclable first quality materials
- Made in Europe
- Sold with :
  - two fast connectors,
  - a 8 patterns spray gun.

### JARDIFLEX

> Intensive use



4 sizes : 15m / 22,5m / 30m / 40m

Guarantee : 5 years

Quality: PRO ★★★★★

- Reinforced Dacron mesh
- 100% natural latex: 3 layers
- Sold in a storing box with:
  - a 3/4" tap nose for garden tap
  - a MF tap adapter for inner tap
  - a 180° swivel connection,
  - a quick coupler
  - a 7 patterns spray gun.

### AFEXB

> Regular use



4 sizes : 7,5m / 15m / 22,5m / 30m

Guarantee : 3 years

Quality: PRO ★★★

Repairability: 100 %

- Reinforced Dacron mesh
- 100% natural latex: 3 layers
- Sold in a storing box with:
  - a 3/4" tap nose for garden tap
  - two repairable quick couplings
  - a spray lance

### ECOFLEX

> Occasional use



2 sizes : 7,5m / 15m

- Square mesh
- TPS plastic: 2 layers
- Sold with :
  - a 1/2" - 3/4" tap connector,
  - two fast connectors,
  - a 7 patterns spray gun.



| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                                                                         |              | Pck                                                                                      | Pces / Pack                                                                                                                                                                       | Presentation                                                                          |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • STRETCHABLE RETRACTABLE HOSE SET                                                  |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
| > INTENSIVE USE                                                                     |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
|    |                      | 8007382627100 | 6791014S     | Expandable polymer hose set with:<br>2 automatic connectors,<br>+ 1 spray gun 8 patterns<br><i>Colours : blue/gray</i>                                                                                                              | 5 ➔ 15 m     | ELASTIC15                                                                                |  6                                                                                             |    |
|    |                      | 8007382627353 | 6791015A     | Expandable polymer hose set with:<br>2 automatic connectors,<br>+ 1 spray gun 8 patterns<br><i>Colours : gray/black</i>                                                                                                             | 8,33 ➔ 25 m  | ELASTIC25                                                                                |  7                                                                                             |    |
|    |                      | 3283460100771 | 6794097F     | Expandable hose set with :<br>1 tap connector 1/2" - 3/4" +<br>1 MF tap adapter for inner tap +<br>1 articulated connector 180° +<br>1 automatic connector + 1 spray gun 7 patterns<br><i>Colours : light brown</i>                 | 5 ➔ 15 m     | JARDIFLEX15                                                                              |  96                                                                                            |    |
|    |                      | 3283460100214 | 6794095Q     | Expandable hose set with :<br>1 tap connector 1/2" - 3/4" +<br>1 MF tap adapter for inner tap +<br>1 articulated connector 180° +<br>1 automatic connector + 1 spray gun 7 patterns<br><i>2 colours : anise green and turquoise</i> | 7,5 ➔ 22,5 m | JARDIFLEX22                                                                              |  96                                                                                            |    |
|                                                                                     |                      | 3283460100269 | 6794096Y     |                                                                                                                                                                                                                                     | 10 ➔ 30 m    | JARDIFLEX30                                                                              |  96                                                                                            |    |
|                                                                                     |                      | 3283460101006 | 6794099W     |                                                                                                                                                                                                                                     | 13,5 ➔ 40 m  | JARDIFLEX40                                                                              |  72                                                                                            |    |
| • EXPANDABLE RETRACTABLE HOSE SET                                                   |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
| > REGULAR USE                                                                       |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
|  |                      | 3283460108302 | 6794115T     | Expandable hose set with:<br>1 tap connector 1/2" - 3/4" +<br>2 repairable quick couplings + 1 spray lance<br><i>Colours : light gray/gray</i>                                                                                      | 2,5 ➔ 7,5 m  | AFEX7B                                                                                   |  6                                                                                           |  |
|  |                      | 3283460108319 | 6794116B     | Expandable hose set with:<br>1 tap connector 1/2" - 3/4" +<br>2 repairable quick couplings + 1 spray lance<br><i>Colours : taupe/gray</i>                                                                                           | 5 ➔ 15 m     | AFEX15B                                                                                  |  6                                                                                           |  |
|  |                      | 3283460108326 | 6794117J     | Expandable hose set with:<br>1 tap connector 1/2" - 3/4" +<br>2 repairable quick couplings + 1 spray lance<br><i>Colours : green khaki/gray</i>                                                                                     | 7,5 ➔ 22,5 m | AFEX22B                                                                                  |  6                                                                                           |  |
|  |                      | 3283460109194 | 6791004L     | Expandable hose set with:<br>1 tap connector 1/2" - 3/4" +<br>2 repairable quick couplings + 1 spray lance<br><i>Colours : charcoal grey/gris</i>                                                                                   | 10 ➔ 30 m    | AFEX30B                                                                                  |  6                                                                                           |  |
|  |                      | 3283460094162 | 6794080W     | Expandable hose set with :<br>1 tap connector 1/2" - 3/4" +<br>2 automatic connectors + 1 spray gun 7 patterns<br><i>2 colours : anise green and turquoise</i>                                                                      | 2,5 ➔ 7,5 m  | (AFEX7)                                                                                  |  6  180 |  |
| • EXPANDABLE RETRACTABLE HOSE SET                                                   |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
| > OCCASIONAL USE                                                                    |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
|  |                      | 3283460100047 | 6794091K     | Expandable hose set with :<br>1 tap connector 1/2" - 3/4" +<br>2 automatic connectors + 1 spray gun 7 patterns<br><i>Colours : green/blue</i>                                                                                       | 2,5 ➔ 7,5 m  | ECOFLEX7                                                                                 |  360                                                                                         |  |
|                                                                                     |                      | 3283460100054 | 6794092S     |                                                                                                                                                                                                                                     | 5 ➔ 15 m     | ECOFLEX15                                                                                |  200                                                                                         |  |
| • ACCESSORY FOR EXPENDABLES HOSES                                                   |                      |               |              |                                                                                                                                                                                                                                     |              |                                                                                          |                                                                                                                                                                                   |                                                                                       |
|  |                      | 3283460100955 | 6794098N     | Repairer for expendables hoses AFEX and ECOFLEX                                                                                                                                                                                     | REFEX        |  40 |                                                                                              |                                                                                       |

# BALCONY AND TERRACE

CP 066010 / 094130

| Picture                               | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                          | Pck       | Pces / Pack | Presentation |
|---------------------------------------|----------------------|---------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------|--------------|
| <b>• SPIRAL HOSES AND ACCESSORIES</b> |                      |               |              |                                                                                                                                                                      |           |             |              |
|                                       |                      | 3283460089199 | 6794046Q     | PU spiral hose - 15 m Ø 10 mm with:<br>1 holder + 1 tap connector 1/2" - 3/4" + 2 connectors<br>+ 1 spray gun 7 patterns<br><u>Colours</u> : anise green/light brown | (DPT83)   | 6  54       |              |
|                                       |                      | 3283460089182 | 6794044A     | EVA spiral hose - 15 m Ø 10 mm with:<br>2 connectors + 1 spray gun 7 patterns<br><u>2 colours</u> : anise green and light brown                                      | DPT84     | 6  54       |              |
|                                       |                      | 3283460077752 | 6794040U     | PU spiral hose - 10 m Ø 10 mm with<br>1 holder + 1 tap connector 1/2" - 3/4" + 2 connectors<br>+ 1 spray gun 7 patterns<br><u>2 colours</u> : green and gray         | (DPT81)   | 6  54       |              |
|                                       |                      | 3283460074584 | 6794047Y     | EVA spiral hose - 10 m Ø 10 mm with:<br>2 connectors + 1 spray gun 7 patterns<br><u>2 colours</u> : anise green and turquoise                                        | (DPT80)   | 6  54       |              |
|                                       |                      | 3283460093271 | 6794069B     | Quick connector for tube of Ø 10 mm<br><u>2 colours</u> : anise green and light brown                                                                                | DPT86     | 20  200     |              |
|                                       |                      | 3283460090560 | 6794071X     | Wall mounted holder for spray gun                                                                                                                                    | (SMDPT11) | 10  180     |              |
|                                       |                      | 3283460093691 | 6581051N     | Tube holder for garden tap<br><u>2 colours</u> : anise green and light brown                                                                                         | PT14      | 10  80      |              |

## > SPIRAL HOSES

**DPT80**  
EVA - 10 m

**DPT84**  
EVA - 15 m

**DPT83**  
PU - 15 m

|                                            |  |               |          |                                                                                                                                                                                                                        |      |       |  |
|--------------------------------------------|--|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|--|
| <b>• EQUIPPED MINI PORTABLE HOSE REELS</b> |  |               |          |                                                                                                                                                                                                                        |      |       |  |
| CP 066010                                  |  |               |          |                                                                                                                                                                                                                        |      |       |  |
|                                            |  | 3283460097668 | 6581239X | Mini portable hose reel 10 m - 10 mm Ø tube with:<br>2 m extension tube + 1 tap connector 1/2" - 3/4" + 2 connectors + 1 spray gun 6 patterns.<br><u>3 colours</u> : anise green/light brown and light brown/turquoise | MD16 | 6  48 |  |
|                                            |  | 3283460101075 | 6581245Y | Mini portable hose reel 10 m - 10 mm Ø tube with:<br>1 tap connector 1/2" - 3/4" + 2 connectors + 1 spray gun 7 patterns.<br><u>3 colours</u> : anise green, turquoise and light brown                                 | MD19 | 6  90 |  |

## > EQUIPPED MINI PORTABLE HOSE REELS

**MD19**  
10 m

**MD16**  
10 m



| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                                          | Pck     | Pces / Pack                                                                                                                                                                   | Presenta-<br>tion                                                                   |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>• INTUITIVE LINE RANGE</b>                                                     |                      |               |              |                                                                                                      |         |                                                                                                                                                                               |                                                                                     |
|  |                      | 3283460100412 | 6795026G     | 2 ways tap timer / temporizador<br>Screen display (2 x 1,5V AA)<br><i>Colours : anise green/grey</i> | PNRAD02 |  4  240 |  |
|  |                      | 3283460092106 | 6795008J     | 1 way tap timer / temporizador<br>Screen display (2 x 1,5V AA)<br><i>Colours : anise green/grey</i>  | PNRAD   |  6  288 |  |
|  |                      | 3283460101457 | 6795028X     | 1 way tap timer / temporizador (2 x 1,5V AA).<br><i>Colours : anise green/grey</i>                   | PNRDIAL |  6                                                                                         |  |



Connect, in option, the SOLAR PANEL for timers<sup>(1)</sup>

+ install **rechargeable AA NiMH batteries<sup>(2)</sup>** and make your timer:

- +** Autonomous
- +** Economic
- +** Ecological

**Rechargeable batteries:**  
up to **32 TIMES LESS**  
**IMPACT ON THE ENVIRONMENT**  
than disposable batteries !



*Make your timers  
autonomous !*



(1) PS16: compatible with the PNRAD and the PNRAD02

(2) Timers operate on LR6-1.5V AA batteries, but for use with the solar panel AA NiMH rechargeable batteries are required.


# TIMERS

CP 094370

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                          | Pck     | Pces / Pack                                                                              | Presentation                                                                          |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>• BLUETOOTH TIMERS</b>                                                           |                      |               |              |                                                                                                                                                                      |         |                                                                                          |                                                                                       |
|    |                      | 3283460109293 | 6791013K     | 4 ways Bluetooth® tap timer (2 x 1,5V AA).<br>In: 1" - 3/4" F tap connector – Output: 4 x M 3/4"                                                                     | PNR04BT | 4                                                                                        |    |
|    |                      | 3283469004780 | 6795027P     | Bluetooth tap timer / temporizador <b>Hunter</b> ®<br>(2 x 1,5V AA).<br>In: 1" - 3/4" F tap connector – Output: 3/4" M                                               | (PNRBL) | 2     |    |
| <b>• DIGITAL SETTING TIMERS WITH BATTERIES</b>                                      |                      |               |              |                                                                                                                                                                      |         |                                                                                          |                                                                                       |
|    |                      | 3283460098603 | 6795013C     | 4 ways tap timer.<br>Screen display (2 x 1,5V AA)<br><u>Colours</u> : anise green/grey                                                                               | (PNR04) | 4     |    |
| <b>• MECHANICAL SETTING TIMERS WITH BATTERIES</b>                                   |                      |               |              |                                                                                                                                                                      |         |                                                                                          |                                                                                       |
|    |                      | 3283460104014 | 6795033Q     | 2 ways tap timer (2 x 1,5V AA).<br>Works without pressure<br><u>Colours</u> : light brown/grey                                                                       | PNR02B  | 4     |    |
|   |                      | 3283460093288 | 6795009R     | 1 way tap timer / temporizador (1 x 9V)<br><u>Colours</u> : anise green/grey                                                                                         | PNR11   | 6    |   |
|  |                      | 3283460098917 | 6795014K     | 1 way tap timer (2 x 1,5V AA)<br>Works without pressure<br><u>Colours</u> : light brown/grey                                                                         | PNR16   | 6   |  |
| <b>• WATERING TEMPORIZATOR WITHOUT BATTERY</b>                                      |                      |               |              |                                                                                                                                                                      |         |                                                                                          |                                                                                       |
|  |                      | 3283460074539 | 6795002N     | Adjustable 1 way watering temporizator from 5 to 120 min. In: 3/4" F rotating nut, output: 3/4" M equipped with a tap connector<br><u>Colours</u> : anise green/grey | MI06    | 10  |  |
| <b>• ACCESSORY</b>                                                                  |                      |               |              |                                                                                                                                                                      |         |                                                                                          |                                                                                       |
|  |                      | 3283460093295 | 6795010E     | Rain sensor for all timers except PNRAD, PNRAD02, PNR04 and PNRBL                                                                                                    | DP13    | 5   |  |
|  |                      | 3283460100245 | 6795024R     | Humidity sensor for timer PNR04                                                                                                                                      | (SH18)  | 2   |  |
|  |                      | 3283460097828 | 6795016A     | Solar panel for PNRAD and PNRAD02 timers                                                                                                                             | PS16    | 2   |  |



Goodbye to blister packs  
make way for cards!



# TIMERS

## TECHNICAL CHARACTERISTICS



PNRDIAL



PNRAD



PNRAD02



PNRBL

Timer =  
Timer

Cycling =  
Temporizator



<https://youtu.be/jXc1Ov8OmLU>



<https://youtu.be/fyinn4pTBts>



[https://youtu.be/N\\_NfCoc5LbE](https://youtu.be/N_NfCoc5LbE)

### PRESENTATION VIDEO

#### PRESENTATION

|                |   |   |   |   |
|----------------|---|---|---|---|
| LCD screen     |   | ● | ● |   |
| Number of ways | 1 | 1 | 2 | 1 |
| Protection cap |   | ● | ● |   |

#### CONNECTIONS

|     |                          |                          |                          |                          |
|-----|--------------------------|--------------------------|--------------------------|--------------------------|
| In  | F 3/4"                   | F 3/4"                   | F 3/4"                   | F 1" - 3/4"              |
| Out | M 3/4" + quick connector | M 3/4" + quick connector | M 3/4" + quick connector | M 3/4" + quick connector |

#### SET UP / FUNCTIONS

|                                   |                               |                                                     |                                                 |              |        |
|-----------------------------------|-------------------------------|-----------------------------------------------------|-------------------------------------------------|--------------|--------|
| Watering time (seconds)           | 5 - 10 - 15 - 20              | 5 - 10 - 15 - 20 - 25 - 30 - 35 - 40 - 45 - 50 - 55 | 10 - 15 - 20 - 25 - 30 - 35 - 40 - 45 - 50 - 55 |              | 1 → 59 |
| Watering time (minutes)           | 1 - 3 - 5 - 10 - 15 - 30 - 60 | 1 → 360                                             | 1 → 360                                         | 1 → 59       | 1 → 59 |
| Watering time (hours)             | 1                             | 1 → 6                                               | 1 → 6                                           | 1 → 6        | 1 → 23 |
| Watering frequency (seconds)      | 30                            | 10 - 30                                             | 10 - 30                                         |              | 1 → 59 |
| Watering frequency (minutes)      |                               | 1,3 - 5                                             | 1,3 - 5                                         | 1            | 1 → 59 |
| Watering frequency (hours)        | 12 - 24                       | 1 - 2 - 4 - 12                                      | 1 - 2 - 4 - 12                                  | 1            | 1 → 23 |
| Watering frequency (days)         | 1                             | 1 → 7                                               | 1 → 7                                           | 1 → 15       | 1 → 7  |
| Watering frequency (weeks)        |                               | 1                                                   | 1                                               | 1            | 1      |
| Maximum watering duration (hours) | 1                             | 6                                                   | 6                                               | 23h 59mn 59s |        |
| Number of possible cycles         | 1                             | 1                                                   | 1                                               | 2            |        |
| Specific plug                     | Rain sensor                   | Solar panel                                         | Solar panel                                     |              |        |

#### TECHNICAL CHARACTERISTICS

|                                                     |                                        |                                        |                                        |                                        |
|-----------------------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| Water flow opening type                             | Membrane                               | Membrane                               | Membrane                               | Membrane                               |
| Working pressure                                    | 0,5 → 8 bars                           | 0,5 → 8 bars                           | 0,5 → 8 bars                           | 0,5 → 8 bars                           |
| Water flow at a maximum pressure of 4 bars          | 1040 L/h                               | 1040 L/h                               | 1040 L/h                               | 1800 L/h                               |
| Watering stop option (rain delay)                   |                                        | ● (72h)                                | ●                                      | ●                                      |
| Program can be delayed (delay)                      |                                        |                                        |                                        |                                        |
| Manual watering option                              | ●                                      |                                        |                                        | ●                                      |
| Semi-automatic Timer function                       |                                        | ●                                      | ●                                      | ●                                      |
| Type of batteries                                   | 2 x 1,5 volts AA                       | 2 x 1,5 volts AA                       | 2 x 1,5 volts AA                       | 2 x 1,5 volts AA                       |
| Automatic shut off the valve in case of low battery | ●                                      | ●                                      | ●                                      | ●                                      |
| Low battery indicator                               | ●                                      | ●                                      | ●                                      | ●                                      |
| Guarantee                                           | 2 years                                | 2 years                                | 2 years                                | 2 years                                |
| Watering start after programming                    | The selected day at the time indicated | The selected day at the time indicated | The selected day at the time indicated | The selected day at the time indicated |



# TECHNICAL CHARACTERISTICS

# TIMERS



PNR16



PNR02B



PNR11



PNR04BT



PNR04



Timer of the SK10 set



BRU200



Pump of the KPBRU20 set



[https://youtu.be/nTpS\\_h0Feao](https://youtu.be/nTpS_h0Feao)



[https://youtu.be/x\\_LKPaWB1GY](https://youtu.be/x_LKPaWB1GY)

| 1 | 2 | 1 | 4 | 4 | 1 | 1 | 1 |
|---|---|---|---|---|---|---|---|
| ● | ● | ● |   |   |   | ● |   |

| F 3/4"                   | F 3/4"                   | F 1" - 3/4"              | F 1/2" - 3/4"            | F 1" - 3/4"              | Micro tube 4 x 6 | F 3/4"                   | Quick tip |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------|--------------------------|-----------|
| M 3/4" + quick connector | M 3/4" + quick connector | M 3/4" + quick connector | M 3/4" + quick connector | M 3/4" + quick connector | Micro tube 4 x 6 | M 3/4" + quick connector | Specific  |

|                                               |                                               | 5 - 10 - 30                   |                        |                        | 30                                   | 5 - 10 - 20 - 30 - 40                     | 20 - 25 - 30 - 35 - 40 - 45 - 50 - 55 |
|-----------------------------------------------|-----------------------------------------------|-------------------------------|------------------------|------------------------|--------------------------------------|-------------------------------------------|---------------------------------------|
| 1 - 3 - 5 - 10 - 15 - 20 - 30 - 60 - 90 - 120 | 1 - 3 - 5 - 10 - 15 - 20 - 30 - 60 - 90 - 120 | 1 - 2 - 5 - 10 - 15 - 30 - 60 | 1 → 360                | 1 → 360                | 1 - 3 - 5 - 6 - 7 - 8 - 10 - 12 - 15 | 1 - 2 - 5 - 10 - 15                       | 1 - 2                                 |
| 1 - 1,5 - 2                                   | 1 - 1,5 - 2                                   | 1                             | 1 → 6                  | 1 → 6                  |                                      |                                           |                                       |
|                                               |                                               | 30                            |                        |                        |                                      | 30                                        | 20 - 25 - 30 - 35 - 40 - 45 - 50 - 55 |
|                                               |                                               | 1 - 3                         |                        |                        |                                      | 1 - 2 - 3 - 4 - 5 - 8 - 10 - 15 - 30 - 60 | 1 - 2 - 3                             |
| 1 - 2 - 3 - 4 - 6 - 8 - 12 - 24 - 48 - 72     | 1 - 2 - 3 - 4 - 6 - 8 - 12 - 24 - 48 - 72     | 1 - 2 - 4 - 12 - 24 - 48 - 72 | 1 - 2 - 4 - 6 - 8 - 12 | 1 - 2 - 4 - 6 - 8 - 12 | 1 - 3 - 6 - 12 - 24 - 48             | 1                                         |                                       |
| 1 - 2 - 3 - 7                                 | 1 - 2 - 3 - 7                                 | 1 - 2 - 3 - 7                 | 1 → 7                  | 1 → 7                  | 1 - 2 - 3 - 4 - 5 - 6 - 7            |                                           |                                       |
| 1                                             | 1                                             | 1                             | 1                      | 1                      | 1                                    |                                           |                                       |
| 2                                             | 2                                             | 1                             | 6                      | 6                      |                                      |                                           |                                       |
| 1                                             | 1                                             | 1                             | 1                      | 1                      | 1                                    | 1                                         | 1                                     |
| Rain sensor                                   | Rain sensor                                   | Rain sensor                   |                        | Humidity sensor        |                                      |                                           |                                       |

| Motorized valve                                | Motorized valve                        | Membrane                               | Membrane                               | Membrane                               | Membrane                                       | Motorized valve                                | Pump      |
|------------------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|------------------------------------------------|------------------------------------------------|-----------|
| 0 → 8 bars                                     | 0 → 8 bars                             | 0,5 → 8 bars                           | 0,5 → 8 bars                           | 1 → 6,8 bars                           | 0 bar                                          | 0 → 8 bars                                     | 40 bars   |
| 1160 L/h                                       | 1160 L/h                               | 1040 L/h                               | 2 520 L/h                              | 1200 L/h                               | 9 L/h                                          | 1160 L/h                                       | 9 L/h     |
|                                                |                                        |                                        | ●                                      | ●                                      |                                                |                                                |           |
|                                                | ●                                      | ●                                      | ●                                      |                                        | ●                                              |                                                |           |
| ●                                              | ●                                      | ●                                      | ●                                      | ●                                      | ●                                              | ●                                              | ●         |
| ●                                              | ●                                      | ●                                      | ●                                      | ●                                      |                                                |                                                |           |
| 2 x 1,5 volts AA                               | 2 x 1,5 volts AA                       | 1 x 9 volts                            | 4 x 1,5 volts AA                       | 2 x 1,5 volts AA                       | USB cable power charging                       | 2 x 1,5 volts AA                               |           |
| ●                                              | ●                                      | ●                                      | ●                                      | ●                                      |                                                | ●                                              |           |
| ●                                              | ●                                      | ●                                      | ●                                      | ●                                      | ●                                              | ●                                              |           |
| 2 years                                        | 2 years                                | 2 years                                | 2 years                                | 2 years                                | 2 years                                        | 2 years                                        | 2 years   |
| Postponed: depending on the frequency selected | The selected day at the time indicated | The selected day at the time indicated | The selected day at the time indicated | The selected day at the time indicated | Postponed: depending on the frequency selected | Postponed: depending on the frequency selected | immediate |

# HOSE CONNECTORS


CP 094130

| Picture                                                                                                                                     | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                           | Pck     | Pces / Pack | Presenta-<br>tion                                                                         |                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • TAP SELECTORS IN METAL AND RUBBER - ON CARDBOARD                                                                                          |                      |               |              |                                                                                                                                                                                       |         |             |                                                                                           |                                                                                       |
|                                                            |                      | 3283460074690 | 6791427T     | 2 ways tap connector in metal and rubber<br>In: 3/4" F – 2 x 3/4" M threaded outputs                                                                                                  | A8466   | 10          |  40    |    |
| • PLASTIC TAP SELECTORS - ON CARDBOARD                                                                                                      |                      |               |              |                                                                                                                                                                                       |         |             |                                                                                           |                                                                                       |
|                                                            |                      | 3283460109262 | 6791011U     | 4 threaded ways tap selector with tap connectors. 3/4" F metal entry. 4 x 3/4" M outputs equipped with 2 tap connectors and 2 rotating tap connectors.<br><i>Colours : black/gray</i> | A8944   | 6           |                                                                                           |    |
|                                                            |                      | 3283460109279 | 6791012C     | 2 threaded ways tap selector with tap connectors. 3/4" F metal entry. 2 x 3/4" M outputs equipped with 1 tap connector and 1 rotating tap connector.<br><i>Colours : black/gray</i>   | A8742   | 6           |                                                                                           |    |
|                                                            |                      | 3283460101433 | 6790031D     | 2 threaded ways tap selector with tap connectors.<br>In: 1" - 3/4" F in brass - 2 x 3/4" M plastic outputs equipped with 2 tap connectors.<br><i>Colours : anise green/grey</i>       | (A7742) | 10          |                                                                                           |    |
|                                                            |                      | 3283460075918 | 6790038G     | 2 ways tap connector with automatic outputs<br>In: 3/4" F<br><i>Colours : anise green/grey</i>                                                                                        | A3945   | 10          |  200   |    |
| • PLASTIC TAP SELECTORS - IN BULK                                                                                                           |                      |               |              |                                                                                                                                                                                       |         |             |                                                                                           |                                                                                       |
|                                                          |                      | 3283460063656 | 6790337Q     | 4 ways tap selector<br>In: 3/4" F – 4 x 3/4" M outputs<br><i>Colours : light brown/grey</i>                                                                                           | D7940   | 10          |  40  |  |
|                                                          |                      | 3283460068385 | 6790235U     | 2 ways tap selector with threaded outputs<br>In: 3/4" F - 2 x 3/4" M outputs<br><i>Colours : light brown/grey</i>                                                                     | D7740   | 10          |  200 |  |
| • TAP CONNECTORS - ON CARDBOARD                                                                                                             |                      |               |              |                                                                                                                                                                                       |         |             |                                                                                           |                                                                                       |
|                                                          |                      | 3283460097651 | 6790014N     | Kitchen tap connector with filter and automatic output connector: F 22x1 – M 24x1<br><i>Colours : anise green/grey</i>                                                                | A2977   | 10          |  40  |  |
|      |                      | 3283460097705 | 6790023M     | 1" - 3/4" articulated tap connector<br><i>Colours : anise green/grey</i>                                                                                                              | A2976   | 10          |  100 |  |
|                                     |                      | 3283460060587 | 6791202G     | 3/4" tap connector                                                                                                                                                                    | A9311   | 5           |                                                                                           |  |
|  |                      | 3283460102409 | 6790278T     | 3/4" - 1/2" tap connector bi materials<br><i>Colours : anise green/grey</i>                                                                                                           | A2975BM | 10          |  200 |  |
|                                     |                      | 3283460060594 | 6791203P     | 1" tap connector                                                                                                                                                                      | A9312   | 5           |  50  |  |
|                  |                      | 3283460102393 | 6790277L     | 1" tap connector bi materials<br><i>Coloris : vert anis/gris</i>                                                                                                                      | A2974BM | 10          |  200 |  |
| • TAP CONNECTORS - IN BULK                                                                                                                  |                      |               |              |                                                                                                                                                                                       |         |             |                                                                                           |                                                                                       |
|                                     |                      | 3283460068262 | 6790201U     | 1/2" tap connector<br><i>Colour : anthracite grey</i>                                                                                                                                 | D2973   | 10          |  500 |  |
|                                     |                      | 3283460068286 | 6790203K     | 3/4" tap connector<br><i>Colour : grey</i>                                                                                                                                            | D2975   | 10          |  500 |  |
|                                     |                      | 3283460068279 | 6790202C     | 1" tap connector<br><i>Colour : black</i>                                                                                                                                             | D2974   | 10          |  500 |  |



| Picture | Customer's Reference | EAN | Product Code | Description | Pck | Pces / Pack | Presenta-tion |
|---------|----------------------|-----|--------------|-------------|-----|-------------|---------------|
|---------|----------------------|-----|--------------|-------------|-----|-------------|---------------|

## CONNECTORS CLASSIFICATION:



PLV 2248722W p.77

### • UNIVERSAL BI MATERIALS AUTOMATIC CONNECTORS WITH LOCKING SYSTEM

|  |  |               |          |                                                                                                                             |          |    |     |  |  |
|--|--|---------------|----------|-----------------------------------------------------------------------------------------------------------------------------|----------|----|-----|--|--|
|  |  | 3283460093721 | 6790013F | Universal bi materials 180° articulated connector with locking system<br><u>Colours</u> : anise green/light brown           | (A3802U) | 10 | 40  |  |  |
|  |  | 3283460097675 | 6790007E | Universal bi materials automatic connector with locking system - 12/15/19 mm<br><u>Colours</u> : anise green/gray           | A3800U   | 10 | 100 |  |  |
|  |  | 3283460086051 | 6790265P |                                                                                                                             | D3800U   | 10 | 100 |  |  |
|  |  | 3283460097682 | 6790008M | Universal bi materials stop connector with locking system - 12/15/19 mm<br><u>Colours</u> : anise green/gray – red for stop | A3803U   | 10 | 100 |  |  |
|  |  | 3283460086068 | 6790266X |                                                                                                                             | D3803U   | 10 | 100 |  |  |
|  |  | 3283460097699 | 6790009U | Universal bi materials repairer - 12/15/19 mm<br><u>Colours</u> : anise green/gray                                          | A3823U   | 10 | 100 |  |  |
|  |  | 3283460086075 | 6790267E |                                                                                                                             | D3823U   | 10 | 100 |  |  |

### • BI MATERIALS AUTOMATIC CONNECTORS

|  |  |               |          |                                                                                                 |         |    |     |  |  |
|--|--|---------------|----------|-------------------------------------------------------------------------------------------------|---------|----|-----|--|--|
|  |  | 3283460079572 | 6790251C | Bi materials automatic connector 15 mm<br><u>Colours</u> : anise green/grey                     | A3900BM | 10 | 100 |  |  |
|  |  | 3283460079534 | 6790261J |                                                                                                 | D3900BM | 10 | 100 |  |  |
|  |  | 3283460079596 | 6790253S | Bi materials automatic stop connector 15 mm<br><u>Colours</u> : anise green/grey - red for stop | A3903BM | 10 | 100 |  |  |
|  |  | 3283460079558 | 6790263Z |                                                                                                 | D3903BM | 10 | 100 |  |  |
|  |  | 3283460102379 | 6790259N | Bi materials repairer - junction 15 mm<br><u>Colours</u> : anise green/grey                     | A3923BM | 10 | 200 |  |  |
|  |  | 3283460079589 | 6790252K | Bi materials automatic connector 19 mm<br><u>Colours</u> : anise green/grey                     | A3910BM | 10 | 100 |  |  |
|  |  | 3283460079541 | 6790262R |                                                                                                 | D3910BM | 10 | 100 |  |  |

# HOSE CONNECTORS

CP 094130

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                                              | Pck     | Pcs / Pack | Presenta-tion                                                                           |                                                                                     |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------------------------------------------------------------------------------------|---------|------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460079602 | 6790254A     | Bi materials automatic stop connector 19 mm<br><i>Colours: anise green/grey - red for stop</i>           | A3933BM | 10         |  100 |  |
|                                                                                   |                      | 3283460079565 | 6790264G     |                                                                                                          | D3933BM | 10         |  100 |  |
|  |                      | 3283460102386 | 6790260B     | Bi materials repairer - junction 19 mm<br><i>Colours: anise green/grey</i>                               | A3943BM | 10         |  200 |  |
|  |                      | 3283460092045 | 6790257Y     | Bi materials automatic connector with valve - MF with locking system<br><i>Colours: anise green/grey</i> | A3949BM | 10         |  100 |  |
|  |                      | 3283460109248 | 6791009Z     | 3/4" M bi materials automatic connector<br><i>Colours: anise green/grey</i>                              | A3915BM | 10         |                                                                                         |  |
|  |                      | 328460109255  | 6791010M     | 3/4" F bi materials automatic connector<br><i>Colours: anise green/grey</i>                              | A3917BM | 10         |                                                                                         |  |

## • PLASTIC AUTOMATIC CONNECTORS



|                                                                                     |  |               |          |                                                                    |         |    |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|--------------------------------------------------------------------|---------|----|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|   |  | 3283460060389 | 6790270H | Automatic connector 15 mm<br><i>Colours: light brown/grey</i>      | D3900   | 10 |  400  |   |
|  |  | 3283460060402 | 6790272Y | Automatic stop connector 15 mm<br><i>Colours: light brown/grey</i> | D3903   | 10 |  400 |  |
|  |  | 3283460061416 | 6790020P | Repairer - junction 15 mm<br><i>Colours: light brown/grey</i>      | (A3923) | 10 |  200 |  |
|                                                                                     |  | 3283460060426 | 6790274N |                                                                    | D3923   | 10 |  800 |  |
|  |  | 3283460060396 | 6790271Q | Automatic connector 19 mm<br><i>Colours: light brown/grey</i>      | D3910   | 10 |  400 |  |
|  |  | 3283460060419 | 6790273F | Automatic stop connector 19 mm<br><i>Colours: light brown/grey</i> | D3933   | 10 |  400 |  |
|  |  | 3283460061423 | 6790021X | Repairer - junction 19 mm.<br><i>Colours: light brown/grey</i>     | (A3943) | 10 |  200 |  |
|                                                                                     |  | 3283460060433 | 6790275W |                                                                    | D3943   | 10 |  400 |  |
|  |  | 3283460092021 | 6790255H | 3/4" M automatic connector<br><i>Colours: light brown/grey</i>     | (A3915) | 10 |  80  |  |
|  |  | 3283460092038 | 6790256Q | 3/4" F automatic connector<br><i>Colours: light brown/grey</i>     | (A3917) | 10 |  100 |  |

## • ACCESSORIES FOR AUTOMATIC CONNECTORS

|                                                                                     |  |               |          |                                          |       |    |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|------------------------------------------|-------|----|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460061324 | 6790026K | 3/4" male adapter<br><i>Colour: grey</i> | A2906 | 10 |  100 |  |
|                                                                                     |  | 3283460068361 | 6790226W |                                          | D2906 | 10 |  600 |  |

# HOSE CONNECTORS

CP 094130

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                             | Pck     | Pces / Pack                                                                                | Presenta-tion                                                                       |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|-------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460102362 | 6790258F     | Bi materials junction<br><i>Colours: anise green/grey</i>               | A2923BM | 10  200 |  |
|  |                      | 3283460060457 | 6790276D     | Junction<br><i>Colour: grey</i>                                         | D2923   | 10  400 |  |
|  |                      | 3283460102416 | 6790279B     | Bi materials Y automatic derivation<br><i>Colours: anise green/grey</i> | A3001BM | 10  200 |  |
|  |                      | 3283460068231 | 6790005P     | Y automatic derivation<br><i>Colour: grey</i>                           | (A3001) | 10  100 |  |
|                                                                                   |                      | 3283460068293 | 6790205A     |                                                                         | D3001   | 10  400 |  |
|  |                      | 3283460075932 | 6790018T     | 12 x 3/4" seal joints                                                   | A2970   | 10  100 |  |
|  |                      | 3283460075949 | 6790019B     | 20 o-rings for automatic connectors                                     | A2980   | 10  100 |  |

## • WATERING LANCES

|                                                                                     |  |               |          |                                                                            |           |                                                                                          |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|----------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460090621 | 6790042S | Bi materials watering lance with valve<br><i>Colours: anise green/grey</i> | A2415BM   | 10                                                                                       |  100 |  |
|                                                                                     |  | 3283460063410 | 6790241W |                                                                            | (D2415BM) | 10                                                                                       |  50  |  |
|  |  | 3283460102423 | 6790284U | Bi materials watering lance<br><i>Colours: anise green/grey</i>            | D2414BM   |  20 |                                                                                           |  |
|  |  | 3283460068392 | 6790240N | Watering lance<br><i>Colours: light brown/grey</i>                         | D2414     | 10                                                                                       |  100 |  |

## • HIGH WATER FLOW CONNECTORS

|                                                                                     |  |               |          |                                                    |         |    |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|----------------------------------------------------|---------|----|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460098559 | 6790280P | 1" high flow tap connector<br><i>Colour: black</i> | A2979GD | 10 |  100 |  |
|-------------------------------------------------------------------------------------|--|---------------|----------|----------------------------------------------------|---------|----|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|



High water flow  
tap connector

Classical  
tap connector

The automatic connectors for **high water flow** allow to connect your pump or your water point to a long tube of **Ø 19 mm** or **25 mm** with a minimum loss of pressure.

|                                                                                     |  |               |          |                                                                      |         |    |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|----------------------------------------------------------------------|---------|----|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460098566 | 6790281X | High flow automatic connector 25mm Ø<br><i>Colours: orange/black</i> | A3920GD | 10 |  100 |  |
|  |  | 3283460098580 | 6790283M | High flow repairer 25mm Ø<br><i>Colours: orange/black</i>            | A2924GD | 10 |  100 |  |
|  |  | 3283460098573 | 6790282E | High flow watering sprayer lance<br><i>Colours: orange/black</i>     | A2416GD | 10 |  100 |  |



# HOSE CONNECTORS

CP 094130

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                                                              | Pck   | Pcs / Pack | Presenta-tion                                                                          |                                                                                     |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|--------------------------------------------------------------------------------------------------------------------------|-------|------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460098924 | 6790217X     | Basic high flow set with:<br>1 spray lance + 2 connectors Ø 19 mm + 1 tap connector 1\"<br><i>Colours : grey/black</i>   | SDB19 | 10         |  80 |  |
|  |                      | 3283460098931 | 6790218E     | Basic high flow set with:<br>1 spray lance + 2 connectors Ø 25 mm + 1 tap connector 1\"<br><i>Colours : orange/black</i> | SDB25 | 10         |  80 |  |

## • TRADITIONAL BRASS CONNECTORS - ON CARDBOARD

|  |  |               |          |                                                |         |    |     |  |
|--|--|---------------|----------|------------------------------------------------|---------|----|-----|--|
|  |  | 3283460068781 | 6792091B | 1 piece brass connector 15 mm Ø 3/4"           | (A9922) | 10 | 100 |  |
|  |  | 3283460068798 | 6792092J | 1 piece brass connector 19 mm Ø 3/4"           | (A9923) | 10 | 100 |  |
|  |  | 3283460068811 | 6792094Z | 1 piece brass connector 25 mm Ø 1"             | (A9925) | 5  | 100 |  |
|  |  | 3283460068736 | 6792071N | 2 pieces brass wing nut connector 15 mm Ø 3/4" | (A9912) | 10 | 100 |  |
|  |  | 3283460068743 | 6792072W | 2 pieces brass wing nut connector 19 mm Ø 3/4" | (A9913) | 10 | 100 |  |
|  |  | 3283460068767 | 6792074L | 2 pieces brass wing nut 25 mm Ø 1"             | (A9915) | 10 | 100 |  |
|  |  | 3283460068668 | 6792031M | 3 pieces brass wing nut connector 15 mm Ø 3/4" | (A9962) | 10 | 100 |  |
|  |  | 3283460068675 | 6792032U | 3 pieces brass wing nut connector 19 mm Ø 3/4" | (A9963) | 10 | 100 |  |
|  |  | 3283460068828 | 6792111E | Barb fitting junction 15 mm Ø                  | (A9942) | 10 | 100 |  |
|  |  | 3283460068835 | 6792112M | Barb fitting junction 19 mm Ø                  | (A9943) | 10 | 100 |  |
|  |  | 3283460068705 | 6792051A | Sprayer lance 15 mm Ø 3/4"                     | (A9982) | 10 | 100 |  |
|  |  | 3283460068712 | 6792052H | Sprayer lance 19 mm Ø 3/4"                     | (A9983) | 10 | 100 |  |
|  |  | 3283460060853 | 6792021F | Garden tap. In: 1/2" - Output: 3/4"            | (A9990) | 10 | 100 |  |
|  |  | 3283460060860 | 6792022N | Garden tap. In: 3/4" - Output: 3/4"            | (A9991) | 5  | 50  |  |
|  |  | 3283460067654 | 6786323B | 1" M - 3/4" M metal brass nipple               | (A8727) | 5  | 50  |  |

# HOSE CONNECTORS

CP 094130

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                              | Pck     | Pces / Pack | Presenta-<br>tion                                                                        |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------|---------|-------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • TRADITIONAL BRASS CONNECTORS - IN BULK                                            |                      |               |              |                                          |         |             |                                                                                          |                                                                                       |
|    |                      | 3283460069313 | 6792471K     | 2 pieces wing nut connector 15 mm Ø 3/4" | (D9912) | 10          |  500  |    |
|                                                                                     |                      | 3283460069320 | 6792472S     | 2 pieces wing nut connector 19 mm Ø 3/4" | (D9913) | 10          |  500  |    |
| • CLAMPS                                                                            |                      |               |              |                                          |         |             |                                                                                          |                                                                                       |
|    |                      | 3283460068903 | 6792220J     | 2 clamps - 8 mm large from Ø 11 to 15 mm | A9110   | 10          |  250  |    |
|                                                                                     |                      | 3283460068910 | 6792222Z     | 2 clamps - 8 mm large from Ø 15 to 21 mm | A9111   | 10          |  100  |    |
|                                                                                     |                      | 3283460068927 | 6792224P     | 2 clamps - 8 mm large from Ø 19 to 27 mm | A9112   | 10          |  100  |    |
|                                                                                     |                      | 3283460068934 | 6792226E     | 2 clamps - 8 mm large from Ø 25 to 35 mm | A9113   | 10          |  100  |    |
|                                                                                     |                      | 3283460068941 | 6792227M     | 2 clamps - 8 mm large from Ø 33 to 51 mm | A9114   | 10          |  100 |    |
| • POLYPRO TAP CONNECTOR - IN BULK                                                   |                      |               |              |                                          |         |             |                                                                                          |                                                                                       |
|  |                      | 3283460072009 | 7794105N     | Tap connector with sphere - 1/2" 3/4"    | D9995   | 10          |                                                                                          |  |
|                                                                                     |                      | 3283460072016 | 7794106W     | Tap connector with sphere - 3/4" 3/4"    | D9996   | 10          |                                                                                          |  |
|                                                                                     |                      | 3283460072023 | 7794107D     | Tap connector with sphere - 3/4" 1"      | D9997   | 10          |                                                                                          |  |

# HOSE CONNECTORS

CP 094130

| Picture                                                                           | Customer's Reference | EAN | Product Code | Description                                                                                                                  | Pck | Pces / Pack | Presenta-<br>tion                                                                   |
|-----------------------------------------------------------------------------------|----------------------|-----|--------------|------------------------------------------------------------------------------------------------------------------------------|-----|-------------|-------------------------------------------------------------------------------------|
|  |                      |     |              | <p>intuitive<br/><b>PREMIUM</b></p> <p>FOR AN EASIER<br/>SHELVING</p> <p>Presentation:<br/>brochable cards in a display.</p> |     |             |  |

Cards are specially made for the customers to fit test the spray guns before buying them.

## ONE COLOUR CODE FOR 3 RANGES:

### RANGE INTUITIVE PREMIUM

> Intensive use  
Simplified use, metal.



### RANGE PROFESSIONAL

> Intensive use  
Trigger on the front, metal



### RANGE TRADITIONAL

> Regular use  
Trigger at the back.



### RANGE ERGONOMIC


> Regular use  
Three materials



#### • METAL AND RUBBER « PREMIUM » SPRAY GUNS - ON CARDBOARD

##### > INTUITIVE PREMIUM RANGE

|                                                                                     |  |               |          |                                                                                                                                 |        |    |  |  |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|---------------------------------------------------------------------------------------------------------------------------------|--------|----|--|--|---------------------------------------------------------------------------------------|
|  |  | 3283460109224 | 6791007J | Washing and watering spray gun, metal and rubber, 6 spray patterns including 1 rotating jet.<br><i>Colours : red/black/gray</i> | AMT104 | 10 |  |  |  |
|  |  | 3283460109217 | 6791006B | Washing spray gun, metal and rubber, adjustable rotating jet.<br><i>Colours : red/black/gray</i>                                | AMT102 | 10 |  |  |  |



## WASHING / WATERING SPRAY GUNS

Any cleaning work to do? Get rid of the dirt and the debris with the help of the quick rotating jet of the washing guns.

Feel the power generated by this innovating jet for a faster cleaning throughout the season.

The 3 in 1 trigger enables to have an optimum handling of the gun, making it more comfortable and without effort.



| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                                       | Pck     | Pces / Pack                                                                            | Presenta-tion                                                                       |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|---------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460102713 | 6794001B     | 3 in 1 metal and rubber spray gun<br>5 spray patterns<br><i>Colours : anise green/black/grey</i>  | AMT94   |  10 |  |
|  |                      | 3283460102706 | 6794000T     | 3 in 1 metal and rubber spray gun<br>adjustable spray<br><i>Colours : anise green/black/grey</i>  | AMT92   |  10 |  |
|  |                      | 3283460102720 | 6794030N     | Thumb control metal and rubber gun<br>3 spray patterns<br><i>Colours : anise green/black/grey</i> | AMT2162 |  10 |  |

## • METAL AND RUBBER « PRO » SPRAY GUNS - ON CARDBOARD

### > PROFESSIONAL RANGE

|                                                                                   |  |               |          |                                                                                     |       |                                                                                           |                                                                                     |
|-----------------------------------------------------------------------------------|--|---------------|----------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  | 3283460090584 | 6794076K | Metal and rubber spray gun 8 spray patterns<br><i>Colours : brushed metal/black</i> | AMT64 | 10  50 |  |
|  |  | 3283460090577 | 6794075C | Metal and rubber spray gun adjustable spray<br><i>Colours : brushed metal/black</i> | AMT62 | 10  50 |  |

## • METAL AND RUBBER "TRADI" SPRAY GUNS - ON CARDBOARD

### > TRADITIONAL RANGE

|                                                                                     |  |               |          |                                                                                     |       |                                                                                             |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|-------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|   |  | 3283460062826 | 6794004Z | Metal and rubber spray gun 7 spray patterns<br><i>Colours : brushed metal/black</i> | AMT30 | 10  40 |   |
|  |  | 3283460062833 | 6794005G | Metal and rubber spray gun adjustable spray<br><i>Colours : brushed metal/black</i> | AMT22 | 10  40 |  |
|  |  | 3283460107336 | 6794112W | Plastic and rubber spray gun 7 spray patterns<br><i>Colours : blue/gray</i>         | APT33 | 10  40 |  |
|  |  | 3283460107329 | 6794111N | Plastic and rubber spray gun adjustable<br>spray<br><i>Colours : blue/gray</i>      | APT23 | 10  40 |  |

## • RUBBER "TRADI" SPRAY GUN - IN BULK

### > TRADITIONAL RANGE

|                                                                                     |  |               |          |                                                                                                               |       |                                                                                              |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|---------------------------------------------------------------------------------------------------------------|-------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460101044 | 6794064N | Metal and rubber spray gun 7 spray patterns<br><i>Colours : anise green/light brown</i>                       | DMT74 |  15     |  |
|  |  | 3283460101037 | 6794063F | Metal and rubber spray gun adjustable spray<br><i>Colours : anise green/light brown</i>                       | DMT72 |  25     |  |
|  |  | 3283460078186 | 6794014F | Plastic and rubber spray gun 7 spray patterns<br><i>2 colours : light brown/grey and anise green/ grey</i>    | DPT30 | 10  60  |  |
|  |  | 3283460078193 | 6794017D | Plastic and rubber spray gun adjustable<br>spray<br><i>2 colours : light brown/grey and anise green/ grey</i> | DPT22 | 10  100 |  |

## • "ERGO" SPRAY GUNS - ON CARDBOARD

### > ERGONOMIC RANGE

|                                                                                     |  |               |          |                                                                                                                                         |         |                                                                                                                                                                                    |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460107442 | 6794114L | Plastic and rubber spray gun with 3 in 1<br>trigger - 10 spray patterns<br><i>Colours : anise green/gray</i>                            | APT84   | 10  60                                                                                        |  |
|  |  | 3283460100290 | 6794074U | Both spray gun and sprinkler 4 spray patterns<br><i>3 colours : anise green/light brown, light brown/anise green and turquoise/gray</i> | (TWIST) |  12  240 |  |

# HOSE ENDS

CP 094130

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                                               | Pck       | Pces / Pack                                                                                                                                                                   | Presenta- tion                                                                        |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • "ERGO" SPRAY GUNS - IN BULK                                                       |                      |               |              |                                                                                                                                                                                                           |           |                                                                                                                                                                               |                                                                                       |
| > ERGONOMIC RANGE                                                                   |                      |               |              |                                                                                                                                                                                                           |           |                                                                                                                                                                               |                                                                                       |
|    |                      | 3283460101068 | 6794066D     | Metal and double rubber spray gun 7 spray patterns<br><i>Colours : anise green/light brown</i>                                                                                                            | (DMT84)   |  15                                                                                        |    |
| • WATERING SETS - ON CARDBOARD                                                      |                      |               |              |                                                                                                                                                                                                           |           |                                                                                                                                                                               |                                                                                       |
|    |                      | 3283460100221 | 6790066L     | Complete set<br>(1 selector 2 ways + 2 Ø15 automatic connectors + 2 Ø15 automatic stop connectors + 1 spray gun 10 patterns + 1 sprinkler on peg)<br><i>Colours : anise green/light brown</i>             | (SC18)    |  6  168 |    |
|    |                      | 3283460106506 | 6794110F     | 12/15/19 mm basic set<br>(1 x 1/2"-3/4" tap connector + 1 BM universal connector + 1 BM universal stop connector + 1 metal and rubber spray gun 8 patterns)<br><i>Colours : anise green/gray</i>          | A3930RU   | 10  60                                                                                     |    |
|    |                      | 3283460075925 | 6790089X     | 12/15/19 mm basic set<br>(1 x 1/2"-3/4" tap connector + 1 BM universal connector + 1 BM universal stop connector + 1 plastic and rubber spray gun 7 patterns)<br><i>Colours : anise green/light brown</i> | A2930RU   | 10  60                                                                                     |    |
|   |                      | 3283460102430 | 6790285C     | Basic set 15 mm<br>(1 x 1/2"-3/4" tap connector + 1 BM connector 15 mm + 1 BM connector stop 15 mm + 1 BM spray lance)<br><i>Colours : anise green/gray</i>                                               | (SDB15BM) | 10  80                                                                                     |    |
|  |                      | 3283460102447 | 6790287S     | Basic set 19 mm<br>(1 x 3/4"-1" tap connector + 1 BM connector 19 mm + 1 BM connector stop 19 mm + 1 BM spray lance)<br><i>Colours : anise green/gray</i>                                                 | (SDB19BM) | 10  80                                                                                   |  |
| • WATERING SETS - IN BULK                                                           |                      |               |              |                                                                                                                                                                                                           |           |                                                                                                                                                                               |                                                                                       |
|  |                      | 3283460089151 | 6790094Q     | 15 mm basic set<br>(1 1/2" - 3/4" tap connector + 1 connector of 15mm + 1 stop connector of 15mm + 1 rubber and plastic spray gun 7 patterns)<br><i>Colours : light brown/gray</i>                        | SDB30     | 10  60                                                                                   |  |
|  |                      | 3283460089168 | 6790095Y     | 15 mm basic set<br>(1 1/2" - 3/4" tap connector + 1 connector of 15mm + 1 stop connector of 15mm + 1 rubber and plastic spray gun adjustable spray)<br><i>Colours : light brown/gray</i>                  | SDB22     | 10  60                                                                                   |  |
|  |                      | 3283460089175 | 6790096F     | 15 mm basic set<br>(1 1/2" - 3/4" tap connector + 1 connector of 15mm + 1 stop connector of 15mm + 1 plastic spray lance)<br><i>Colours : light brown/gray</i>                                            | SDB14     | 10  100                                                                                  |  |
| • FLORAL WATERING LANCES                                                            |                      |               |              |                                                                                                                                                                                                           |           |                                                                                                                                                                               |                                                                                       |
|  |                      | 3283460081742 | 6794057E     | 8 spray patterns floral lance orientable telescopic (69 cm - 102 cm)<br><i>Colours : anise green/gray</i>                                                                                                 | DPT78     | 12  255                                                                                  |  |
|  |                      | 3283460090614 | 6794079H     | 10 spray patterns short orientable lance 50 cm<br><i>Colours : anise green/gray</i>                                                                                                                       | DPT69     | 10  50                                                                                   |  |
| • ADJUSTABLE AREA CIRCULAR SPRINKLER                                                |                      |               |              |                                                                                                                                                                                                           |           |                                                                                                                                                                               |                                                                                       |
|  |                      | 3283460093714 | 6793033G     | Adjustable area circular sprinkler<br><i>Colours : light brown/gray</i>                                                                                                                                   | (DTA15)   | 4  8                                                                                     |  |
|  |                      | 3283460102690 | 6793037M     | Turbine sprinkler - 2 nozzles<br><i>Colours : anise green/black/gray</i>                                                                                                                                  | DTA20     |  6                                                                                       |  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                          | Pck     | Pces / Pack                                                                              | Presenta- tion                                                                            |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|--------------------------------------------------------------------------------------|---------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>• OSCILLATING SPRINKLERS</b>                                                     |                      |               |              |                                                                                      |         |                                                                                          |                                                                                           |
|    |                      | 3283460106513 | 6793280C     | 19 nozzles metal oscillating sprinkler<br><i>Colours : anise green/black/grey</i>    | G8121   | 6                                                                                        |        |
|    |                      | 3283460075659 | 6793271D     | 18 nozzles oscillating sprinkler<br><i>Colours : light brown/grey</i>                | (G8109) | 6     | 126    |
|    |                      | 3283460063205 | 6793270W     | 15 nozzles oscillating sprinkler<br><i>Colours : light brown/grey</i>                | (G8107) | 10    | 280    |
| <b>• ROTATIVE SPRINKLERS</b>                                                        |                      |               |              |                                                                                      |         |                                                                                          |                                                                                           |
|    |                      | 3283460062895 | 6793036E     | 3 arms rotative sprinkler on wheels<br><i>Colour : brushed metal</i>                 | (AMA10) | 4     | 156    |
|    |                      | 3283460106520 | 6793044W     | 4 patterns sprinkler on passing metal peg<br><i>Colours : anise green/black/grey</i> | DTA21   |  8    |        |
|   |                      | 3283460091222 | 6793032Z     | 2 patterns plastic sprinkler on passing peg<br><i>Colours : light brown/grey</i>     | DTA12   | 12  | 48   |
|  |                      | 3283460074522 | 6793042F     | 3 arms rotative sprinkler on base<br><i>Colours : light brown/grey</i>               | DG8104  | 8   | 48   |
| <b>• FIXED SPRAY SPRINKLERS</b>                                                     |                      |               |              |                                                                                      |         |                                                                                          |                                                                                           |
|  |                      | 3283460074515 | 6793040Q     | 8 spray patterns fixed sprinkler<br><i>Colours : light brown/grey</i>                | DG8128  | 10  | 480  |
|  |                      | 3283460081506 | 6793041Y     | Plastic 5 spray patterns on passing peg<br><i>Colours : light brown/grey</i>         | DPA07   | 20  | 320  |
|  |                      | 3283460090638 | 6793043N     | Circular sprinkler<br><i>Colours : light brown/grey</i>                              | AC11    | 10  | 840  |
| <b>• HIGH REACH SPRINKLER</b>                                                       |                      |               |              |                                                                                      |         |                                                                                          |                                                                                           |
|  |                      | 3283460104045 | 6793061L     | Metal sprinkler on passing metal peg<br><i>Colours : brushed metal/grey</i>          | DMA45   | 10  | 60   |
|  |                      | 3283460069498 | 6793053U     | Metal sprinkler<br><i>Colour : brushed metal</i>                                     | DMA32   | 10  | 50   |
|  |                      | 3283460104021 | 6793062T     | Plastic sprinkler on plastic passing peg<br><i>Colours : light brown/grey</i>        | DPA45   | 10  | 60   |
|  |                      | 3283460069474 | 6793050X     | Plastic sprinkler<br><i>Colours : light brown/grey</i>                               | DPA32   | 10  | 60   |



# HOSE ENDS

CP 094130

| Picture                                                                            | Customer's Reference | EAN           | Product Code | Description                                                      | Pck   | Pces / Pack                                                                                | Presentation                                                                               |                                                                                     |
|------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| • ACCESSORIES FOR HIGH REACH SPRINKLERS                                            |                      |               |              |                                                                  |       |                                                                                            |                                                                                            |                                                                                     |
|   |                      | 3283460069535 | 6793071S     | Metal passing peg                                                | DMA34 | 10  80  |         |                                                                                     |
|   |                      | 3283460069528 | 6793070K     | Plastic passing peg<br><i>Colours : light brown/grey</i>         | DPA34 | 10  100 |         |                                                                                     |
| • WATERING TUBE WITH HOLES                                                         |                      |               |              |                                                                  |       |                                                                                            |                                                                                            |                                                                                     |
|   |                      | 3283460021724 | 6412500E     | Trifog<br>Waters up to 0.75m on both sides of the tube at 4 bars | 7,5 m | 6412500E                                                                                   | 10  400 |  |
|                                                                                    |                      | 3283460021731 | 6412510L     |                                                                  | 15 m  | 6412510L                                                                                   | 10  270 |  |
| • GARDEN SHOWER                                                                    |                      |               |              |                                                                  |       |                                                                                            |                                                                                            |                                                                                     |
|  |                      | 3283460092083 | 6794061Q     | Garden shower on tripod                                          | DJ12  | 12  72 |        |                                                                                     |

| CIRCULAR                                                                            |                  | Adjustable angle                                                                                   | 2 bars reach  | 2 bars water consumption | 4 bars reach  | 4 bars water consumption |
|-------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------|---------------|--------------------------|---------------|--------------------------|
|    | AMA10            |                                                                                                    | 7 m           | 588 L/h                  | 8,5 m         | 600 L/h                  |
|    | DTA21            | 30 → 360°                                                                                          | 8,5 m         | 570 L/h                  | 9,5 m         | 936 L/h                  |
|    | DTA12            | 30 → 360°                                                                                          | 9 m           | 552 L/h                  | 11,5 m        | 792 L/h                  |
|    | DG8104           |                                                                                                    | Ø 9 m         | 600 L/h                  | Ø 12 m        | 1 008 L/h                |
|    | AC11             |                                                                                                    | 2,5 m         | 196 L/h                  | 2,8 m         | 276 L/h                  |
|    | DTA15            | 20 → 360°                                                                                          | 4 → 10 m      | 366 L/h                  | 4 → 10,5 m    | 580 L/h                  |
|    | DTA20            | 20 → 360°                                                                                          | 7 m           | 624 L/h                  | 9 m           | 900 L/h                  |
|   | DMA45 /<br>DMA32 | 30 → 360°                                                                                          | 10 m          | 550 L/h                  | 11 m          | 700 L/h                  |
|  | DPA45 /<br>DPA32 | 30 → 360°                                                                                          | 10 m          | 380 L/h                  | 14 m          | 450 L/h                  |
| RECTANGULAR                                                                         |                  | Number of nozzles                                                                                  | 2 bars reach  | 2 bars water consumption | 4 bars reach  | 4 bars water consumption |
|  | G8121            | 11 → 19                                                                                            | 18 x 15 m     | 1 000 L/h                | 20 x 15 m     | 1 700 L/h                |
|  | G8109            | 18                                                                                                 | 15,4 x 13,6 m | 500 L/h                  | 17 x 19,5 m   | 594 L/h                  |
|  | G8107            | 15                                                                                                 | 10 x 6,7 m    | 642 L/h                  | 17,5 x 10,5 m | 1098 L/h                 |
| MULTI-SHAPES                                                                        |                  | Number of shapes                                                                                   | 2 bars reach  | 2 bars water consumption | 4 bars reach  | 4 bars water consumption |
|  | DG8128           | Full circle     | Ø 7,6 m       | 594 L/h                  | Ø 9 m         | 894 L/h                  |
|                                                                                     |                  | Inside circle   | Ø 5 m         | 594 L/h                  | Ø 6,5 m       | 900 L/h                  |
|                                                                                     |                  | Outside circle  | Ø 1,1 m       | 642 L/h                  | Ø 1,7 m       | 990 L/h                  |
|                                                                                     |                  | Half circle     | Ø 10 m        | 642 L/h                  | Ø 11,5 m      | 990 L/h                  |
|                                                                                     |                  | Rectangle       | 7 x 5 m       | 564 L/h                  | 8 x 5 m       | 858 L/h                  |
|                                                                                     |                  | Square          | 6,5 x 4,5 m   | 612 L/h                  | 8 x 5,5 m     | 906 L/h                  |
|                                                                                     |                  | Strip           | 7 x 1 m       | 624 L/h                  | 8,5 x 1 m     | 936 L/h                  |
|                                                                                     |                  | Strip side      | 7,2 x 2 m     | 450 L/h                  | 8 x 2 m       | 666 L/h                  |
|  | DPA07            | Full circle     | Ø 6,4 m       | 462 L/h                  | Ø 9 m         | 708 L/h                  |
|                                                                                     |                  | Inside circle   | Ø 3 m         | 408 L/h                  | Ø 5 m         | 648 L/h                  |
|                                                                                     |                  | Outside circle  | Ø 1 m         | 534 L/h                  | Ø 1,8 m       | 834 L/h                  |
|                                                                                     |                  | Half circle     | Ø 10 m        | 384 L/h                  | Ø 10 m        | 642 L/h                  |
|                                                                                     |                  | Rectangle       | 9 x 1 m       | 462 L/h                  | 12 x 1 m      | 732 L/h                  |
|                                                                                     |                  | Square          | Ø 4,8 m       | 444 L/h                  | Ø 7 m         | 648 L/h                  |
|                                                                                     |                  | Half square     | Ø 7,4 m       | 408 L/h                  | Ø 11,2 m      | 336 L/h                  |
|                                                                                     |                  | Strip           | 13,5 x 3 m    | 300 L/h                  | 18,8 x 3 m    | 474 L/h                  |
|                                                                                     |                  | Strip side      | 6 x 1,6 m     | 318 L/h                  | 8,5 x 2 m     | 504 L/h                  |

# HOSES AND HOSE REELS

CP 066010 / 094130

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                    | Pck  | Pcs / Pack | Presentation |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------|------|------------|--------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • 5 LAYERS PRO KNITTED AND REINFORCED WATERING HOSES                                |                      |               |              |                                                |      |            |              |                                                                                           |                                                                                       |
| ★★★★★★                                                                              |                      |               |              |                                                |      |            |              |                                                                                           |                                                                                       |
|    |                      | 3283460095732 | 5134202L     | 5 layers knitted and reinforced hose<br>Ø 15mm | 25 m | PRO1525    | 1            |  36    |    |
|                                                                                     |                      | 3283460095749 | 5134204B     |                                                | 50 m | PRO1550    | 1            |  20    |    |
|                                                                                     |                      | 3283460095756 | 5134261S     | 5 layers knitted and reinforced hose<br>Ø 19mm | 25 m | PRO1925    | 1            |  42    |    |
|                                                                                     |                      | 3283460095763 | 5134264Q     |                                                | 50 m | PRO1950    | 1            |  24    |    |
| • 3 LAYERS SMART KNITTED WATERING HOSES                                             |                      |               |              |                                                |      |            |              |                                                                                           |                                                                                       |
| ★★★★                                                                                |                      |               |              |                                                |      |            |              |                                                                                           |                                                                                       |
|  |                      | 3283460095817 | 5134052H     | 3 layers knitted hose<br>Ø 15mm                | 25 m | SMART1525  | 1            |  36    |    |
|                                                                                     |                      | 3283460095824 | 5134054Y     |                                                | 50 m | SMART1550  | 1            |  30  |  |
|                                                                                     |                      | 3283460095831 | 5134062P     | 3 layers knitted hose<br>Ø 19mm                | 25 m | SMART1925  | 1            |  42  |  |
|                                                                                     |                      | 3283460095848 | 5134064E     |                                                | 50 m | SMART1950  | 1            |  24  |  |
| • ECO REINFORCED WATERING HOSES                                                     |                      |               |              |                                                |      |            |              |                                                                                           |                                                                                       |
| ★★                                                                                  |                      |               |              |                                                |      |            |              |                                                                                           |                                                                                       |
|  |                      | 3283460095770 | 5133752R     | Reinforced hose<br>Ø 15mm                      | 20 m | ECO1520    | 1            |  138 |  |
|                                                                                     |                      | 3283460095787 | 5133754G     |                                                | 50 m | (ECO1550)  | 1            |  60  |  |
|                                                                                     |                      | 3283460095794 | 5133762Y     | Reinforced hose<br>Ø 19mm                      | 20 m | ECO1920    | 1            |  108 |  |

## PRO ★★★★★ KNITTED AND REINFORCED - 5 LAYERS



## SMART ★★★ KNITTED - 3 LAYERS



## ECO ★★ REINFORCED





# HOSES AND HOSE REELS

CP 066010 / 094130

| Picture                                                                           | Customer's Reference | EAN      | Product Code                                                                                                            | Description | Pck           | Pces / Pack                                                                           | Presenta-tion                                                                       |
|-----------------------------------------------------------------------------------|----------------------|----------|-------------------------------------------------------------------------------------------------------------------------|-------------|---------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>• WATERING HOSES EXTRA-LIGHTWEIGHT</b>                                         |                      |          |                                                                                                                         |             |               |                                                                                       |                                                                                     |
|  | 3283460108708        | 6781101Q | Superlight hose set with:<br>1 BM connector 15 mm + 1 BM stop connector 15 mm.<br><i>Colours : anise green/grey</i>     | 15 m        | SUPER LIGHT15 |  7 |  |
|                                                                                   | 3283460108715        | 6781102Y |                                                                                                                         | 22,5 m      | SUPER LIGHT22 |  4 |  |
|  | 3283460108722        | 6781103F | Superlight hose set with:<br>1 universal BM connector +<br>1 universal BM stop connector.<br><i>Colours : blue/grey</i> | 20 m        | LIGHT20       | 2                                                                                     |  |
|                                                                                   | 3283460108739        | 6781104N |                                                                                                                         | 30 m        | LIGHT30       | 2                                                                                     |  |



## SUPERLIGHT Ø 15 mm

### Equipped hose

- 1 extra-lightweight hose
- 1 bi materials automatic connector Ø 15 mm
- 1 bi materials automatic Stop connector Ø 15 mm

15 m

1,1kg

22,5 m

1,7kg



## LIGHT Ø 19 mm

### Equipped hose

- 1 extra-lightweight hose
- 1 automatic connector Ø 19 mm
- 1 automatic Stop connector Ø 19 mm

20 m

2,2kg

30 m

3,3kg



## • AUTO REWIND HOSE REELS

|                                                                                     |               |          |                                                                                                                     |                  |            |   |                                                                                       |
|-------------------------------------------------------------------------------------|---------------|----------|---------------------------------------------------------------------------------------------------------------------|------------------|------------|---|---------------------------------------------------------------------------------------|
|  | 3283460104076 | 6581226S | Auto rewind wall mounted hose reel<br>(2m tube extension + 1 tap connector + 3 connectors + 1 watering lance)       | Ø 12,5mm<br>35 m | NICOREEL35 | 1 |  |
|  | 3283460104069 | 6581225K | Dévidoir mural rétractable<br>(1,5m tube extension + 1 tap connector + 2 connectors + 1 spray gun adjustable spray) | Ø 12,5mm<br>20 m | NICOREEL20 | 2 |  |


## • EQUIPPED HOSE REELS

|                                                                                     |               |          |                                                                                                            |                   |         |                                                                                             |                                                                                       |
|-------------------------------------------------------------------------------------|---------------|----------|------------------------------------------------------------------------------------------------------------|-------------------|---------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | 3283460109521 | 6581221E | Pedal hose reel<br>2m extension cable + 1 tap connector + 3 automatic connectors + 1 spray gun 6 patterns. | Ø 12,5 mm<br>30 m | DEV30   | 2                                                                                           |  |
|  | 3283460098504 | 6581243H | Wheeled hose reel in aluminium equipped with tap connector + connectors + sprayer lance                    | Ø 15 mm<br>30 m   | DEV1715 | 18  18 |  |

## • SINGLE PLASTIC HOSE REEL WITHOUT TUBE

|                                                                                     |               |          |                                                                                                        |          |    |                                                                                          |                                                                                       |
|-------------------------------------------------------------------------------------|---------------|----------|--------------------------------------------------------------------------------------------------------|----------|----|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | 3283460075130 | 6581222M | Plastic hose reel - Capacity of 60 m of 15 mm Ø tube<br><i>Colour : light brown</i>                    | STANDARD | 6  |  48 |  |
|  | 3283460021748 | 6581050F | Wall mounted plastic holder for 25 m of 15 mm Ø tube<br><i>2 colours : anise green and light brown</i> | SP700    | 10 |  40 |  |

# DRIPPING WATERING




## 1 DRIPPERS AND MICRO ASPERSORS : for what kind of plants ?

### PLANTS IN POTS




### FLOWERS, VEGETABLE GARDENS, HEDGES



### FLOWERS AND VEGETABLES GARDENS ON SLOPING GROUNDS



### FLOWER BEDS



## Quantity of water\*

| Kind of plantation | Temperate climates | Dry climates |
|--------------------|--------------------|--------------|
| Garlic             | 1,5 l/days         | 2,5 l/days   |
| Asparagus          | 1,5 l/days         | 2,25 l/days  |
| Artichoke          | 2 l/days           | 3,5 l/days   |
| Beetroot           | 2 l/days           | 3 l/days     |
| Carrot             | 2 l/days           | 3 l/days     |
| Cauliflower        | 1,5 l/days         | 3 l/days     |
| Bean               | 1,5 l/days         | 2,25 l/days  |
| Lettuce            | 1 l/days           | 1,5 l/days   |
| Melon              | 1,5 l/days         | 3 l/days     |
| Onion              | 1,5 l/days         | 1,5 l/days   |
| Potato             | 1,5 l/days         | 2,25 l/days  |
| Leek               | 1,5 l/days         | 2,25 l/days  |
| Tomato             | 1,75 l/days        | 3,5 l/days   |
| Sweet pepper       | 1,75 l/days        | 3,5 l/days   |
| Eggplant           | 1,75 l/days        | 3,5 l/days   |
| Zucchini           | 1,75 l/days        | 3,5 l/days   |
| Flowers            | 2,5 l/days         | 5 l/days     |
| Plants             | 1,5 l/days         | 3 l/days     |

\* Attention the values above are average values which can vary according to the quality of the ground and degrees of sunshine.

| Picture | Customer's Reference | EAN | Product Code | Description | Pck | Pces / Pack | Presenta-tion |
|---------|----------------------|-----|--------------|-------------|-----|-------------|---------------|
|---------|----------------------|-----|--------------|-------------|-----|-------------|---------------|

## A colour code for a better visibility in stores

The range has been designed to be hanged either on the front or on the back.

### STARTING



### MAIN CONDUCT Ø 16 MM



### SECONDARY CONDUCT Ø 6 MM



### DRIPPERS AND MICRO DIFFUSERS



#### • STARTING - ON CARDBOARD

CP 094060

|  |  |               |          |                                                                                       |       |    |  |     |  |
|--|--|---------------|----------|---------------------------------------------------------------------------------------|-------|----|--|-----|--|
|  |  | 3283460109569 | 6350018X | 3/4" F - 3/4" M Pressure reducer<br>Regulates the pressure to around 1 bar            | L9040 | 10 |  |     |  |
|  |  | 3283460109545 | 6350016G | 3/4" F barb tap connector - Ø 16 mm                                                   | L9005 | 10 |  |     |  |
|  |  | 3283460109286 | 6350006A | 3/4" M automatic connector<br>+ 3/4" F connector - Ø 16 mm                            | L9009 | 10 |  |     |  |
|  |  | 3283460109552 | 6350017P | 2 barb fitting automatic tap connector<br>Ø 16 mm                                     | L9007 | 10 |  |     |  |
|  |  | 3283460082893 | 6790006X | 5 positions flow control valve<br>In: automatic connector - output: 3/4" M            | A3948 | 10 |  | 120 |  |
|  |  | 3283460110084 | 6350068E | Water flow counter<br>In: 3/4" F - output: 3/4" M<br>Daily counter and global counter | L9046 | 5  |  | 20  |  |

#### • STARTING - IN BULK

|  |  |               |          |                                                                                                                                      |         |    |  |     |  |
|--|--|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------|---------|----|--|-----|--|
|  |  | 3283460071996 | 6350013J | 3/4" F extra barbed fitting connector for<br>16mm Ø tube                                                                             | D1005   | 10 |  | 300 |  |
|  |  | 3283460093318 | 6350601U | Filter / Pressure regulator<br>Regulates the pressure to around 1 bar for a<br>maximum incoming pressure of 4 bars - 3/4" M - 3/4" M | D1043   | 10 |  |     |  |
|  |  | 3283460063939 | 6350014R | 3/4" M - 3/4" M Filter + plug for cleaning                                                                                           | D1030   | 10 |  | 50  |  |
|  |  | 3283460077547 | 6350600M | In line filter - 16 mm Ø                                                                                                             | (D1032) | 10 |  | 100 |  |
|  |  | 3283460097798 | 6771240L | 3/4" FF adaptor with rotating nut                                                                                                    | D8069   | 10 |  | 100 |  |
|  |  | 3283460097644 | 6350602C | 3/4" MM Anti limestone filter for dripping<br>systems. To be changed every 9 000L of water                                           | (D1036) | 10 |  | 50  |  |
|  |  | 3283460109187 | 6351006E | 3/4" F - 3/4" M Pressure reducer<br>Regulates the pressure to around 1,38 bars                                                       | D1042   | 10 |  |     |  |
|  |  | 3283460078094 | 6350011T | 3/4" F - 3/4" M Pressure reducer<br>Regulates the pressure to around 1 bar                                                           | D1040   | 10 |  | 100 |  |



# DRIPPING WATERING

CP 094260 / 094300 / 094130 / 094060

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                           | Pck     | Pces / Pack | Presenta-<br>tion                                                                     |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|---------------------------------------|---------|-------------|---------------------------------------------------------------------------------------|
| • MAIN WATERING CONDUCT CONNECTORS - ON CARDBOARD                                   |                      |               |              |                                       |         |             | CP 094060                                                                             |
|    |                      | 3283460109583 | 6350020S     | 2 adaptors - 3/4" M x 16mm Ø          | L9066   | 10          |    |
|    |                      | 3283460109590 | 6350021A     | 4 barb tee connectors - 16 mm Ø       | L9071   | 10          |    |
|                                                                                     |                      | 3283460109606 | 6350022H     | 10 barb tee connectors - 16 mm Ø      | L907110 | 10          |    |
|    |                      | 3283460109729 | 6350023Q     | 4 barb junction connectors - 16 mm Ø  | L9076   | 10          |    |
|                                                                                     |                      | 3283460109620 | 6350024Y     | 10 barb junction connectors - 16 mm Ø | L907610 | 10          |    |
|    |                      | 3283460109637 | 6350025F     | 4 barb elbow connectors - 16 mm Ø     | L9081   | 10          |    |
|                                                                                     |                      | 3283460109644 | 6350026N     | 10 barb elbow connectors - 16 mm Ø    | L908110 | 10          |    |
|   |                      | 3283460109651 | 6350027W     | 2 barb cross connector - 16 mm Ø      | L9085   | 10          |   |
|  |                      | 3283460109668 | 6350028D     | 4 barb end plug connectors - 16 mm Ø  | L9086   | 10          |  |
|                                                                                     |                      | 3283460109675 | 6350029L     | 10 barb end plug connectors - 16 mm Ø | L908610 | 10          |  |
|  |                      | 3283460109682 | 6350030Z     | Stop valve - 16 mm Ø x 16 mm Ø        | L9280   | 10          |  |
|  |                      | 3283460109699 | 6350031G     | Stop valve - 3/4" M x 16 mm Ø         | L9281   | 10          |  |
|  |                      | 3283460109705 | 6350032P     | 5 stake pegs - 16 mm Ø / 20 mm Ø      | L9090   | 10          |  |
|  |                      | 3283460109712 | 6350033X     | 10 locking clamps - 16 mm Ø           | L909610 | 10          |  |

|                                                                                     |  |               |          |                                      |          |                                                                                          |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|--------------------------------------|----------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • MAIN CONDUCT CONNECTORS - IN BAGS                                                 |  |               |          |                                      |          |                                                                                          |                                                                                       |
|  |  | 3283460074935 | 6350575Q | 5 barb tee connectors - 16 mm Ø      | D1071-5  | 10  |  |
|  |  | 3283460074959 | 6350585X | 5 barb elbow connectors - 16 mm Ø    | D1081-5  | 10                                                                                       |  |
|  |  | 3283460074928 | 6350570C | 5 barb junction connectors - 16 mm Ø | D1076-5  | 10  |  |
|  |  | 3283460074942 | 6350580J | 5 barb end plug connectors - 16 mm Ø | D1086-5  | 10                                                                                       |  |
|  |  | 3283460074911 | 6350565J | 10 locking clamps - 16 mm Ø          | D1096-10 | 10                                                                                       |  |


| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                            | Pck   | Pces / Pack                                                                                  | Presenta-<br>tion                                                                     |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------------------|-------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • STAKE PEGS FOR MAIN CONDUCT                                                       |                      |               |              |                                        |       |                                                                                              |                                                                                       |
|    |                      | 3283460063885 | 6350161G     | 10 stake pegs - 16 mm Ø / 20 mm Ø      | D1090 | 10  500   |    |
|    |                      | BULK          | 6720001L     | 100 stake pegs - 16 mm Ø / 20 mm Ø     | 1090V | 100  500  |                                                                                       |
| • 16 Ø MAIN CONDUCT EXTRA CONNECTORS - IN BULK                                      |                      |               |              |                                        |       |                                                                                              |                                                                                       |
| CP 094060                                                                           |                      |               |              |                                        |       |                                                                                              |                                                                                       |
|    |                      | 3283460063830 | 6350122N     | Extra junction - 16 mm Ø               | D1630 | 10  250   |    |
|    |                      | 3283460063854 | 6350124D     | Extra elbow - 16 mm Ø                  | D1650 | 10  200   |    |
|    |                      | 3283460092861 | 6350128J     | Extra elbow - 16 mm Ø x 1/2" M         | D1655 | 10  320   |    |
|    |                      | 3283460063847 | 6350123W     | Extra elbow - 3/4" F                   | D1635 | 10  240   |    |
|   |                      | 3283460063823 | 6350121F     | Extra tee - 16 mm Ø                    | D1620 | 10  130 |  |
|  |                      | 3283460092854 | 6350127B     | Extra tee - 16 mm Ø x 1/2" M x 16 mm Ø | D1645 | 10  180 |  |
|  |                      | 3283460063861 | 6350125L     | Extra end plug - 16 mm Ø               | D1660 | 10  450 |  |
|  |                      | 3283460063816 | 6350120Y     | Extra tee - 16 mm Ø x 3/4" F x 16 mm Ø | D1605 | 10  150 |  |
|  |                      | 3283460063878 | 6350126T     | Extra stop valve - 16 mm Ø             | D1670 | 10  170 |  |
| • 20 Ø MAIN CONDUCT EXTRA CONNECTORS - IN BULK                                      |                      |               |              |                                        |       |                                                                                              |                                                                                       |
| CP 094060                                                                           |                      |               |              |                                        |       |                                                                                              |                                                                                       |
|  |                      | 3283460078230 | 6350012B     | Extra tap connector 3/4" F x 20 mm Ø   | D1006 | 10  750 |  |
|  |                      | 3283460078100 | 6350131M     | Extra junction - 20 mm Ø               | D2030 | 10  450 |  |
|  |                      | 3283460078117 | 6350132U     | Extra elbow - 20 mm Ø                  | D2050 | 10  400 |  |
|  |                      | 3283460078124 | 6350133C     | Extra tee - 20 mm Ø                    | D2020 | 10  200 |  |
|  |                      | 3283460078131 | 6350134K     | Extra end plug - 20 mm Ø               | D2060 | 10  900 |  |
|  |                      | 3283460078148 | 6350135S     | Extra stop valve - 20 mm Ø             | D2070 | 10  300 |  |

# DRIPPING WATERING

CP 094260 / 094300 / 094130 / 094060

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                     | Pck   | Pces / Pack                                                                                  | Presenta-tion                                                                         |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|---------------------------------------------------------------------------------|-------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>• SECONDARY CONDUCT CONNECTORS - ON CARDBOARD</b>                                |                      |               |              |                                                                                 |       |                                                                                              | CP 094060                                                                             |
|    |                      | 3283460109736 | 6350034E     | 3/4" F adaptor x 6 mm Ø                                                         | L9195 | 10                                                                                           |    |
|    |                      | 3283460109743 | 6350035M     | 10 barb tee connectors - 6 mm Ø                                                 | L9141 | 10                                                                                           |    |
|    |                      | 3283460109750 | 6350036U     | 10 auto piercing barb junction connectors with locking clamp - 6 mm Ø x 16 mm Ø | L9154 | 10                                                                                           |    |
|    |                      | 3283460109767 | 6350037C     | 10 barb junction connectors - 6 mm Ø                                            | L9152 | 10                                                                                           |    |
|    |                      | 3283460109774 | 6350038K     | 10 barb elbow connectors - 6 mm Ø                                               | L9160 | 10                                                                                           |    |
|    |                      | 3283460109781 | 6350039S     | 10 barb cross connector - 6 mm Ø                                                | L9165 | 10                                                                                           |    |
|    |                      | 3283460109798 | 6350040F     | 10 end plug connectors - 6 mm Ø                                                 | L9170 | 10                                                                                           |    |
|   |                      | 3283460109804 | 6350041N     | 10 end plug connectors - 6 mm Ø + 1 tool for making holes                       | L9180 | 10                                                                                           |   |
|  |                      | 3283460109811 | 6350042W     | 5 stop valves - 6 mm Ø                                                          | L9270 | 10                                                                                           |  |
| <b>• SECONDARY CONDUCT EXTRA CONNECTORS - ON CARDBOARD</b>                          |                      |               |              |                                                                                 |       |                                                                                              |                                                                                       |
|  |                      | 3283460109828 | 6350043D     | 3/4" extra tap connector - 6 mm Ø                                               | L9196 | 10                                                                                           |  |
|  |                      | 3283460109835 | 6350044L     | 5 extra tees + 5 extra end plugs - 6 mm Ø                                       | L9143 | 10                                                                                           |  |
|  |                      | 3283460109842 | 6350045T     | 5 extra junctions + 5 extra end plugs - 6 mm Ø                                  | L9153 | 10                                                                                           |  |
|  |                      | 3283460109859 | 6350046B     | 2 extra valves - 6 mm Ø                                                         | L9273 | 10                                                                                           |  |
|  |                      | 3283460109866 | 6350047J     | 10 extra stake pegs for 6 mm Ø tube or extra adjustable in line dripper         | L9193 | 10                                                                                           |  |
| <b>• SECONDARY CONDUCT CONNECTORS - IN BULK AND BAGS</b>                            |                      |               |              |                                                                                 |       |                                                                                              | CP 094060                                                                             |
|  |                      | 3283460063908 | 6350211E     | 25 barb junction connectors - 6 mm Ø                                            | D1152 | 10  130 |  |
|  |                      | 3283460063915 | 6350210X     | 25 barb tee connectors - 6 mm Ø                                                 | D1141 | 10  40  |  |
|  |                      | 3283460063922 | 6350213U     | 20 barb end plug connectors - 6 mm Ø                                            | D1180 | 10  100 |  |
|  |                      | 3283460063984 | 6350371Z     | 25 stake pegs - 6 mm Ø                                                          | D1190 | 10  400 |  |
|  |                      | 3283460071576 | 6350214C     | Professional tool for making holes                                              | D1181 | 10  100 |  |



| Picture                                                                             | Customer's Reference | EAN | Product Code | Description | Pck | Pces / Pack | Presenta- tion |
|-------------------------------------------------------------------------------------|----------------------|-----|--------------|-------------|-----|-------------|----------------|
|     |                      |     |              | Ø 20 mm     |     |             |                |
|   |                      |     |              | Ø 16 mm     |     |             |                |
|  |                      |     |              | Ø 6 mm      |     |             |                |

## OUR EXTRA CONNECTORS: THE +

- Pressure resistant
- Professional connectors
- Tightening of the inside and the outside of the tube.

- Easy mounting
- For Ø 16 mm and 20 mm connectors : 3/4" M thread which allows multiple combinations.


### • DRIPPERS - ON CARDBOARD

CP 094060

|                                                                                    |  |               |          |                                                                                                           |         |    |  |  |                                                                                       |
|------------------------------------------------------------------------------------|--|---------------|----------|-----------------------------------------------------------------------------------------------------------|---------|----|--|--|---------------------------------------------------------------------------------------|
|    |  | 3283460109873 | 6350048R | 10 adjustable in line drippers 0 to 6 L/h with 1 bar.                                                     | L9206   | 10 |  |  |    |
|    |  | 3283460109880 | 6350049Z | 10 self-regulating(*) - self-piercing drippers 2 L/h                                                      | L9317   | 10 |  |  |    |
|                                                                                    |  | 3283460109897 | 6350050M | 25 self-regulating(*) - self-piercing drippers 2 L/h                                                      | L931725 | 10 |  |  |    |
|   |  | 3283460109903 | 6350051U | 10 self-regulating(*) - self-piercing drippers 4 L/h                                                      | L9318   | 10 |  |  |   |
|                                                                                    |  | 3283460109910 | 6350052C | 25 self-regulating(*) - self-piercing drippers 4 L/h                                                      | L931825 | 10 |  |  |  |
|  |  | 3283460109927 | 6350053K | 10 self-regulating(*) - self-piercing drippers 8 L/h                                                      | L9319   | 10 |  |  |  |
|                                                                                    |  | 3283460109934 | 6350054S | 25 self-regulating(*) - self-piercing drippers 8 L/h                                                      | L931925 | 10 |  |  |  |
|  |  | 3283460109941 | 6350055A | 10 adjustable drippers - 0 to 40 L/h with 1 bar                                                           | L9226   | 10 |  |  |  |
|                                                                                    |  | 3283460109958 | 6350056H | 25 adjustable drippers - 0 to 40 L/h with 1 bar                                                           | L922625 | 10 |  |  |  |
|  |  | 3283460109965 | 6350057Q | 10 adjustable drippers on stake peg 0 to 40 L/h with 1 bar<br>Sold with a barb junction connector - 6mm Ø | L9227   | 10 |  |  |  |

### • DRIPPERS - IN BULK

CP 094060

|                                                                                    |  |               |          |                                                       |       |    |                                                                                           |  |                                                                                       |
|------------------------------------------------------------------------------------|--|---------------|----------|-------------------------------------------------------|-------|----|-------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
|  |  | 3283460071606 | 6350369D | 100 standard drippers - 2 L/h with 1 bar              | D1215 | 10 |  100 |  |  |
|  |  | 3283460107008 | 6350370R | 10 adjustable in line drippers 0 to 6 L/h with 1 bar. | D1206 | 10 |                                                                                           |  |  |
|  |  | 3283460110091 | 6350069M | 50 self-regulating(*) - self-piercing drippers 4 L/h  | D1321 | 10 |  100 |  |  |
|  |  | 3283460063953 | 6350365Y | 50 adjustable drippers - 0 to 40 L/h with 1 bar       | D1225 | 10 |  100 |  |  |
|                                                                                    |  | 3283460063960 | 6350366F | 100 adjustable drippers - 0 to 40 L/h with 1 bar      | D1224 | 10 |  100 |  |  |

(\*) Self-regulating drippers are precision drippers which deliver the same water flow whatever the pressure is between 1 and 4 bars.

## DRIPPING WATERING

CP 094260 / 094300 / 094130 / 094060

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                                                | Pck     | Pces / Pack                                                                             | Presenta-<br>tion                                                                   |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460103840 | 2247466G     | Case of 250 auto regulating drippers - 0 to 40 L/h with 1 bar                                              | ML250GR | 1                                                                                       |  |
|  |                      | 3283460064042 | 6778015Z     | Adjustable drippers on stake peg<br>0 to 40 L/h with 1 bar.<br>Sold with a barb junction connector - 6mm Ø | D1227   | 100  |  |

### • MICRO SPRAYER - ON CARDBOARD

CP 094060

|                                                                                     |  |               |          |                                                                                                                         |       |                                                                                          |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|-------------------------------------------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |  | 3283460109972 | 6350058Y | 10 maxi-sprayers<br>With 1 bar : 2,0 m reach, 36 L/h water flow<br>Angle : 90°                                          | L9242 | 10                                                                                       |    |
|    |  | 3283460109989 | 6350059F | 10 maxi-sprayers<br>With 1 bar : 1,8 m reach, 36 L/h water flow<br>Angle : 180°                                         | L9240 | 10                                                                                       |    |
|    |  | 3283460109996 | 6350060T | 10 maxi-sprayers<br>With 1 bar : 2,3 m reach, 36 L/h water flow<br>Angle : 360°                                         | L9245 | 10                                                                                       |    |
|    |  | 3283460064745 | 6350400B | 5 rigid risers 30 cm                                                                                                    | A1260 | 10    |    |
|  |  | 3283460064752 | 6350401J | Stake peg for riser 30 cm                                                                                               | A1265 | 10  |  |
|  |  | 3283460110022 | 6350063R | Adjustable maxi-sprayer on stake peg<br>With 1 bar : 0 to 2,1 m adjustable reach,<br>77 L/h water flow<br>Angle : 90°   | L9310 | 10  |  |
|  |  | 3283460110039 | 6350064Z | Adjustable maxi-sprayer on stake peg<br>With 1 bar : 0 to 2,0 m adjustable reach,<br>77 L/h water flow<br>Angle : 180°  | L9320 | 10  |  |
|  |  | 3283460110046 | 6350065G | Adjustable maxi-sprayers on stake peg<br>With 1 bar : 0 to 2,9 m adjustable reach,<br>77 L/h water flow<br>Angle : 360° | L9340 | 10  |  |
|  |  | 3283460110053 | 6350066P | Adjustable misting sprayer<br>With 1 bar : 0 to 0,25 m adjustable reach,<br>13 L/h water flow                           | L9350 | 10  |  |
|  |  | 3283460110060 | 6350067X | Adjustable micro sprayer on stake peg<br>With 1 bar : 0 to 3,2 m adjustable reach,<br>77 L/h water flow<br>Angle : 360° | L9500 | 10  |  |

> CHARACTERISTICS OF DRIPPERS

| DRIPPERS | STANDARD       |             | SELF-REGULATING |             |                |             |                |             | ADJUSTABLE IN LINE |             | ADJUSTABLE     |             |
|----------|----------------|-------------|-----------------|-------------|----------------|-------------|----------------|-------------|--------------------|-------------|----------------|-------------|
|          | D1215          |             | L9317           |             | L9318 / D1321  |             | L9319          |             | L9206              |             | L9226 / L9227  |             |
|          | PRESSURE (bar) | DEBIT (L/h) | PRESSURE (bar)  | DEBIT (L/h) | PRESSURE (bar) | DEBIT (L/h) | PRESSURE (bar) | DEBIT (L/h) | PRESSURE (bar)     | DEBIT (L/h) | PRESSURE (bar) | DEBIT (L/h) |
|          | 1,0            | 2           | 0,5             | 2           | 0,5            | 4           | 0,5            | 8           | 0,5                | 0 - 4,1     | 1,0            | 0 - 40      |
|          | 1,5            | 2,3         | 1,0             | 2           | 1,0            | 4           | 1,0            | 8           | 0,75               | 0 - 5,1     | 1,5            | 0 - 50      |
|          | 2,0            | 2,5         | 1,5             | 2           | 1,5            | 4           | 1,5            | 8           | 1,0                | 0 - 6,0     | 1,7            | 0 - 60      |
|          |                |             | 2,0             | 2           | 2,0            | 4           | 2,0            | 8           | 1,25               | 0 - 6,8     |                |             |
|          |                |             | 2,5             | 2           | 2,5            | 4           | 2,5            | 8           | 1,5                | 0 - 7,5     |                |             |

> CHARACTERISTICS OF MICRO DIFFUSERS

| MAXI-SPRAYERS | PRESSURE<br>(bar) | DEBIT<br>(L/h) | WATERING RADIUS<br>(m)                                                                   |                                                                                           | WATERING DIAMETER<br>(m)                                                                  |                                                                                                 |         |
|---------------|-------------------|----------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------|
|               |                   |                | <br>90° | <br>180° | <br>360° | <br>Micro-mist |         |
|               | STANDARD          |                | L9242                                                                                    | L9240                                                                                     | L9245                                                                                     |                                                                                                 |         |
|               | 0,5               | 27             | 1,4                                                                                      | 1,5                                                                                       | 3,7                                                                                       |                                                                                                 |         |
|               | 1,0               | 36             | 2,0                                                                                      | 1,8                                                                                       | 4,6                                                                                       |                                                                                                 |         |
|               | 1,5               | 47             | 2,4                                                                                      | 2,0                                                                                       | 5,4                                                                                       |                                                                                                 |         |
|               | 2,0               | 54             | 2,8                                                                                      | 2,2                                                                                       | 6,0                                                                                       |                                                                                                 |         |
|               | 2,5               | 61             | 3,1                                                                                      | 2,4                                                                                       | 6,6                                                                                       |                                                                                                 |         |
|               | ADJUSTABLE        |                | L9310                                                                                    | L9320                                                                                     | L9340                                                                                     | L9350                                                                                           |         |
|               | 0,5               | 0 - 54         | 0 - 1,5                                                                                  | 0 - 1,4                                                                                   | 0 - 5,0                                                                                   |                                                                                                 |         |
|               | 1,0               | 0 - 77         | 0 - 2,1                                                                                  | 0 - 2,0                                                                                   | 0 - 5,8                                                                                   |                                                                                                 |         |
|               | 1,5               | 0 - 94         | 0 - 2,6                                                                                  | 0 - 2,3                                                                                   | 0 - 6,4                                                                                   |                                                                                                 |         |
|               | 2,0               | 0 - 105        | 0 - 3,0                                                                                  | 0 - 2,8                                                                                   | 0 - 7,0                                                                                   |                                                                                                 |         |
|               | 2,5               | 0 - 119        | 0 - 3,3                                                                                  | 0 - 3,0                                                                                   | 0 - 7,5                                                                                   |                                                                                                 |         |
|               | 0,5               | 0 - 9          |                                                                                          |                                                                                           |                                                                                           |                                                                                                 | 0 - 0,4 |
|               | 1,0               | 0 - 13         |                                                                                          |                                                                                           |                                                                                           |                                                                                                 | 0 - 0,5 |
|               | 1,5               | 0 - 15         |                                                                                          |                                                                                           |                                                                                           |                                                                                                 | 0 - 0,5 |
|               | 2,0               | 0 - 16         |                                                                                          |                                                                                           |                                                                                           | 0 - 0,5                                                                                         |         |
|               | 2,5               | 0 - 18         |                                                                                          |                                                                                           |                                                                                           | 0 - 0,5                                                                                         |         |

| MICRO-SPRAYERS | PRESSURE<br>(bar) | DEBIT<br>(L/h) | WATERING<br>DIAMETER<br>(m)                                                                 | JET<br>HEIGHT<br>(m) |
|----------------|-------------------|----------------|---------------------------------------------------------------------------------------------|----------------------|
|                |                   |                | <br>360° |                      |
|                | ADJUSTABLE        |                | L9500                                                                                       |                      |
|                | 1,0               | 0 - 77         | 0 - 6,3                                                                                     | 0 - 0,4              |
|                | 1,25              | 0 - 94         | 0 - 7,2                                                                                     | 0 - 0,4              |
|                | 2,0               | 0 - 105        | 0 - 7,9                                                                                     | 0 - 0,4              |



# DRIPPING WATERING

CP 094260 / 094300 / 094130 / 094060

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                 | Pck   | Pces / Pack | Presentation |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|-----------------------------------------------------------------------------|-------|-------------|--------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • MAIN CONDUCT TUBES - LOW WATER FLOW 2,5 BARS                                      |                      |               |              |                                                                             |       |             | CP 094260    |                                                                                           |                                                                                       |
| Water flow with 1,2 bars pressure: around 600 L/h                                   |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|    |                      | 3283460061874 | 1712613Q     | Black polyethylene tube<br>13 x 16 mm Ø                                     | 25 m  | A1365       | 6            |  80    |    |
|                                                                                     |                      | 3283460061881 | 1712614Y     |                                                                             | 50 m  | A1366       | 6            |  56    |    |
|                                                                                     |                      | 3283460061898 | 1712615F     |                                                                             | 100 m | A1367       | 6            |  42    |    |
| Water flow with 1.2 bars pressure : around 1000 L/h                                 |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|    |                      | 3283460061911 | 1712623X     | Black polyethylene tube<br>17 x 20 mm Ø                                     | 25 m  | A1360       | 6            |  48    |    |
|                                                                                     |                      | 3283460061928 | 1712624E     |                                                                             | 50 m  | A1361       | 6            |  24    |    |
| • SECONDARY CONDUCT TUBES - LOW WATER FLOW                                          |                      |               |              |                                                                             |       |             | CP 094260    |                                                                                           |                                                                                       |
| Water Flow with 1.2 bars pressure: around 60 L/h                                    |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|   |                      | 3283460066077 | 6781203L     | Black micro conduct<br>4 x 6 mm Ø                                           | 15 m  | A1370       | 10           |  60    |    |
|                                                                                     |                      | 3283460066084 | 6781205B     |                                                                             | 25 m  | A1371       | 10           |  60  |  |
|                                                                                     |                      | 3283460066091 | 6781206J     |                                                                             | 50 m  | A1372       | 10           |  220 |  |
| • TUBES INTEGRATED DRIPPERS                                                         |                      |               |              |                                                                             |       |             | CP 094300    |                                                                                           |                                                                                       |
| Water flow with 1 bar pressure: 2 L/h per dripper. Space between 2 drippers : 33 cm |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|  |                      | 3283460075802 | 6781610R     | Aqua Gout' brown tube<br>13 x 16 mm Ø with integrated<br>drippers           | 25 m  | A1480       | 1            |  50  |  |
|                                                                                     |                      | 3283460077981 | 6781611Z     |                                                                             | 50 m  | A1481       | 1            |  45  |  |
| Water flow with 1 bar pressure: 2 L/h per dripper. Space between 2 drippers : 15 cm |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|  |                      | 3283460102539 | 6781614X     | Brown micro conduct<br>4 x 6 mm Ø with integrated<br>drippers               | 15 m  | A1390       | 10           |                                                                                           |  |
| • POROUS TUBES                                                                      |                      |               |              |                                                                             |       |             | CP 094300    |                                                                                           |                                                                                       |
| Water flow with 1 bar pressure : 12 L/h per linear meter – maxi length: 50 m        |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|  |                      | 3283460066138 | 6781303R     | Porous tube kit<br>(16mm Ø porous tube, 1 automatic<br>adaptor, 1 end plug) | 15 m  | A2000       | 5            |  80  |  |
|                                                                                     |                      | 3283460066145 | 6781305G     |                                                                             | 25 m  | A2001       | 4            |  72  |  |
|  |                      | 3283460066152 | 6781316W     | Porous black tube                                                           | 50 m  | A2010       | 2            |  48  |  |
|                                                                                     |                      | 3283460066169 | 6781317D     |                                                                             | 100 m | A2011       | 1            |  18  |  |
| Water flow with 1 bar pressure : 0,5 L/h per linear meter                           |                      |               |              |                                                                             |       |             |              |                                                                                           |                                                                                       |
|  |                      | 3283460109316 | 6781302J     | Porous tube brown<br>4 x 6 mm Ø                                             | 10 m  | A4610       | 10           |                                                                                           |  |

| Picture                                                                            | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Pck     | Pces / Pack | Presenta-tion |
|------------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------|---------------|
| • COMPLETE KITS                                                                    |                      |               |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |             | CP 094060     |
|   |                      | 3283460102751 | 6781738W     | Garden and terrace Kit<br>(25m of Ø 16mm tube, 15m of 6mm Ø tube, 1 timer PNR16, 1 pressure reducer, 1 x 3/4" F barb connector for 16mm Ø tube, 40 adjustable drippers, 10 x 4 L/h in line drippers, 1 tool for making holes, 2 x 16mm Ø valves, 2 x 16mm Ø junctions, 2 x 16mm Ø tees, 2 x 16mm Ø elbows, 4 x 16mm Ø end plugs, 5 stake pegs for 16mm Ø tube, 3 x 6mm Ø valves 10 x 6mm Ø junctions, 10 x 6mm Ø tees, 5 x 6mm Ø elbows, 10 x 6mm Ø end plugs, 25 stake pegs for 6mm Ø tube) | K4091   | 5           | 40            |
|   |                      | 3283460098832 | 6781709J     | Dripping system Kit<br>(25m of 16mm Ø tube, 1 x 3/4" F barb connector for tube of 16mm Ø, 4 x 16mm Ø end plugs, 2 x 16mm Ø tees, 10 x 6mm Ø end plugs, 1 tool for making holes and 50 adjustable drippers)                                                                                                                                                                                                                                                                                   | K4067   | 5           | 40            |
|   |                      | 3283460109514 | 6350008Q     | Gravity dripping system Kit 10L<br>(5m of Ø 4x6mm tube, 1 connector, 1 valve, 6 adjustable in-line drippers, 1 end plug, 2 suspension hangers, 2 t-head bolts and 2 nuts)                                                                                                                                                                                                                                                                                                                    | KG10    | 6           |               |
|  |                      | 3283460107428 | 6781740R     | Programmable pump Kit<br>(15m of Ø 4x6mm tube, 1 programmable pump PP16, 1 solar panel PS16, 14 self-regulating in line drippers on stake peg 2L/h et 1 self-regulating dripper on stake peg 2L/h)                                                                                                                                                                                                                                                                                           | KPP16SI | 6           |               |

## KG10 GRAVITY DRIPPING SYSTEM KIT - 10 L

Ideal for holiday departures and shared gardens. This kit allows you to water up to 6 plants.



No need for a water supply, just a simple hanging tank that you hang up high and gravity takes care of sending water into the hose.



10L water bag

Complete kit

- 5 m of micro-tube
- 1 connector
- 6 adjustable in-line drippers
- 1 cap
- 2 suspension hangers
- 2 screws for hangers
- 1 valve





# DRIPPING WATERING

CP 094260 / 094300 / 094130 / 094060

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                                                                                                  | Pck   | Pces / Pack                                                                           | Presenta-<br>tion                                                                   |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460109309 | 6350007H     | Réserve d'eau démontable 50L                                                                                                                                                                                                                                 | REC50 | 10                                                                                    |  |
|  |                      | 3283460102676 | 6796437X     | SUMMER KIT - automatic irrigation 10 plants (10m of 6mm Ø tube, 1 programmable pump, 1 filter, 1 bottle adaptor, 1 USB charging cable, 1 hanger for water tank, 10 x 6mm Ø tees, 2 x 6 mm Ø end plugs, 10 x 4 L/h drippers, 10m x 6mm Ø tube holder stakes). | SK10  |  6 |  |



*Ideal for watering your plants in pots during your holidays.*

## AUTOMATIC IRRIGATION FOR 10 PLANTS

**1** Complete **2** Multi-use **3** Long duration



This kit includes:

- 1 Programmable pump (with battery lithium-ion)
- 1 Ballasted tube for water tank
- 1 Adaptor for different kinds of bottles
- 1 USB charging cable
- 10 m Microtube
- 1 Hanger for water tank
- 1 Anti-siphon valve
- 10 Tees
- 2 End plugs
- 10 Drippers
- 10 Tube holder stakes




**Full Battery = 30h of continuous watering for a flow of 15cl per minute**

## 2 timer installation options:

OPTION 1



OPTION 2



| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                                                                      | Pck   | Pces / Pack | Presenta-tion                                                                         |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------------------------------------------------------------|-------|-------------|---------------------------------------------------------------------------------------|
|  |                      | 3283460100252 | 6351400F     | HOME GARDEN - Vertical garden with an automatic watering system and a water tank | SVA20 | 1           |  7 |



<https://youtu.be/9MLbNNwplmM>

## HOME GARDEN

PLANTS HOLDER  
with automatic watering system  
and water tank

**OUTDOOR / INDOOR**

*Ideal for ornamental and/or edible plants*

### Integrated watering system:

Thanks to a timer and an integrated watering system, you no longer need to think in watering plants.

You only have to set the frequency and the watering duration depending on the needs of the plants and the Home Garden will take care of everything!

### DESCRIPTION OF THE PRODUCT:

#### Composed of:

- 5 shelves
- 4 Independent compartments per shelf
- 8 x 4L/h drippers - 12 x 2L/h drippers
- 6 wheels
- 1 power adaptor


#### Materials:

- Metal support
- ABS plastic accessories
- Main tube in PVC

**Capacity of the water tank:** 9,5 litres

**Weight:** 12 kg

**Pump:** programmable / 10W



**1** Automatically waters your plants

**2** Smart and discreet

**3** For decoration or cultivation purposes





## DRIPPING WATERING

CP 094260 / 094300 / 094130 / 094060

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                                         | Pck        | Pces / Pack                                                                               | Presentation                                                                                |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|---------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • AUTONOMOUS DRIPPERS - PLASTICS                                                    |                      |               |              |                                                                                                                     |            | CP 094060                                                                                 |                                                                                             |                                                                                       |
|    |                      | 3283460107381 | 6350525H     | Autonomous and adjustable dripper on peg for differently bottles                                                    | AQUAGB1    | <br>12 |          |                                                                                       |
|    |                      | 3760242280215 | 6350552E     | Autonomous dripper Oriaz                                                                                            | (ORIAZ1)   | 28                                                                                        |          |                                                                                       |
|    |                      | 3760242280031 | 6350553M     | Set of 3 autonomous drippers Oriaz                                                                                  | (ORIAZ3)   | 24                                                                                        |          |                                                                                       |
| • AUTONOMOUS DRIPPERS - TERRACOTTA CONES                                            |                      |               |              |                                                                                                                     |            | CP 094060                                                                                 |                                                                                             |                                                                                       |
|    |                      | 3283460100320 | 6350523S     | 2 Aquago autonomous drippers<br>For pots of Ø 25 to 35 cm<br>Water flow ± 20 cl / 24 h<br>To be plugged on a bottle | AQUAGO     | 24                                                                                        |          |                                                                                       |
|    |                      | 3283460100337 | 6350524A     | 2 Hydroplant autonomous drippers<br>For pots of Ø 15 to 25cm<br>Water flow ± 10 cl / 24 h<br>For a water container  | HYDROPLANT | 24                                                                                        |          |                                                                                       |
| • PLANTS WATER GEL AND WATER PEARLS                                                 |                      |               |              |                                                                                                                     |            | CP 094060                                                                                 |                                                                                             |                                                                                       |
|   |                      | 3283460078285 | 6350532R     | Water gel<br>From 30 to 40 days of<br>autonomy depending on the<br>plants                                           | 3 L        | GEL3000                                                                                   | 1                                                                                           |   |
|  |                      | 3283460099396 | 6350547L     |                                                                                                                     | 400 ml     | JARDIGEL                                                                                  | <br>24 |  |
|  |                      | 3283460100351 | 6350538M     |                                                                                                                     | 330 ml     | JARDIFLU                                                                                  | <br>24 |  |

## HOLIDAYS AWAY SOLUTIONS:

### > CONES

AQUAGO  
± 20 cl / 24 h.



HYDROPLANT  
± 10 cl / 24 h.



### > THE GEL

GEL3000 / JARDIGEL  
30 to 40 days of autonomy





JARDIFLU  
30 to 40 days of autonomy



## SOS IT'S HOT !

Impossible to stay outside without suffering from heat?

**The tip: outside mist cooling systems to spend a fresh summer !**



**Mist cooling systems freshen the air when it's hot.**

Installed outside, the mist cooling system brings natural comfort and allows to enjoy your garden or terrace without having to support the heat of the summer.

It lowers temperature of **10°** when it's **30°** outside.

## Choosing the right mist cooling system



### BRU051

You're looking for a mist cooling system to occasionally fix, specially during the summer time:

- under a jardin tent



### BRU061 BRU071

You need a fixed and permanent mist cooling system for:

- under a jardin tent,
- a pergola.



### HANDMIST



You need a small handy mist cooling system that will follow you in any situation:

- after sport,
- on the beach,
- at the swimming pool,
- in the mountains...



### BRU502

You need a nomad mist cooling system that you can move wherever you want and that will follow you in your farmiente sittings or to freshen your children who play in the garden.



### DJBRU

You need a multifunctional mist cooling system: both mist cooling system and shower to stand by the swimming pool.

# MIST COOLING

CP 094390

| Picture                                                     | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                                                                                                                                                              | Pck       | Pces / Pack | Presenta-<br>tion |
|-------------------------------------------------------------|----------------------|---------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------|-------------------|
| <b>• MISTING KITS</b>                                       |                      |               |              |                                                                                                                                                                                                                                                                                                                          |           |             |                   |
|                                                             |                      | 3283460102683 | 6796438E     | Complete misting kit with high performance pump<br>(14,5m of Ø 7mm micro conduct pre-assembled with 1 connector, 5 junctions and 1 end plug; 3m of Ø 10mm hose with 2 connectors, 1 AC/DC adapter, 1 adaptor FF 3/4" - 1/2", 1 anti-limestone filter, 1 tap connector 3/4", 12 wall nails (Ø 6x10mm), 7 misting nozzles) | KPBRU20   | 4           |                   |
|                                                             |                      | 3283460108340 | 6781590N     | Complete fixed misting kit including<br>(1 temporizator BRU200, 10 m of Ø 5x8 mm tube, 1 tap connector, 6 junctions with orientable anti-drip nozzle (at 2 bars), 1 end plug with orientable purge, 20 clamps, 20 guides for tubing).                                                                                    | BRU071    | 5           |                   |
|                                                             |                      | 3283460093813 | 6781585U     | Complete fixed misting kit including<br>(1 temporizator, 1 F automatic connector, 1 filter, 1 connector, 16 fixing clamps, 6 junctions with nozzles, 1 end plug with dewatering purge, 10 m of 10 mm Ø tube and 1 tool for cutting tube)                                                                                 | (BRU070)  | 5  100      |                   |
|                                                             |                      | 3283460108333 | 6781589A     | Fixed misting kit<br>(10 m of Ø 5x8 mm tube, 1 tap connector, 6 junctions with orientable anti-drip nozzle (at 2 bars), 1 end plug with orientable purge, 16 clamps, 16 guides for tubing)                                                                                                                               | BRU061    | 10          |                   |
|                                                             |                      | 3283460090799 | 6781558Y     | Fixed misting kit :<br>(10m of 10 mm Ø tube, 6 junctions with nozzles, 16 locking clamps, 1 end plug with dewatering purge, 1 connector with filter)                                                                                                                                                                     | (BRU060)  | 10  240     |                   |
|                                                             |                      | 3283460107374 | 6781544L     | Portable misting kit<br>(7,5m of Ø 4x6 mm tube, 1 Push-fit tap connector, 5 Push-fit junctions with orientable nozzle, 1 end plug, 7 clamps).                                                                                                                                                                            | BRU051    | 10          |                   |
|                                                             |                      | 3283460082923 | 6781557Q     | Portable misting kit :<br>(7,5m of 8 mm Ø tube, 7 clamps, 4 junctions with nozzles, 1 end plug with dewatering purge, 1 connector with filter)                                                                                                                                                                           | (BRU050)  | 10  480     |                   |
| <b>• MIST COOLER</b>                                        |                      |               |              |                                                                                                                                                                                                                                                                                                                          |           |             |                   |
|                                                             |                      | 3283460099181 | 6781586C     | Garden shower/mist cooler on tripod with 3 nozzles<br>2,40 m high, adjustable                                                                                                                                                                                                                                            | DJBRU     | 6  108      |                   |
|                                                             |                      | 3283460093707 | 6781549Z     | Mist cooler on peg, 2 x 360° orientable heads. Height : 78 cm.<br>Sold in display<br><u>Colour: anise green</u>                                                                                                                                                                                                          | BRU502    | 30  120     |                   |
|                                                             |                      | 3283460100481 | 6781545T     | 2 nozzles for BRU502 mist cooler on peg<br><u>Colour: black</u>                                                                                                                                                                                                                                                          | BUS502    | 10          |                   |
|                                                             |                      | 3283460092151 | 6781575N     | Flow regulating valve with locking system<br><u>2 colours: anise green and light brown</u>                                                                                                                                                                                                                               | BRU600    | 15  1080    |                   |
|                                                             |                      | 3283460098191 | 6781548R     | Mist sprayer<br>30 ml capacity                                                                                                                                                                                                                                                                                           | HAND MIST | 20  560     |                   |
| <b>• CONNECTORS FOR MIST COOLING SYSTEMS - ON CARDBOARD</b> |                      |               |              |                                                                                                                                                                                                                                                                                                                          |           |             |                   |
|                                                             |                      | 3283460090812 | 6781574F     | Tap connector - 3/4" F x Ø 6 x 10 mm                                                                                                                                                                                                                                                                                     | BRU105    | 10          |                   |
|                                                             |                      | 3283460082947 | 6781561B     | 2 tees - Ø 6 x 10 mm                                                                                                                                                                                                                                                                                                     | BRU110    | 10          |                   |
|                                                             |                      | 3283460082954 | 6781562J     | 2 elbows - Ø 6 x 10 mm                                                                                                                                                                                                                                                                                                   | BRU115    | 10          |                   |
|                                                             |                      | 3283460082961 | 6781563R     | 2 junctions - Ø 6 x 10 mm                                                                                                                                                                                                                                                                                                | BRU120    | 10          |                   |



| Picture                                                                                                                                                                                                | Customer's Reference | EAN           | Product Code | Description                                                                                          | Pck      | Pces / Pack | Presenta-tion                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------------------------------------------|----------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                       |                      | 3283460093745 | 6781584M     | 2 reductions junctions - Ø 6 x 10 - 5 x 7 mm                                                         | BRU180   | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460082978 | 6781564Z     | 2 end plugs - Ø 6 x 10 mm                                                                            | BRU125   | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460082985 | 6781565G     | 2 junctions - Ø 6 x 10 mm + output for nozzle                                                        | BRU130   | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460082992 | 6781566P     | 2 end plugs - Ø 6 x 10 mm + output for nozzle                                                        | (BRU135) | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460083005 | 6781567X     | Junction - Ø 6 x 10 mm + chromed nozzle                                                              | BRU140   | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460083012 | 6781568E     | End plug - Ø 6 x 10 mm + chromed nozzle                                                              | BRU145   | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460083029 | 6781569M     | 10 hanging clamps to screw Ø 6 x 10 mm                                                               | BRU150   | 10          |                                                                                               |
|                                                                                                                       |                      | 3283460083036 | 6781570A     | 10 guides for tubing with nail Ø 6 x 10 mm                                                           | BRU155   | 10          |                                                                                               |
|                                                                                                                      |                      | 3283460090829 | 6781571H     | Tube Ø 6 x 10 mm                                                                                     | 10 m     | BRU160      |  10  380 |
|                                                                                                                     |                      | 3283460090836 | 6781572Q     | 4 chromed nozzles                                                                                    | BRU165   | 10          |                                                                                             |
|                                                                                                                     |                      | 3283460108357 | 6781600K     | 4 chromed nozzles with anti-drip system (2 bars)                                                     | BRU169   | 10          |                                                                                             |
|                                                                                                                     |                      | 3283460090843 | 6781573Y     | 4 chromed nozzles with anti-drip system (20 bars mini)                                               | (BRU170) | 10          |                                                                                             |
|                                                                                                                     |                      | 3283460100610 | 6781587K     | 1 chrome-plated purge                                                                                | BRU171   | 10          |                                                                                             |
|                                                                                                                     |                      | 3283460092199 | 6781578L     | 10 chromed clamps for portable misting system                                                        | BRU175   | 10          |                                                                                             |
|  |                      | 3283460093240 | 6781579T     | Anti-limestone filter - 3/4" MM specially made for mist cooling systems. To be changed every 9 000 L | BRU190   | 20          |  960   |


## • TEMPORIZATORS FOR MIST COOLING SYSTEMS

|                                                                                     |  |               |          |                                                                                                                |          |    |                                                                                                                                                                                    |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|----------------------------------------------------------------------------------------------------------------|----------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460091314 | 6781581P | Digital screen temporizator<br>Frequency from 1 minute to 30 days<br>Duration: from 1 second to 11h 59 minutes | (BRU300) | 1  |  10                                                                                           |  |
|  |  | 3283460091307 | 6781580G | Mechanical settings temporizator<br>(technical datas page 19)<br><i>Colours: anise green/grey</i>              | BRU200   | 15 |  15  420 |  |

## • ACCESSORIES FOR MIST COOLING SYSTEMS

|                                                                                                                                                                                                                           |  |               |          |                                                                                                                                       |          |    |                                                                                                                                                                                    |                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------|----------|---------------------------------------------------------------------------------------------------------------------------------------|----------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                                                                        |  | 3283460092168 | 6781576W | 10 m of 10 mm Ø tube with 1 tap connector, 2 automatic connectors and 1 valve.<br><i>2 colours: anise green and light brown</i>       | BRU550+  | 10 |  10  150 |  |
|  |  | 3283460092205 | 6781577D | Stand for tube - 115,5cm high<br>In: 1/2" M or by automatic connector,<br>equipped with a 3/4" M tap in brass and a<br>stand for tube | (BRU650) | 6  |                                                                                                                                                                                    |  |

## UNDERGROUND WATERING




ILV 2248771W p.77

## 3 NOBLE PRODUCTS BRANDS FOR A WIDER CHOICE




## WHAT YOU NEED TO DO

- 1** Make a draw of your garden, indicate:
  - obstacles (high and large plants, walls, etc...)
  - parts that mustn't be watered: draw in standards scale of **1cm = 1 meter or 1cm = 2 meters**.
  - for undulating ground, indicate differences of levels regarding to the level the watering supply to which the system will be connected.
- 2** Precise the type of plants (lawn, hedges, small trees, flowers, etc...).
- 3** Indicate the different possibilities in watering supply, place, flow and pressure:



- 1 • Fully open the tap
- 2 • Place a 10 liters bucket under the flow
- 3 • Note the time for filling the bucket
- 4 • Calculate the flow par hour (in liters):




## WHAT WE DO



- 1** We entirely design your watering system: sprinklers, hoses, connectors, valves and accessories.
- 2** Free of charge, we will estimate the cost and make a detailed plan of all parts you need. We will give you tips and will show you how to install a reliable and performing system which will at the same time make you save time and money !

OUR DESIGN DEPARTMENT MAKES YOU PROJECT REAL



| DEVIS                              |  |  |  |  |  |
|------------------------------------|--|--|--|--|--|
| Pression 3.00 Kg<br>Débit 2200 l/h |  |  |  |  |  |

| Référence     | Désignation                                 | Qté | P.U. | TVA | Prix HT |
|---------------|---------------------------------------------|-----|------|-----|---------|
| 3283460085030 | 10 Goutteurs auto régulants 4 l/h           | 2   |      |     |         |
| 3283460085047 | 25 Goutteurs auto régulants 4 l/h           | 2   |      |     |         |
| 0046878107557 | Allonge réglable 1/2" X 1/2"                | 10  |      |     |         |
| 0046878107656 | Allonge réglable 3/4" X 3/4"                | 5   |      |     |         |
| 3283460063861 | Bouchon extra 16 mm D1660                   | 1   |      |     |         |
| 3283460066503 | Bouchon mâle 1" PVC                         | 1   |      |     |         |
| 3283460067388 | Bout de ligne 25mm                          | 10  |      |     |         |
| 3283460071996 | Branchement cannelé F 20x27 16mm D1005      | 1   |      |     |         |
| 3700045800357 | Clé de réglage pour arroseur Hunter         | 1   |      |     |         |
| 3283460065162 | Collecteur MF 1"                            | 5   |      |     |         |
| 3283460066268 | Collier de prise en charge 25 x 1/2"        | 10  |      |     |         |
| 3283460066275 | Collier de prise en charge 25 x 3/4"        | 5   |      |     |         |
| 3283460063854 | Coude égal 16 x 16 D1650                    | 2   |      |     |         |
| 3283460067289 | Coude égal 25x25                            | 8   |      |     |         |
| 3283460078957 | Electrovanne Hunter MxM 26x34 PGV100MM      | 5   |      |     |         |
| 3283460066404 | Mamelon réduit 3/4" x 1" MM                 | 1   |      |     |         |
| 0611698151952 | Programmeur Hunter 6 voies ELC6             | 1   |      |     |         |
| 3283460067258 | Raccord femelle 25x1"                       | 4   |      |     |         |
| 3283460078094 | Régulateur de pression 3/4" MF              | 1   |      |     |         |
| 3283460081544 | Turbine Hunter 5 à 8 m buse 1.5 SRM         | 2   |      |     |         |
| 3283460081537 | Turbine Hunter 8 à 12 m buse 4 PGP          | 4   |      |     |         |
| 3283460081537 | Turbine Hunter 8 à 12 m buse 5 PGP          | 1   |      |     |         |
| 3283460080945 | Tuyau PE HD 6 bars D25 50m                  | 3   |      |     |         |
| 3283460080398 | Tuyau PE HD 6 bars D25 25m                  | 1   |      |     |         |
| 3283460081881 | Couronne PE noir 13 x 16 mm 50m PE1650      | 1   |      |     |         |
| 3283460081874 | Couronne PE noir 13 x 16 mm 25m PE1625      | 1   |      |     |         |
| 3700045800036 | Tuyère Hunter 3m réglable de 1" à 360° PS10 | 6   |      |     |         |
| 3700045800401 | Tuyère rectangulaire Hunter PSU045SS        | 2   |      |     |         |
| 3283460067081 | Té égal 25x25x25                            | 6   |      |     |         |
| 3283460072054 | Vanne d'arrêt manuelle 1" FF B632           | 1   |      |     |         |

Total HT : 0.00€  
Total TTC : 0.00€  
Prix au m² : 0.00€

| NOTICE DE MONTAGE                  |  |  |  |  |  |
|------------------------------------|--|--|--|--|--|
| Pression 3.00 Kg<br>Débit 2200 l/h |  |  |  |  |  |

| n°                   | Référence     | Désignation                               | Qté | Rayon | Angle |
|----------------------|---------------|-------------------------------------------|-----|-------|-------|
| Départ de vannes n°1 |               |                                           |     |       |       |
|                      | 3283460066503 | Bouchon mâle 1" PVC                       | 1   |       |       |
|                      | 3283460065162 | Collecteur MF 1"                          | 5   |       |       |
|                      | 3283460072054 | Vanne d'arrêt manuelle 1" FF B632         | 1   |       |       |
|                      | 3700045800357 | Clé de réglage pour arroseur Hunter       | 1   |       |       |
|                      | 0611698151952 | Programmeur Hunter 6 voies ELC6           | 1   |       |       |
| Secteur A            |               |                                           |     |       |       |
|                      | 3283460063861 | Bouchon extra 16 mm D1660                 | 1   |       |       |
|                      | 3283460078094 | Régulateur de pression 3/4" MF            | 1   |       |       |
|                      | 3283460066404 | Mamelon réduit 3/4" x 1" MM               | 1   |       |       |
|                      | 3283460078957 | Electrovanne Hunter MxM 26x34 PGV100MM    | 1   |       |       |
|                      | 3283460071996 | Branchement cannelé F 20x27 16mm D1005    | 1   |       |       |
|                      | 3283460063854 | Coude égal 16 x 16 D1650                  | 2   |       |       |
|                      | 3283460085047 | 25 Goutteurs auto régulants 4 l/h         | 50  |       |       |
|                      | 3283460085030 | 10 Goutteurs auto régulants 4 l/h         | 20  |       |       |
|                      |               | Tuyaux avec goutteurs rapportés - Ø 16 mm | 55  |       |       |
| Secteur B            |               |                                           |     |       |       |
|                      | 3283460067388 | Bout de ligne 25mm                        | 3   |       |       |
|                      | 3283460078957 | Electrovanne Hunter MxM 26x34 PGV100MM    | 1   |       |       |
|                      | 3283460067081 | Té égal 25x25x25                          | 2   |       |       |
|                      | 3283460067258 | Raccord femelle 25x1"                     | 1   |       |       |
|                      |               | Tuyaux - Ø 25 mm                          | 16  |       |       |
|                      |               | Tuyaux - Ø 25 mm                          | 11  |       |       |
|                      |               | Tuyaux - Ø 25 mm                          | 7   |       |       |
|                      | 0046878107656 | Allonge réglable 3/4" X 3/4"              | 1   |       |       |
|                      | 3283460066275 | Collier de prise en charge 25 x 3/4"      | 1   |       |       |
| B1                   | 3283460081537 | Turbine Hunter 8 à 12 m buse 4 PGP        | 1   | 10.00 | 180   |
|                      | 0046878107656 | Allonge réglable 3/4" X 3/4"              | 1   |       |       |
|                      | 3283460066275 | Collier de prise en charge 25 x 3/4"      | 1   |       |       |
| B2                   | 3283460081537 | Turbine Hunter 8 à 12 m buse 5 PGP        | 1   | 10.40 | 90    |
|                      | 0046878107656 | Allonge réglable 3/4" X 3/4"              | 1   |       |       |
|                      | 3283460066275 | Collier de prise en charge 25 x 3/4"      | 1   |       |       |
| B3                   | 3283460081537 | Turbine Hunter 8 à 12 m buse 4 PGP        | 1   | 10.00 | 90    |
|                      | 0046878107557 | Allonge réglable 1/2" X 1/2"              | 1   |       |       |



| Picture                                                                            | Customer's Reference | EAN         | Product Code | Description                                                                                                                                     | Pck       | Pces / Pack | Presenta-<br>tion                                                                          |
|------------------------------------------------------------------------------------|----------------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------|--------------------------------------------------------------------------------------------|
| <b>• HUNTER ROTORS</b>                                                             |                      |             |              |                                                                                                                                                 |           |             |                                                                                            |
| CP 094020                                                                          |                      |             |              |                                                                                                                                                 |           |             |                                                                                            |
|   |                      | <b>BULK</b> | 6813157G     | PGP ULTRA rotors<br>5,00 to 14,00 m reach<br>Adjustable: 50 to 360°<br>Sold with standard nozzles and down angle<br>In: 3/4" – Elevation: 10 cm | PGP-ULTRA | 20          |                                                                                            |
|   | 3283460081537        |             | 6760117G     | PGP rotors<br>8,20 to 14,90 m reach<br>Adjustable: 40 to 360 °<br>12 nozzles + 1 nozzle mounted<br>In: 3/4" – Elevation: 10 cm                  | PGP-SV    | 10          |  1080   |
|                                                                                    | 3283460100511        |             | 6760125Y     | PGP rotors<br>8,20 to 14,90 m reach<br>Adjustable: 40 to 360 °<br>1 nozzle mounted                                                              | PGPG      | 20          |  720    |
|                                                                                    | <b>BULK</b>          |             | 6710113K     | In: 3/4" – Elevation: 10 cm                                                                                                                     | PGPV      | 20          |  1800   |
|   |                      | <b>BULK</b> | 6813165Y     | PGJ rotors<br>4,30 to 11,60 m reach<br>Adjustable: 40 to 360°<br>1 nozzle mounted<br>In: 1/2" – Elevation: 15 cm                                | PGJ-04    | 25          |  1800   |
|  | 3283460081544        |             | 6760118P     | SRM rotors<br>4,00 to 9,40 m reach<br>Adjustable: 40 to 360°<br>6 nozzles + 1 nozzle mounted<br>In: 1/2" – Elevation: 10 cm                     | SRM-SV    | 10          |  1440   |
|                                                                                    | 3283460100504        |             | 6760124Q     | SRM rotors<br>4,00 to 9,40 m reach<br>Adjustable: 40 to 360°<br>1 nozzle mounted                                                                | SRMG      | 25          |  3300  |
|                                                                                    | <b>BULK</b>          |             | 6710107J     | In: 1/2" – Elevation: 10 cm                                                                                                                     | SRMV      | 25          |  3300 |

## What is the difference between SV, G and V ?



**SV**

Color label

+ 1 nozzle mounted  
+ 1 set of nozzles



**G**

Black and white label

+ 1 nozzle mounted



**V**

Without label

+ 1 nozzle mounted

## • ACCESSORIES FOR HUNTER ROTORS

|                                                                                     |  |               |          |                                           |            |    |  |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|-------------------------------------------|------------|----|--|---------------------------------------------------------------------------------------|
|  |  | 3283460086082 | 6760119X | Set of 12 nozzles for PGP                 | BUPGP      | 10 |  |  |
|  |  | 3283460086099 | 6760121S | Set of 6 nozzles for SRM                  | BUSRM      | 10 |  |  |
|  |  | 3283460087980 | 6760163J | Setting tool for Eco Rotator              | MPCLE      | 10 |  |  |
|  |  | 3700045800357 | 6760129D | Setting tool for Hunter rotors and sprays | CLE HUNTER | 10 |  |  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                               | Pck         | Pces / Pack                                                                               | Presenta-<br>tion                                                                          |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>• HUNTER ECO ROTATOR</b>                                                         |                      |               |              | CP 094020                                                                                                 |             |                                                                                           |                                                                                            |
|    |                      | 3283460087898 | 6760151M     | Eco Rotator<br>3,50 to 4,30 m reach<br>360° full circle<br>In: 1/2" - Elevation: 10 cm                    | MPLR1000360 | 10                                                                                        |         |
|    |                      | 3283460087904 | 6760153C     | Eco Rotator<br>3,50 to 4,30 m reach<br>Adjustable from 90° to 210°<br>In: 1/2" - Elevation: 10 cm         | MPLR100090  | 10                                                                                        |         |
|    |                      | 3283460087911 | 6760154K     | Eco Rotator<br>4,00 to 6,40 m reach<br>360° full circle<br>In: 1/2" - Elevation: 10 cm                    | MPLR2000360 | 10                                                                                        |         |
|    |                      | 3283460087928 | 6760156A     | Eco Rotator<br>4,00 to 6,40 m reach<br>Adjustable from 90 to 210°<br>In: 1/2" - Elevation: 10 cm          | MPLR200090  | 10                                                                                        |         |
|    |                      | 3283460087935 | 6760157H     | Eco Rotator<br>6,70 to 9,10 m reach<br>360° full circle<br>In: 1/2" - Elevation: 10 cm                    | MPLR3000360 | 10                                                                                        |         |
|    |                      | 3283460087942 | 6760159Y     | Eco Rotator<br>6,70 to 9,10 m reach<br>Adjustable from 90 to 210°<br>In: 1/2" - Elevation: 10 cm          | MPLR300090  | 10                                                                                        |         |
| <b>• EQUIPPED HUNTER SPRAYS</b>                                                     |                      |               |              |                                                                                                           |             |                                                                                           |                                                                                            |
|  |                      | 3700045800029 | 6760130R     | Spray<br>3,00 m reach with 2,1 bars pressure<br>Adjustable from 0 to 360°<br>In: 1/2" - Elevation : 5 cm  | PSU0210A    | 10                                                                                        |       |
|  |                      | 3700045800050 | 6760131Z     | Spray<br>3,70 m reach with 2,1 bars pressure<br>Adjustable from 0 à 360°<br>In: 1/2" - Elevation : 5 cm   | PSU0212A    | 10   | 2400  |
|  |                      | 3700045800081 | 6760132G     | Spray<br>4,60 m reach with 2,1 bars pressure<br>Adjustable from 0 à 360°<br>In: 1/2" - Elevation : 5 cm   | PSU0215A    | 10   | 2400  |
|  |                      | 3700045800111 | 6760133P     | Spray<br>5,20 m reach with 2,10 bars pressure<br>Adjustable from 0 à 360°<br>In: 1/2" - Elevation : 5 cm  | PSU0217A    | 10                                                                                        |       |
|  |                      | 3700045800708 | 6760134X     | Spray<br>Rectangle: 1,50 x 9 m with 2,1 bars pressure<br>In: 1/2" - Elevation : 5 cm                      | PSU025SS    | 10                                                                                        |       |
|  |                      | 3283460099440 | 6760149R     | Spray<br>2,40 m reach with 2,1 bars pressure<br>Adjustable from 0 to 360°<br>In: 1/2" - Elevation : 10 cm | PSU0408A    | 10   | 2400  |
|                                                                                     |                      | 3283460100528 | 6760164R     |                                                                                                           | PSU0408AG   | 100                                                                                       |       |
|                                                                                     |                      | <b>BULK</b>   | 6710148S     |                                                                                                           | PSU0408AV   | 100  | 9000  |
|  |                      | 3700045800036 | 6760140Y     | Spray<br>3,00 m reach with 2,1 bars pressure<br>Adjustable from 0 to 360°<br>In: 1/2" - Elevation : 10 cm | PSU0410A    | 10   | 2400  |
|                                                                                     |                      | 3283460100535 | 6760165Z     |                                                                                                           | PSU0410AG   | 100                                                                                       |       |
|                                                                                     |                      | <b>BULK</b>   | 6710140G     |                                                                                                           | PSU0410AV   | 100  | 9000  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                               | Pck       | Pces / Pack                                                                                    | Presenta-tion                                                                         |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |                      | 3700045800067 | 6760141F     | Spray<br>3,70 m reach with 2,1 bars pressure<br>Adjustable from 0 to 360°<br>In: 1/2" - Elevation : 10 cm | PSU0412A  | 10  2400    |    |
|                                                                                     |                      | 3283460100542 | 6760166G     |                                                                                                           | PSU0412AG | 100                                                                                            |    |
|                                                                                     |                      | <b>BULK</b>   | 6710141P     |                                                                                                           | PSU0412AV | 100  9000   |                                                                                       |
|    |                      | 3700045800098 | 6760142N     | Spray<br>4,60 m reach with 2,1 bars pressure<br>Adjustable from 0 to 360°<br>In: 1/2" - Elevation : 10 cm | PSU0415A  | 10  2400    |    |
|                                                                                     |                      | 3283460100559 | 6760167P     |                                                                                                           | PSU0415AG | 100                                                                                            |    |
|                                                                                     |                      | <b>BULK</b>   | 6710142X     |                                                                                                           | PSU0415AV | 100  9000   |                                                                                       |
|   |                      | 3700045800128 | 6760143W     | Spray<br>5,20 m reach with 2,1 bars pressure<br>Adjustable from 0 to 360°<br>In: 1/2" - Elevation : 10 cm | PSU0417A  | 10  2400    |    |
|                                                                                     |                      | 3283460100566 | 6760168X     |                                                                                                           | PSU0417AG | 100                                                                                            |    |
|                                                                                     |                      | <b>BULK</b>   | 6710143E     |                                                                                                           | PSU0417AV | 100  9000 |                                                                                       |
|  |                      | 3700045800401 | 6760144D     | Spray<br>Rectangle: 1,50 x 9 m with 2.1 bars pressure<br>In: 1/2" - Elevation : 10 cm                     | PSU045SS  | 10                                                                                             |  |
|                                                                                     |                      | 3283460100573 | 6760169E     |                                                                                                           | PSU045SSG | 100                                                                                            |  |
|                                                                                     |                      | <b>BULK</b>   | 6710144M     |                                                                                                           | PSU045SSV | 100  9000 |                                                                                       |

## What is the difference between A, AG and AV ?


**A**

Color label


**AG**

Black and white label


**AV**

Without label

### • HUNTER UNEQUIPPED SPRAYS

CP 094020

|                                                                                     |  |               |          |                                   |          |    |  |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|-----------------------------------|----------|----|--|---------------------------------------------------------------------------------------|
|  |  | 3283460102928 | 6760170S | Spray without nozzle Hunter 5 cm  | PROS-02G | 10 |  |  |
|  |  | 3283460402943 | 6760172H | Spray without nozzle Hunter 10 cm | PROS-04G | 10 |  |  |



| Picture                                                                                                                                              | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                            | Pck             | Pces / Pack                                                                                  | Presenta- tion                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>• ADJUSTABLE HUNTER NOZZLES</b>                                                                                                                   |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
|                                                                     |                      | 3283460103017 | 6761065Y     | Adjustable nozzle<br>1,20 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER04A-1     | 10                                                                                           |    |
|                                                                     |                      | 3283460103024 | 6761066F     | Adjustable nozzle<br>1,80 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER06A-1     | 10                                                                                           |    |
|                                                                     |                      | 3283460102997 | 6761049Q     | Adjustable nozzle<br>2,40 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER08A-1     | 10                                                                                           |    |
|                                                                     |                      | 3283460079046 | 6761055R     | Adjustable nozzle<br>3,00 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER10A-1     | 10                                                                                           |    |
|                                                                     |                      | 3283460079053 | 6761056Z     | Adjustable nozzle<br>3,70 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER12A-1     | 10                                                                                           |    |
|                                                                     |                      | 3283460079060 | 6761057G     | Adjustable nozzle<br>4,60 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER15A-1     | 10                                                                                           |    |
|                                                                     |                      | 3283460103000 | 6761064Q     | Adjustable nozzle<br>5,20 m reach with a pressure of 2,1 bars<br>Adjustable from 1 to 360°                                                                             | HUNTER17A-1     | 10                                                                                           |    |
| <b>• 24 VOLTS HUNTER PROGRAMMING</b>                                                                                                                 |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
| CP 094020                                                                                                                                            |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
|                                                                   |                      | 3283460093530 | 6765543P     | 1 to 4 ways timer<br>3 programs, 4 starts per program                                                                                                                  | XCORE4          | 2  10   |  |
|                                                                                                                                                      |                      | 3283460093547 | 6765544X     | 1 to 6 ways timer<br>3 programs, 4 starts per program                                                                                                                  | XCORE6          | 2  10   |  |
|                                                                   |                      | 0611698151945 | 6765528P     | 1 to 4 ways timer<br>2 programs, 4 starts per program                                                                                                                  | ELC4            | 2  8    |  |
|                                                                                                                                                      |                      | 0611698151952 | 6765529X     | 1 to 6 ways timer<br>2 programs, 4 starts per program                                                                                                                  | ELC6            | 2  8    |  |
| <b>• 24 VOLTS HUNTER ELECTROVALVES</b>                                                                                                               |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
| CP 094020                                                                                                                                            |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
|                             |                      | 3283460078957 | 6766203B     | 1" MM Electrovalve<br>Manual opening and shutting by solenoid.<br>Dewatering purge screw                                                                               | PGV-100MM-B     | 10  960 |  |
|                               |                      | 3283460083470 | 6766205R     | 1" FF Electrovalve<br>Manual opening and shutting by solenoid.<br>Dewatering purge screw                                                                               | PGV-100GB       | 10  960 |  |
| <b>• 9 VOLTS HUNTER ELECTROVALVE</b>                                                                                                                 |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
| CP 094020                                                                                                                                            |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
|  |                      | 3283460093776 | 6766211S     | 1" FF solenoid impulse electrovalve<br>Cap to be unscrewed - Manual opening and<br>shutting by solenoid - Dewatering purge screw<br>- (works only with 9 Volts timers) | PGV100<br>JTBDC | 10  580 |  |
| <b>• HUNTER AUTOMATION ACCESSORIES</b>                                                                                                               |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
| CP 094020                                                                                                                                            |                      |               |              |                                                                                                                                                                        |                 |                                                                                              |                                                                                       |
|                                                                   |                      | 3283460093561 | 6765548C     | Solar sensor- rain sensor. (12m of cable)<br>Works only with the XCORE timers. (stops<br>and adjusts the watering duration depending<br>on how sunny it is)            | SOLARSYN        | 1  20   |  |

| Picture                                         | Customer's Reference | EAN           | Product Code | Description                                                                                                                         | Pck             | Pces / Pack | Presenta- tion |
|-------------------------------------------------|----------------------|---------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|----------------|
| <b>• RAIN BIRD ROTORS</b>                       |                      |               |              | CP 094020                                                                                                                           |                 |             |                |
|                                                 |                      | 3299060001059 | 6750022R     | MAXI PAW impact sprinkler<br>6,70 to 13,70 m reach<br>Adjustable from 20 to 360°<br>Double entry 1/2" and 3/4"<br>Elevation: 7,6 cm | MAXI PAW        | 5           |                |
|                                                 |                      | 3299060368831 | 6750013S     | 5004 rotor<br>7,60 to 15,20 m reach<br>Adjustable from 40 to 360°<br>With 1 nozzle 3.0<br>In: 3/4" – Elevation: 10 cm               | 5004B           | <br>28      |                |
|                                                 |                      | 3299060368824 | 6750014A     | 3504 rotor<br>4,60 to 10,70 m reach<br>Adjustable from 40 to 360°<br>With 1 nozzle 3<br>In: 1/2" – Elevation: 10 cm                 | 3504B           | <br>24      |                |
| <b>• RAIN BIRD ROTORS WITH ROTATING NOZZLES</b> |                      |               |              |                                                                                                                                     |                 |             |                |
|                                                 |                      | 3299060366950 | 6750007R     | 1804 range Sprays<br>2,40 to 4,60 m reach<br>Adjustable from 45 to 270°.<br>In: 1/2" – Elevation: 10 cm                             | (1804-RVAN14)   | 30          |                |
|                                                 |                      | 3299060366967 | 6750008Z     | 1804 range Sprays<br>5,20 to 7,40 m reach<br>Adjustable from 45 to 270°.<br>In: 1/2" – Elevation: 10 cm                             | (1804-RVAN1724) | 30          |                |
|                                                 |                      | 3299060366974 | 6750009G     | 1804 range Sprays<br>4 to 5,50 m reach<br>Adjustable from 45 to 270°.<br>In: 1/2" – Elevation: 10 cm                                | (1804-RVAN18)   | 30          |                |
| <b>• RAIN BIRD SPRAYS</b>                       |                      |               |              | CP 094020                                                                                                                           |                 |             |                |
|                                                 |                      | 3299060368978 | 6750027E     | US410B UNI SPRAY spray<br>2,10 à 3,70 m reach<br>Adjustable from 0 to 360°<br>In: 1/2" – Elevation: 10 cm                           | US410B          | <br>18      |                |
|                                                 |                      | 3299060368961 | 6750028M     | US412 UNI SPRAY spray<br>2,70 to 3,70 m reach<br>Adjustable from 0 to 360°<br>In: 1/2" – Elevation: 10 cm                           | US412B          | <br>18      |                |
|                                                 |                      | 3299060368954 | 6750029U     | US415 UNI SPRAY spray<br>3,40 to 4,60 m reach<br>Adjustable from 0 to 360°<br>In: 1/2" – Elevation 10 cm                            | US415B          | <br>18      |                |
| <b>• ADJUSTABLE RAIN BIRD NOZZLES</b>           |                      |               |              | CP 094020                                                                                                                           |                 |             |                |
|                                                 |                      | 3299060368794 | 6750036D     | 10VANB adjustable nozzle<br>2,10 to 3,10 m reach<br>Adjustable from 0 to 360°                                                       | 10VANB          | 25          |                |
|                                                 |                      | 3299060368800 | 6750037L     | 12VANB adjustable nozzle<br>2,70 to 3,70 m reach<br>Adjustable from 0 to 360°                                                       | 12VANB          | 25          |                |
|                                                 |                      | 3299060368817 | 6750038T     | 15VANB adjustable nozzle<br>3,40 to 4,60 m reach<br>Adjustable from 0 to 360°                                                       | 15VANB          | 25          |                |

| Picture                                   | Customer's Reference | EAN           | Product Code | Description                                                                                     | Pck       | Pces / Pack | Presenta-<br>tion |
|-------------------------------------------|----------------------|---------------|--------------|-------------------------------------------------------------------------------------------------|-----------|-------------|-------------------|
| <b>• 24 VOLTS RAIN BIRD PROGRAMMING</b>   |                      |               |              |                                                                                                 |           |             |                   |
| CP 094020                                 |                      |               |              |                                                                                                 |           |             |                   |
|                                           |                      | 3299060368916 | 6750061K     | 1 to 4 ways timer<br>Independent ways / 6 starts<br>WiFi compatible                             | RZXe4B    | 3           |                   |
|                                           |                      | 3299060368923 | 6750062S     | 1 to 6 ways timer<br>Independent ways / 6 starts<br>WiFi compatible                             | RZXe6B    | 3           |                   |
|                                           |                      | 3299060367018 | 6750048A     | 1 to 8 ways timer<br>Independent ways / 6 starts<br>WiFi compatible                             | RZXe8     | 1  4        |                   |
|                                           |                      | 3299060366943 | 6750049H     | Wifi dongle for RZXe timers                                                                     | CLE WIFI  | 1  5        |                   |
| <b>• 24 VOLTS RAIN BIRD ELECTROVALVES</b> |                      |               |              |                                                                                                 |           |             |                   |
| CP 094020                                 |                      |               |              |                                                                                                 |           |             |                   |
|                                           |                      | 3299060368893 | 6750069W     | 1" MM electrovalve<br>Manual opening and shutting by solenoid<br>Dewatering purge screw         | 100HV-MMB | 4           |                   |
|                                           |                      | 3299060368909 | 6750068N     | 1" FF electrovalve<br>Manual opening and shutting by solenoid<br>Dewatering purge screw         | 100HVB    | 5           |                   |
| <b>• 9 VOLTS RAIN BIRD PROGRAMMING</b>    |                      |               |              |                                                                                                 |           |             |                   |
| CP 094020                                 |                      |               |              |                                                                                                 |           |             |                   |
|                                           |                      | 3299060368190 | 6750058G     | 1 way timer + electrovalve<br>4 programs, 6 starts per program                                  | WPX1 KIT  | 4           |                   |
|                                           |                      | 3299060368183 | 6750059P     | 1 to 4 ways timer<br>4 programs, 6 starts per program                                           | WPX4      | 4           |                   |
| <b>• 9 VOLTS RAIN BIRD ELECTROVALVE</b>   |                      |               |              |                                                                                                 |           |             |                   |
| CP 094020                                 |                      |               |              |                                                                                                 |           |             |                   |
|                                           |                      | 3283460103031 | 6750034N     | 9 volts 1" FF electrovalve<br>Manual opening and shutting by solenoid<br>Dewatering purge screw | 100HV-9V  | 8           |                   |
| <b>• RAIN BIRD ACCESSORIES</b>            |                      |               |              |                                                                                                 |           |             |                   |
| CP 094020                                 |                      |               |              |                                                                                                 |           |             |                   |
|                                           |                      | 3299060357323 | 6750081Y     | Rain sensor                                                                                     | RSD-BEX   | 4           |                   |
|                                           |                      | 3299060000434 | 6750080Q     | 5 waterproof sealed connections                                                                 | 5DBM      | 10          |                   |



| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                                                                                                |       | Pck        | Pces / Pack                                                                                  | Presenta- tion                                                                        |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • 24 VOLTS JARDIBRIC TIMERS                                                         |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
|    |                      | 3283460069689 | 6765602L     | 1 to 4 ways timer<br>2 programs, 4 starts per program                                                                                                                      |       | PROG4      | 6  240    |    |
|                                                                                     |                      | 3283460069696 | 6765604B     | 1 to 6 ways timer<br>2 programs, 4 starts per program                                                                                                                      |       | PROG6      | 6  240    |    |
| • 24 VOLTS JARDIBRIC ELECTROVALVES                                                  |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
|    |                      | 3283460065254 | 6766227U     | Eco electrovalve - 1" MM<br>Manual opening and shutting by solenoid                                                                                                        |       | EV1220     | 10  600   |    |
|    |                      | 3283460065247 | 6766220R     | Eco electrovalve - 1" FF<br>Manual opening and shutting by solenoid                                                                                                        |       | EV1210     | 10  600   |    |
| • 9 VOLTS JARDIBRIC TIMERS                                                          |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
| CP 094020                                                                           |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
|    |                      | 3283460101013 | 6765603T     | 1 to 4 ways 9V type timer (2 batteries AA).<br>2 programs, 4 starts per program.<br>Only compatible with EV1209 electrovalve.                                              |       | PROG4DC    | 6                                                                                            |    |
|                                                                                     |                      | 3283460101020 | 6765605J     | 1 to 6 ways 9V type timer (2 batteries AA).<br>2 programs, 4 starts per program.<br>Only compatible with EV1209 electrovalve.                                              |       | PROG6DC    | 6                                                                                            |    |
|   |                      | 3283460091314 | 6781581P     | 1 way timer with electrovalve - 3/4" FF<br>Sold with 2 x 3/4" MM nipples<br>4 starts per day                                                                               |       | (6781581P) | 1  10   |   |
| • 9 VOLTS JARDIBRIC ELECTROVALVE                                                    |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
|  |                      | 3283460086143 | 6766208P     | 9V 1" FF electrovalve<br>Solenoid with impulse<br>Only compatible with PROG4DC and<br>PROG6DC timers.                                                                      |       | EV1209     | 10  630 |  |
| • ACCESSORIES                                                                       |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
| CP 094020                                                                           |                      |               |              |                                                                                                                                                                            |       |            |                                                                                              |                                                                                       |
|  |                      | 3700045800807 | 6767260X     | 24 volts transformer<br>Compatible with all our timers for underground<br>irrigation                                                                                       |       | B57040     | 1  10   |  |
|  |                      | 3283460060297 | 6764020X     | Manometer<br>1/4" M<br>From 0 to 10 bars                                                                                                                                   |       | B9301      | 10  100 |  |
|  |                      | 3283460065087 | 6764000J     | Teflon roll<br>L : 12mm – l : 12m - H : 0.076 mm                                                                                                                           |       | B950       | 10  100 |  |
|  |                      | 3283460065094 | 6764010Q     | 3/4" FF pressure reducer – Incoming pressure<br>of 10 bars max - Output pressure of 1 to 4<br>bars (calibrated at 3 bars) – Equipped with a<br>plug to connect a manometer |       | B9133      | 5                                                                                            |  |
|  |                      | 3283460099358 | 6764012F     | 1" MM 130µ filter sieve                                                                                                                                                    |       | D1044      | 10                                                                                           |  |
|  |                      | 3283460063274 | 6762030U     | 1/2" M Brass drain valve<br>With exit draining disk                                                                                                                        |       | A5016      | 10                                                                                           |  |
|  |                      | 0046878570023 | 6762240M     | 2 waterproof connections (grease)                                                                                                                                          |       | B57002     | 10                                                                                           |  |
|  |                      | 3283460099372 | 6767220W     |                                                                                                                                                                            | 7,5 m | CAB7       | 6                                                                                            |  |
|                                                                                     |                      | 3283460099389 | 6767221D     |                                                                                                                                                                            | 15 m  | CAB15      | 6                                                                                            |  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                      | Pck   | Pces / Pack         | Presenta-<br>tion  |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------|-------|---------------------|--------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| • ROTORS CONNECTORS                                                                 |                      |               |              |                                                                  |       |                     | CP 094260 / 001060 |                                                                                           |                                                                                       |
|    |                      | 0046878380868 | 6763500G     | Plastic riser - 1/2" M x 1/2" M                                  | 15 cm | B38086              | 10                 |                                                                                           |    |
|                                                                                     |                      | 0046878380912 | 6763501P     |                                                                  | 30 cm | B38091              | 10                 |                                                                                           |    |
|                                                                                     |                      | 0046878380943 | 6763502X     |                                                                  | 45 cm | B38094              | 10                 |                                                                                           |    |
|                                                                                     |                      | 0046878380950 | 6763503E     |                                                                  | 60 cm | B38095              | 10                 |  100   |    |
|                                                                                     |                      | 0046878381018 | 6763510N     | Plastic riser - 3/4" M x 3/4" M                                  | 15 cm | B38101              | 10                 |                                                                                           |    |
|                                                                                     |                      | 0046878381025 | 6763511W     |                                                                  | 30 cm | B38102              | 10                 |                                                                                           |    |
|    |                      | 0046878107557 | 6763535P     | Cut-off riser - 1/2" M x 1/2" M                                  | 15 cm | B755                | 10                 |  800   |    |
|                                                                                     |                      | 0046878107564 | 6763536X     | Cut-off riser - 1/2" M x 3/4" M                                  | 15 cm | B756                | 10                 |  550   |    |
|                                                                                     |                      | 0046878107656 | 6763537E     | Cut-off riser - 3/4" M x 3/4" M                                  | 15 cm | B765                | 10                 |  800   |    |
|  |                      | 3700045800333 | 6762070W     | Preassembled swing joint 1/2" M - 1/2" M                         | 30 cm | SJ512               | 10                 |  50   |    |
|                                                                                     |                      | 3700045800340 | 6762071D     | Preassembled swing joint 3/4" M - 3/4" M                         | 30 cm | SJ712               | 10                 |  50  |  |
|  |                      | 3283460077769 | 6763551X     | Flexible riser - 1/2" M x 1/2" M With anti theft lock for sprays | 40 cm | B768                | 10                 |                                                                                           |  |
|                                                                                     |                      | 3283460077776 | 6763552E     | Flexible riser - 1/2" M x 3/4" M With anti theft lock for sprays | 40 cm | B769                | 10                 |                                                                                           |  |
|  |                      | 3283460041531 | 1722213X     | Low flow flexible - 16 mm Ø deported assembly                    | 25 m  | F37150<br>CP 001060 | 1                  |                                                                                           |  |
|  |                      | 3283460064998 | 6762050H     | Elbow - 16 mm Ø x 1/2" M deported assembly                       |       | F37159              | 10                 |  100 |  |
|                                                                                     |                      | 3283460065001 | 6762051Q     | Elbow - 16 mm Ø x 3/4" M deported assembly                       |       | F37160              | 10                 |  100 |  |
|  |                      | 3283460065025 | 6762055W     | Junction - 16mm Ø x 1/2" M deported assembly                     |       | F57160              | 10                 |  100 |  |
|                                                                                     |                      | 3283460065032 | 6762056D     | Junction - 16mm Ø x 3/4" M deported assembly                     |       | F57161              | 10                 |  100 |  |
| • SADDLE TEES                                                                       |                      |               |              |                                                                  |       |                     | CP 094260          |                                                                                           |                                                                                       |
|  |                      | 3283460098764 | 6782037E     | Auto piercing saddle tee - 32 mm Ø x 1/2" F                      |       | (E1214)             | 10                 |  300 |  |
|  |                      | 3283460066251 | 6782030B     | Saddle tee - 20 mm Ø x 1/2" F                                    |       | E1200               | 10                 |  300 |  |
|                                                                                     |                      | 3283460066268 | 6782035P     | Saddle tee - 25 mm Ø x 1/2" F                                    |       | E1201               | 10                 |  30  |  |
|                                                                                     |                      | 3283460066275 | 6782036X     | Saddle tee - 25 mm Ø x 3/4" F                                    |       | E1202               | 10                 |  30  |  |
|                                                                                     |                      | 3283460066282 | 6782040H     | Saddle tee - 32 mm Ø x 1/2" F                                    |       | E1204               | 10                 |  30  |  |
|                                                                                     |                      | 3283460066299 | 6782041Q     | Saddle tee -32 mm Ø x 3/4" F                                     |       | E1205               | 10                 |  30  |  |

| Picture                                                                                                        | Customer's Reference | EAN           | Product Code | Description                                                                                                                  | Pck    | Pces / Pack | Presenta- tion                                                                            |
|----------------------------------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------------------------------------------------------------------------------------------------|--------|-------------|-------------------------------------------------------------------------------------------|
| • WATER CONNECTORS                                                                                             |                      |               |              |                                                                                                                              |        |             | CP 094260                                                                                 |
|                               |                      | 3283460072030 | 7794045J     | 1/2" FF                                                                                                                      | B630   | 10          |  20    |
|                                                                                                                |                      | 3283460072047 | 7794046R     | 3/4" FF                                                                                                                      | B631   | 10          |  25    |
|                                                                                                                |                      | 3283460072054 | 7794047Z     | 1" FF                                                                                                                        | B632   | 10          |  25    |
|                                                                                                                |                      | 3283460072061 | 7794048G     | 1 1/4" FF                                                                                                                    | (B633) | 10          |  25    |
|                               |                      | 3283460074997 | 6764210B     | Plastic manifold extension - 2 ports<br>In: 1" M - 3 rotating nuts with o-rings 1" F –<br>PN10 (maximum pressure of 12 bars) | C2     | 10          |  60    |
|                               |                      | 3283460075000 | 6764211J     | Plastic manifold extension - 3 ports<br>In: 1" M - 4 rotating nuts with o-rings 1" F –<br>PN10 (maximum pressure of 12 bars) | C3     | 10          |  50    |
|                              |                      | 3283460075017 | 6764212R     | Plastic manifold extension - 4 ports<br>In: 1" M - 5 rotating nuts with o-rings 1" F –<br>PN10 (maximum pressure of 12 bars) | C4     | 10          |  720  |
|                      |                      | 3283460065155 | 6764300A     | Manifold elbow - 1" MF<br>1 F blocked rotating nut with o-ring                                                               | B807   | 10          |  300 |
|                     |                      | 3283460065162 | 6764310G     | Manifold tee - 1" MFF<br>2 F blocked rotating nuts with o-rings                                                              | B808   | 10          |  200 |
|                     |                      | 3283460073860 | 6764311P     | Manifold tee - 1" MMF<br>1 F blocked rotating nut with o-ring                                                                | B818   | 10          |  200 |
|                    |                      | 3283460057105 | 6764312X     | Manifold cross - 1" MFFF<br>3 F blocked rotating nuts with o-rings                                                           | B809   | 10          |  100 |
|                      |                      | 3283460075215 | 6764301H     | Manifold junction - 1" FF<br>2 F blocked rotating nuts with o-rings                                                          | B805   | 10          |  150 |
|                      |                      | 3283460065179 | 6764320N     | Manifold junction - 1" MM<br>With a seal joint                                                                               | B810   | 10          |  300 |
|  |                      | 3283460065186 | 6764321W     | Manifold junction - 1" M x 3/4" M<br>With a seal joint on the 3/4" side                                                      | B811   | 10          |  600 |
|     |                      | 3283460098986 | 6764322D     | Rotating nut connector - 1" F – 25mm Ø                                                                                       | B812   | 10          |  260 |
|     |                      | 3283460099006 | 6764324T     | Rotating nut elbow - 1" F – 25mm Ø                                                                                           | B814   | 10          |  200 |
|     |                      | 3283460098993 | 6764323L     | Rotating nut connector - 1" F – 32mm Ø                                                                                       | B813   | 10          |  160 |
|     |                      | 3283460099013 | 6764325B     | Rotating nut elbow - 1" F – 32mm Ø                                                                                           | B815   | 10          |  140 |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                                                                                                             | Pck    | Pces / Pack                                                                                  | Presenta-<br>tion                                                                     |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|-------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>• VALVE BOXES</b>                                                                |                      |               |              | CP 094260                                                                                                               |        |                                                                                              |                                                                                       |
|    |                      | 3283460100818 | 6768221H     | Circular valve box for 1 electrovalve<br>Polypropylene - 210 x 200 mm                                                   | B53025 | 1                                                                                            |    |
|    |                      | 3283460100825 | 6768222Q     | Circular valve box for 1 to 2 electrovalves<br>Polypropylene - 285 x 250 mm                                             | B53026 | 1                                                                                            |    |
|    |                      | 3283460100757 | 6768217X     | Rectangular valve box for 1 electrovalve<br>Polypropylene - 240 x 210 x 175 mm                                          | B53032 | 1                                                                                            |    |
|    |                      | 3283460100764 | 6768218E     | Rectangular valve box for 1 to 2 electrovalves<br>Polypropylene - 420 x 320 x 200 mm                                    | B53033 | 1                                                                                            |    |
|    |                      | 3283460100795 | 6768219M     | Rectangular valve box for 1 to 4 electrovalves<br>Polypropylene - 520 x 420 x 260 mm                                    | B53034 | 1                                                                                            |    |
|    |                      | 3283460100801 | 6768220A     | Jumbo rectangular valve box for 1 to 6<br>electrovalves<br>Polypropylene - 650 x 530 x 300 mm                           | B53035 | 1                                                                                            |    |
| <b>• WATER INLETS</b>                                                               |                      |               |              |                                                                                                                         |        |                                                                                              |                                                                                       |
|   |                      | 3283460055590 | 6791003D     | Water inlet box in polypropylene<br>In: 3/4" F - Output: 3/4" M (spheric metallic<br>Bushel valve)<br>21cm Ø - H : 13cm | E1140  | 1  288  |  |
|  |                      | 3283460067401 | 6785220T     | Wall mounted water inlet - 20 mm Ø x 1/2" F<br>PN10                                                                     | E1150  | 10  200 |  |
|  |                      | 3283460067418 | 6785225G     | Wall mounted water inlet- 25 mm Ø x 3/4" F<br>PN10                                                                      | E1152  | 10  100 |  |
|  |                      | 3283460065278 | 6766250L     | Ground water valve - 3/4" M                                                                                             | E1132  | 10  40  |  |
|  |                      | 3283460065285 | 6766251T     | Connexion for ground water valve - 3/4" M                                                                               | E1134  | 10  80  |  |





RZXe



XCORE



ELC



PROG4/6



PROG4DC  
PROG6DC



WPX1



WPX4



6781581P

### PRESENTATION

|                |           |        |        |        |        |   |   |   |
|----------------|-----------|--------|--------|--------|--------|---|---|---|
| LCD screen     | ●         | ●      | ●      | ●      | ●      | ● | ● | ● |
| Number of ways | 4, 6 or 8 | 4 or 6 | 4 or 6 | 4 or 6 | 4 or 6 | 1 | 4 | 1 |

### POWER

|                           |             |               |        |             |             |                  |                  |             |
|---------------------------|-------------|---------------|--------|-------------|-------------|------------------|------------------|-------------|
| 220/24V power transformer | ●           | ●             | ●      | ●           |             |                  |                  |             |
| Power batteries           |             |               |        |             | 2 x 1,5V AA | 1 or 2 x 9 volts | 1 or 2 x 9 volts | 1 x 9 volts |
| Batteries for memory      | 2 x 1,5V AA | 1 x 3V CR2032 | 1 x 9V | 2 x 1,5V AA |             |                  |                  |             |


### TECHNICAL CHARACTERISTICS

|                                |                         |       |       |       |       |       |       |               |
|--------------------------------|-------------------------|-------|-------|-------|-------|-------|-------|---------------|
| Remote programming             | WiFi (dongle in option) |       |       |       |       |       |       |               |
| Independent ways               | ●                       | (*)   | (*)   |       |       | ●     | ●     |               |
| Number of programs             | 1                       | 3     | 2     | 2     | 2     | 4     | 4     | 1             |
| Number of starts per program   | 6                       | 4     | 4     | 4     | 4     | 6     | 6     | 4             |
| Mini watering duration per way | 1 min                   | 1 min | 1 min | 1 min | 1 min | 1 min | 1 min | 1 min         |
| Maxi watering duration per way | 199 min                 | 4 h   | 4 h   | 4 h   | 4 h   | 4 h   | 4 h   | 11h 59min 59s |
| Rain delay function            |                         | ●     | ●     | ●     | ●     | ●     | ●     |               |
| Rain sensor plug               | ●                       | ●     | ●     | ●     | ●     | ●     | ●     |               |
| Plug for pump (relay needed)   | ●                       | ●     | ●     | ●     | ●     |       | ●     |               |
| No volatile memory             | ●                       | ●     | ●     | ●     | ●     | ●     | ●     |               |

### SIZES

|                              |             |             |             |              |             |              |              |             |
|------------------------------|-------------|-------------|-------------|--------------|-------------|--------------|--------------|-------------|
| Packaging dimensions (in cm) | 27 x 17 x 8 | 25 x 18 x 8 | 28 x 18 x 9 | 30 x 15 x 17 | 22 x 16 x 7 | 10 x 15 x 21 | 10 x 15 x 21 | 25 x 13 x 9 |
| Packaging weight in kg       | 1,120 kg    | 1,600 kg    | 0,930 kg    | 1,700 kg     | 0,300 kg    | 1,000 kg     | 1,000 kg     | 0,900 kg    |

(\*) Possibility to enter a pause delay (4h max) between each start of valves



| Picture                                                                            | Customer's Reference | EAN      | Product Code                | Description | Pck    | Pces / Pack | Presentation                                                                           |                                                                                     |
|------------------------------------------------------------------------------------|----------------------|----------|-----------------------------|-------------|--------|-------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| • 6 BARS PE TUBES                                                                  |                      |          |                             |             |        |             | CP 001060                                                                              |                                                                                     |
| Water flow with 2,5 bars pressure: Ø 25: around 2.200 L/h – Ø 32: around 3.400 L/h |                      |          |                             |             |        |             |                                                                                        |                                                                                     |
|   | 3283460041562        | 1722223D | 6 bars PE low flow tube 20  | 25 m        | 202025 | 1           |  54 |  |
|                                                                                    | 3283460060891        | 1722224L |                             | 50 m        | 202050 | 1           |  42 |  |
|                                                                                    | 3283460060938        | 1754233D | 6 bars PE high flow tube 25 | 25 m        | 102525 | 1           |  40 |  |
|                                                                                    | 3283460060945        | 1754234L |                             | 50 m        | 102550 | 1           |  20 |  |
|                                                                                    | 3283460060969        | 1754243K | 6 bars PE high flow tube 32 | 25 m        | 103225 | 1           |  20 |  |
|                                                                                    | 3283460060976        | 1754244S |                             | 50 m        | 103250 | 1           |  10 |  |

For better visibility in  
stores:  
**ONE COLOR CODE**

Ø 20 MM



Ø 25 MM



Ø 32 MM



| • JARDIBRIC COMPRESSION CONNECTORS 20-25-32 Ø – PN10                                |  |               |          |                  |                               |       |    |                                                                                           | CP 094260 |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|------------------|-------------------------------|-------|----|-------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|
|  |  | 3283460067029 | 6784702T | Junction         | <div>20</div>                 | E1002 | 10 |  200 |           |  |
|                                                                                     |  | 3283460067036 | 6784703B |                  | <div>25</div>                 | E1003 | 10 |  170 |           |  |
|                                                                                     |  | 3283460067043 | 6784704J |                  | <div>32</div>                 | E1004 | 10 |  100 |           |  |
|  |  | 3283460067050 | 6784735L | Reduced junction | <div>25</div> - <div>20</div> | E1012 | 10 |  160 |           |  |
|                                                                                     |  | 3283460067067 | 6784740E |                  | <div>32</div> - <div>25</div> | E1013 | 10 |  100 |           |  |
|  |  | 3283460067074 | 6784802Z | Equal Tee        | <div>20</div>                 | E1022 | 10 |  120 |           |  |
|                                                                                     |  | 3283460067081 | 6784803G |                  | <div>25</div>                 | E1023 | 10 |  80  |           |  |
|                                                                                     |  | 3283460067098 | 6784804P |                  | <div>32</div>                 | E1025 | 10 |  40  |           |  |
|  |  | 3283460056993 | 6784810Q | Reduced Tee      | <div>25</div> - <div>20</div> | E1033 | 10 |  80  |           |  |
|                                                                                     |  | 3283460057006 | 6784811Y |                  | <div>32</div> - <div>25</div> | E1034 | 10 |  40  |           |  |
|  |  | 3283460067104 | 6784820X | F threaded Tee   | <div>20</div> - 1/2" F        | E1042 | 10 |  150 |           |  |
|                                                                                     |  | 3283460067111 | 6784825K |                  | <div>25</div> - 3/4" F        | E1044 | 10 |  80  |           |  |
|                                                                                     |  | 3283460067128 | 6784830D |                  | <div>32</div> - 1" F          | E1047 | 10 |  60  |           |  |

# CONNECTORS

CP 094260 / 001060

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description          | Pck           | Pces / Pack | Presenta-tion |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------|---------------|-------------|---------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |                      | 3283460067135 | 6785020H     | M threaded Tee       | 20 - 1/2" M   | E1049       | 10            |  150   |    |
|                                                                                     |                      | 3283460067142 | 6785025W     |                      | 25 - 3/4" M   | E1052       | 10            |  100   |    |
|                                                                                     |                      | 3283460067159 | 6785030P     |                      | 32 - 1" M     | E1054       | 10            |  60    |    |
|    |                      | 3283460067166 | 6785050C     | M threaded connector | 20 - 1/2" M   | E1060       | 10            |  400   |    |
|                                                                                     |                      | 3283460067173 | 6785051K     |                      | 20 - 3/4" M   | E1061       | 10            |  400   |    |
|                                                                                     |                      | 3283460067180 | 6785055Q     |                      | 25 - 3/4" M   | E1063       | 10            |  240   |    |
|                                                                                     |                      | 3283460067197 | 6785056Y     |                      | 25 - 1" M     | E1064       | 10            |  240   |    |
|                                                                                     |                      | 3283460067203 | 6785060J     |                      | 32 - 3/4" M   | E1065       | 10            |  150   |    |
|                                                                                     |                      | 3283460067210 | 6785061R     |                      | 32 - 1" M     | E1066       | 10            |  150   |    |
|                                                                                     |                      | 3283460073884 | 6785062Z     |                      | 32 - 1"1/4" M | E1067       | 10            |  150  |   |
|  |                      | 3283460067227 | 6785080X     | F threaded connector | 20 - 1/2" F   | E1070       | 10            |  320 |  |
|                                                                                     |                      | 3283460067241 | 6785085K     |                      | 25 - 3/4" F   | E1072       | 10            |  200 |  |
|                                                                                     |                      | 3283460067258 | 6785086S     |                      | 25 - 1" F     | E1073       | 10            |  200 |  |
|                                                                                     |                      | 3283460067265 | 6785090D     |                      | 32 - 1" F     | E1075       | 10            |  120 |  |
|  |                      | 3283460067272 | 6785102Q     | Equal elbow          | 20            | E1082       | 10            |  200 |  |
|                                                                                     |                      | 3283460067289 | 6785103Y     |                      | 25            | E1083       | 10            |  120 |  |
|                                                                                     |                      | 3283460067296 | 6785104F     |                      | 32            | E1084       | 10            |  80  |  |
|  |                      | 3283460067302 | 6785120N     | M threaded elbow     | 20 - 1/2" M   | E1101       | 10            |  300 |  |
|                                                                                     |                      | 3283460067319 | 6785125B     |                      | 25 - 3/4" M   | E1104       | 10            |  200 |  |
|                                                                                     |                      | 3283460067326 | 6785130U     |                      | 32 - 1" M     | E1107       | 10            |  120 |  |
|  |                      | 3283460067333 | 6785160P     | F threaded elbow     | 20 - 1/2" F   | E1111       | 10            |  280 |  |
|                                                                                     |                      | 3283460067340 | 6785165C     |                      | 25 - 3/4" F   | E1114       | 10            |  150 |  |
|                                                                                     |                      | 3283460067357 | 6785169H     |                      | 32 - 3/4" F   | E1116       | 10            |  100 |  |
|                                                                                     |                      | 3283460067364 | 6785170W     |                      | 32 - 1" F     | E1117       | 10            |  100 |  |

| Picture                                                                           | Customer's Reference | EAN           | Product Code | Description                | Pck         | Pces / Pack | Presenta-tion                                                                              |                                                                                     |
|-----------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------------|-------------|-------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                      | 3283460078025 | 6785106W     | Centrally F threaded elbow | 25 - 1/2" F | E1113       | 10  150 |  |
|                                                                                   |                      | 3283460078032 | 6785107D     |                            | 32 - 3/4" F | E1119       | 10  70  |  |
|  |                      | 3283460067371 | 6785202W     | End plug                   | 20          | E1121       | 10  400 |  |
|                                                                                   |                      | 3283460067388 | 6785203D     |                            | 25          | E1122       | 10  260 |  |
|                                                                                   |                      | 3283460067395 | 6785204L     |                            | 32          | E1123       | 10  200 |  |
|  |                      | 3283460093783 | 6784750L     | Compression valve          | 20          | E1420       | 10  80  |  |
|                                                                                   |                      | 3283460093790 | 6784751T     |                            | 25          | E1425       | 10  50  |  |
|                                                                                   |                      | 3283460093806 | 6784752B     |                            | 32          | E1432       | 10  40  |  |
|  |                      | 3283460077707 | 6784698S     | Wrench                     | 20 25 32    | E1240       | 10  180 |  |

## • PLASSON COMPRESSION CONNECTORS 20-25-32-40 Ø – PN16

CP 094260


|                                                                                     |  |               |          |                  |         |          |                                                                                              |                                                                                       |
|-------------------------------------------------------------------------------------|--|---------------|----------|------------------|---------|----------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  | 3283460070609 | 7790002S | Equal junction   | 20      | 7790002S | 10  100 |  |
|                                                                                     |  | 3283460070616 | 7790003A |                  | 25      | 7790003A | 10  180 |  |
|                                                                                     |  | 3283460070623 | 7790004H |                  | 32      | 7790004H | 5  100  |  |
|                                                                                     |  | 3283460070630 | 7790005Q |                  | 40      | 7790005Q | 5  75   |  |
|  |  | 3283460070876 | 7790209G | Reduced junction | 25 - 20 | 7790209G | 10  200 |  |
|                                                                                     |  | 3283460070890 | 7790214A |                  | 32 - 25 | 7790214A | 5  120  |  |
|                                                                                     |  | 3283460070913 | 7790220B |                  | 40 - 32 | 7790220B | 5  90   |  |
|  |  | 3283460070654 | 7790022F | Equal Tee        | 20      | 7790022F | 10  120 |  |
|                                                                                     |  | 3283460070661 | 7790023N |                  | 25      | 7790023N | 5  100  |  |
|                                                                                     |  | 3283460070678 | 7790024W |                  | 32      | 7790024W | 5  60   |  |
|                                                                                     |  | 3283460070685 | 7790025D |                  | 40      | 7790025D | 5  40   |  |
|  |  | 3283460071378 | 7790669S | Reduced Tee      | 25 - 20 | 7790669S | 5  100  |  |
|                                                                                     |  | 3283460071385 | 7790674L |                  | 32 - 25 | 7790674L | 5  70   |  |
|                                                                                     |  | 3283460071408 | 7790680M |                  | 40 - 32 | 7790680M | 5  90   |  |



| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description          | Pck           | Pces / Pack | Presenta-tion |                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|----------------------|---------------|-------------|---------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |                      | 3283460073785 | 7790105W     | F threaded Tee       | 20 - 1/2" F   | 7790105W    | 10            |  180   |    |
|                                                                                     |                      | 3283460070784 | 7790110P     |                      | 25 - 3/4" F   | 7790110P    | 5             |  140   |    |
|                                                                                     |                      | 3283460070791 | 7790114U     |                      | 32 - 3/4" F   | 7790114U    | 5             |  80    |    |
|                                                                                     |                      | 3283460070807 | 7790115C     |                      | 32 - 1" F     | 7790115C    | 5             |  80    |    |
|                                                                                     |                      | 3283460070821 | 7790120W     |                      | 40 - 1" F     | 7790120W    | 5             |  50    |    |
|    |                      | 3283460073792 | 7790150Q     | M threaded Tee       | 20 - 1/2" M   | 7790150Q    | 10            |  180   |    |
|                                                                                     |                      | 3283460073808 | 7790153N     |                      | 25 - 3/4" M   | 7790153N    | 5             |  140   |    |
|                                                                                     |                      | 3283460073815 | 7790154W     |                      | 32 - 1" M     | 7790154W    | 5             |  110   |    |
|  |                      | 3283460070951 | 7790305G     | M threaded connector | 20 - 1/2" M   | 7790305G    | 10            |  350   |    |
|                                                                                     |                      | 3283460070968 | 7790306P     |                      | 20 - 3/4" M   | 7790306P    | 10            |  350 |  |
|                                                                                     |                      | 3283460070999 | 7790310A     |                      | 25 - 3/4" M   | 7790310A    | 10            |  250 |  |
|                                                                                     |                      | 3283460071002 | 7790311H     |                      | 25 - 1" M     | 7790311H    | 10            |  250 |  |
|                                                                                     |                      | 3283460071019 | 7790314F     |                      | 32 - 3/4" M   | 7790314F    | 5             |  150 |  |
|                                                                                     |                      | 3283460071026 | 7790315N     |                      | 32 - 1" M     | 7790315N    | 5             |  150 |  |
|                                                                                     |                      | 3283460071057 | 7790320G     |                      | 40 - 1" M     | 7790320G    | 5             |  110 |  |
|                                                                                     |                      | 3283460071064 | 7790321P     |                      | 40 - 1"1/4" M | 7790321P    | 5             |  110 |  |
|  |                      | 3283460071118 | 7790405M     | F threaded connector | 20 - 1/2" F   | 7790405M    | 10            |  350 |  |
|                                                                                     |                      | 3283460071125 | 7790406U     |                      | 20 - 3/4" F   | 7790406U    | 10            |  350 |  |
|                                                                                     |                      | 3283460071149 | 7790410F     |                      | 25 - 3/4" F   | 7790410F    | 10            |  250 |  |
|                                                                                     |                      | 3283460071156 | 7790411N     |                      | 25 - 1" F     | 7790411N    | 10            |  250 |  |
|                                                                                     |                      | 3283460071170 | 7790415T     |                      | 32 - 1" F     | 7790415T    | 5             |  150 |  |
|                                                                                     |                      | 3283460071194 | 7790420M     |                      | 40 - 1" F     | 7790420M    | 5             |  110 |  |
|                                                                                     |                      | 3283460071200 | 7790421U     |                      | 40 - 1"1/4" F | 7790421U    | 5             |  110 |  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description      | Pck           | Pces / Pack | Presenta-tion                                                                                |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------|---------------|-------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |                      | 3283460070708 | 7790042T     | Equal elbow      | 20            | 7790042T    | 10  200   |    |
|                                                                                     |                      | 3283460070715 | 7790043B     |                  | 25            | 7790043B    | 10  150   |    |
|                                                                                     |                      | 3283460070722 | 7790044J     |                  | 32            | 7790044J    | 5  100    |    |
|                                                                                     |                      | 3283460070739 | 7790045R     |                  | 40            | 7790045R    | 5  60     |    |
|    |                      | 3283460071224 | 7790505S     | M threaded elbow | 20 - 1/2" M   | 7790505S    | 10  350   |    |
|                                                                                     |                      | 3283460071231 | 7790506A     |                  | 20 - 3/4" M   | 7790506A    | 10  300   |    |
|                                                                                     |                      | 3283460071255 | 7790510L     |                  | 25 - 3/4" M   | 7790510L    | 10  250   |    |
|                                                                                     |                      | 3283460071262 | 7790515Z     |                  | 32 - 1" M     | 7790515Z    | 5  140    |    |
|                                                                                     |                      | 3283460071286 | 7790521A     |                  | 40 - 1"1/4" M | 7790521A    | 5  90    |   |
|  |                      | 3283460071293 | 7790605Y     | F threaded elbow | 20 - 1/2" F   | 7790605Y    | 10  350 |  |
|                                                                                     |                      | 3283460073778 | 7790606F     |                  | 20 - 3/4" F   | 7790606F    | 10  350 |  |
|                                                                                     |                      | 3283460071309 | 7790610R     |                  | 25 - 3/4" F   | 7790610R    | 10  250 |  |
|                                                                                     |                      | 3283460071316 | 7790611Z     |                  | 25 - 1" F     | 7790611Z    | 10  220 |  |
|                                                                                     |                      | 3283460071323 | 7790614X     |                  | 32 - 3/4" F   | 7790614X    | 5  150  |  |
|                                                                                     |                      | 3283460071330 | 7790615E     |                  | 32 - 1" F     | 7790615E    | 5  150  |  |
|                                                                                     |                      | 3283460071354 | 7790621F     |                  | 40 - 1"1/4" F | 7790621F    | 5  90   |  |
|  |                      | 3283460070746 | 7790063P     | End plug         | 25            | 7790063P    | 10  250 |  |
|                                                                                     |                      | 3283460070753 | 7790064X     |                  | 32            | 7790064X    | 5  180  |  |
|                                                                                     |                      | 3283460070760 | 7790065E     |                  | 40            | 7790065E    | 5  110  |  |
|  |                      | 3283460099679 | 7790803T     | Equal stop tap   | 20            | 7790803T    | 5  100  |  |
|                                                                                     |                      | 3283460099686 | 7790804B     |                  | 25            | 7790804B    | 5  80   |  |
|                                                                                     |                      | 3283460099693 | 7790805J     |                  | 32            | 7790805J    | 5  60   |  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description        | Pck                 | Pces / Pack | Presenta-tion                                                                                |  |                                                                                       |           |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|--------------------|---------------------|-------------|----------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|-----------|
|    |                      | 3283460099709 | 7790806R     | F 1/4 turn valve   | 20 - 1/2" F         | 7790806R    | 5  110    |  |    |           |
|                                                                                     |                      | 3283460099716 | 7790807Z     |                    | 25 - 3/4" F         | 7790807Z    | 5  70     |  |    |           |
|                                                                                     |                      | 3283460099723 | 7790808G     |                    | 32 - 1" F           | 7790808G    | 5  40     |  |    |           |
| • PLASTIC CONNECTORS TO SCREW - PN10                                                |                      |               |              |                    |                     |             |                                                                                              |  |                                                                                       | CP 094260 |
|    |                      | 3283460066305 | 6782101U     | F plastic junction | 1/2" F              | EG011       | 10  200   |  |    |           |
|                                                                                     |                      | 3283460066312 | 6782102C     |                    | 3/4" F              | EG012       | 10  50    |  |    |           |
|                                                                                     |                      | 3283460066329 | 6782103K     |                    | 1" F                | EG013       | 10  30    |  |    |           |
|                                                                                     |                      | 3283460056672 | 6782104S     |                    | 1" F1/4             | EG014       | 5  25     |  |    |           |
|                                                                                     |                      | 3283460056689 | 6782105A     |                    | 1"1/2" F            | EG015       | 5  50   |  |  |           |
|  |                      | 3283460066336 | 6782111B     | M plastic nipple   | 1/2" M              | EG021       | 10  250 |  |  |           |
|                                                                                     |                      | 3283460066343 | 6782112J     |                    | 3/4" M              | EG027       | 10  150 |  |  |           |
|                                                                                     |                      | 3283460066350 | 6782113R     |                    | 1" M                | EG034       | 10  80  |  |  |           |
|                                                                                     |                      | 3283460056702 | 6782114Z     |                    | 1"1/4" M            | EG035       | 5  50   |  |  |           |
|                                                                                     |                      | 3283460056719 | 6782115G     |                    | 1"1/2" M            | EG036       | 5  50   |  |  |           |
|  |                      | 3283460066411 | 6782160B     | M plastic nipple   | 1" M - 1/2" M       | EG125       | 10  100 |  |  |           |
|                                                                                     |                      | 3283460066398 | 6782150U     |                    | 3/4" M - 1/2" M     | EG127       | 10  180 |  |  |           |
|                                                                                     |                      | 3283460066404 | 6782155H     |                    | 1" M - 3/4" M       | EG134       | 10  100 |  |  |           |
|                                                                                     |                      | 3283460056764 | 6782165P     |                    | 1"1/4" M - 1" M     | EG135       | 5  100  |  |  |           |
|                                                                                     |                      | 3283460056771 | 6782170H     |                    | 1"1/2" M - 1"1/4" M | EG136       | 5  50   |  |  |           |
|                                                                                     |                      | 3283460056788 | 6782171Q     |                    | 1"1/2" M - 1" M     | EG137       | 5  40   |  |  |           |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description        |                     | Pck    | Pces / Pack |                                                                                           | Presentation |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|--------------------|---------------------|--------|-------------|-------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
|    |                      | 3283460066459 | 6782210Z     | MF plastic nipple  | 3/4" M - 1/2" F     | EG225  | 10          |  300   |              |    |
|                                                                                     |                      | 3283460066466 | 6782215M     |                    | 1" M - 1/2" F       | EG226  | 10          |  100   |              |    |
|                                                                                     |                      | 3283460066473 | 6782216U     |                    | 1" M - 3/4" F       | EG234  | 10          |  90    |              |    |
|                                                                                     |                      | 3283460056849 | 6782214E     |                    | 1"1/4" M - 1" F     | EG235  | 5           |  50    |              |    |
|                                                                                     |                      | 3283460056856 | 6782217C     |                    | 1"1/2" M - 1"1/4" F | EG236  | 5           |  50    |              |    |
|                                                                                     |                      | 3283460056863 | 6782219S     |                    | 1"1/2" M - 1" F     | EG237  | 5           |                                                                                           |              |    |
|   |                      | 3283460066541 | 6782251H     | F plastic junction | 1/2" F              | EG621  | 10          |  160   |              |    |
|                                                                                     |                      | 3283460066558 | 6782252Q     |                    | 3/4" F              | EG627  | 10          |  90    |              |    |
|                                                                                     |                      | 3283460066565 | 6782253Y     |                    | 1" F                | EG634  | 10          |  50  |              |  |
|                                                                                     |                      | 3283460056924 | 6782254F     |                    | 1"1/4" F            | EG635  | 5           |  50  |              |  |
|                                                                                     |                      | 3283460056931 | 6782255N     |                    | 1"1/2" F            | EG636  | 5           |  30  |              |  |
|  |                      | 3283460066367 | 6782121H     | F plastic elbow    | 1/2" F              | EG1221 | 10          |  250 |              |  |
|                                                                                     |                      | 3283460066374 | 6782122Q     |                    | 3/4" F              | EG1227 | 10          |  70  |              |  |
|                                                                                     |                      | 3283460066381 | 6782123Y     |                    | 1" F                | EG1234 | 10          |  40  |              |  |
|                                                                                     |                      | 3283460056733 | 6782124F     |                    | 1"1/4" F            | EG1235 | 5           |  50  |              |  |
|                                                                                     |                      | 3283460056740 | 6782125N     |                    | 1"1/2" F            | EG1236 | 5           |  15  |              |  |
|  |                      | 3283460066428 | 6782201A     | F plastic Tee      | 1/2" F              | EG1321 | 10          |  100 |              |  |
|                                                                                     |                      | 3283460066435 | 6782202H     |                    | 3/4" F              | EG1327 | 10          |  40  |              |  |
|                                                                                     |                      | 3283460066442 | 6782203Q     |                    | 1" F                | EG1334 | 10          |  30  |              |  |
|                                                                                     |                      | 3283460056818 | 6782204Y     |                    | 1"1/4" F            | EG1335 | 5           |  50  |              |  |
|                                                                                     |                      | 3283460056825 | 6782205F     |                    | 1"1/2" F            | EG1336 | 5           |  100 |              |  |




# CONNECTORS

CP 094260 / 001060

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                    | Pck             | Pces / Pack | Presenta-<br>tion |                                                                                            |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|--------------------------------|-----------------|-------------|-------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |                      | 3283460066480 | 6782231U     | M plastic end plug             | 1/2" M          | EG421       | 10                |  100    |    |
|                                                                                     |                      | 3283460066497 | 6782232C     |                                | 3/4" M          | EG427       | 10                |  480    |    |
|                                                                                     |                      | 3283460066503 | 6782234S     |                                | 1" M            | EG434       | 10                |  240    |    |
|                                                                                     |                      | 3283460056894 | 6782235A     |                                | 1"1/4" M        | EG435       | 5                 |  100    |    |
|                                                                                     |                      | 3283460056900 | 6782236H     |                                | 1"1/2" M        | EG436       | 5                 |  100    |    |
|   |                      | 3283460066510 | 6782241B     | F plastic end plug             | 1/2" F          | EG521       | 10                |  500    |    |
|                                                                                     |                      | 3283460066527 | 6782242J     |                                | 3/4" F          | EG527       | 10                |  360    |    |
|                                                                                     |                      | 3283460066534 | 6782243R     |                                | 1" F            | EG534       | 10                |  240    |    |
|                                                                                     |                      | 3283460056955 | 6782244Z     |                                | 1"1/4" F        | EG535       | 5                 |  100  |  |
|                                                                                     |                      | 3283460056962 | 6782245G     |                                | 1"1/2" F        | EG536       | 5                 |  100  |  |
| • POLYPROPYLENE CONNECTORS – PN6                                                    |                      |               |              |                                |                 |             | CP 094260         |                                                                                            |                                                                                       |
|  |                      | 3283460095954 | 6782301F     | M equal polypropylene nipple   | 1/2" M          | RP021       | 10                |  1800 |  |
|                                                                                     |                      | 3283460088673 | 6782302N     |                                | 3/4" M          | RP027       | 10                |  500  |  |
|                                                                                     |                      | 3283460088680 | 6782303W     |                                | 1" M            | RP034       | 10                |  500  |  |
|  |                      | 3283460088697 | 6782311M     | M reduced polypropylene nipple | 3/4" M - 1/2" M | RP127       | 10                |  1000 |  |
|                                                                                     |                      | 3283460098023 | 6782313C     |                                | 1" M - 1/2" M   | RP133       | 10                |  1000 |  |
|                                                                                     |                      | 3283460088703 | 6782312U     |                                | 1" M - 3/4" M   | RP134       | 10                |  600  |  |
|  |                      | 3283460095923 | 6782335F     | MF polypropylene reduction     | 3/4" M - 1/2" F | RP225       | 10                |  1500 |  |
|                                                                                     |                      | 3283460095930 | 6782336N     |                                | 1" M - 3/4" F   | RP234       | 10                |  800  |  |
|  |                      | 3283460088758 | 6782331A     | FM polypropylene reduction     | 3/4" F - 1/2" M | RP325       | 10                |  500  |  |
|                                                                                     |                      | 3283460088765 | 6782332H     |                                | 1" F - 3/4" M   | RP326       | 10                |  500  |  |

| Picture                                                                             | Customer's Reference | EAN           | Product Code | Description                        | Pck             | Pck    | Pces / Pack                                                                                   | Presenta-<br>tion                                                                     |
|-------------------------------------------------------------------------------------|----------------------|---------------|--------------|------------------------------------|-----------------|--------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |                      | 3283460095947 | 6782350F     | F polypropylene junction           | 1/2" F          | RP621  | 10  1000   |    |
|                                                                                     |                      | 3283460088819 | 6782351N     |                                    | 3/4" F          | RP627  | 10  600    |    |
|                                                                                     |                      | 3283460088826 | 6782352W     |                                    | 1" F            | RP634  | 10  350    |    |
|    |                      | 3283460095961 | 6782355T     | F polypropylene reduction junction | 3/4" F - 1/2" F | RP725  | 10  700    |    |
|                                                                                     |                      | 3283460095978 | 6782356B     |                                    | 1" F - 3/4" F   | RP734  | 10  400    |    |
|    |                      | 3283460097538 | 6782348K     | MF equal polypropylene nipple      | 3/4" M - 3/4" F | RP827  | 10  500    |    |
|                                                                                     |                      | 3283460097545 | 6782349S     |                                    | 1" M - 1" F     | RP834  | 10  100    |    |
|   |                      | 3283460088710 | 6782321T     | F polypropylene elbow              | 3/4" F          | RP1227 | 10  400    |    |
|                                                                                     |                      | 3283460088727 | 6782322B     |                                    | 1" F            | RP1234 | 10  200  |  |
|  |                      | 3283460088734 | 6782325Z     | MF polypropylene elbow             | 3/4" M - 3/4" F | RP2227 | 10  400  |  |
|                                                                                     |                      | 3283460088741 | 6782326G     |                                    | 1" M - 1" F     | RP2234 | 10  240  |  |
|  |                      | 3283460088796 | 6782346U     | F polypropylene tee                | 3/4" F          | RP1327 | 10  250  |  |
|                                                                                     |                      | 3283460088802 | 6782347C     |                                    | 1" F            | RP1334 | 10  150  |  |
|  |                      | 3283460096012 | 6782360M     | M polypropylene end plug           | 1/2" M          | RP421  | 10  100  |  |
|                                                                                     |                      | 3283460095992 | 6782361U     |                                    | 3/4" M          | RP427  | 10  1800 |  |
|                                                                                     |                      | 3283460096005 | 6782362C     |                                    | 1" M            | RP434  | 10  1200 |  |
|  |                      | 3283460095985 | 6782340Z     | F polypropylene end plug           | 1/2" F          | RP521  | 10  3000 |  |
|                                                                                     |                      | 3283460088772 | 6782341G     |                                    | 3/4" F          | RP527  | 10  1500 |  |
|                                                                                     |                      | 3283460088789 | 6782342P     |                                    | 1" F            | RP534  | 10  500  |  |

| Picture                                                                             | EAN           | Product Code | Designation                                                        |        | Pck |
|-------------------------------------------------------------------------------------|---------------|--------------|--------------------------------------------------------------------|--------|-----|
| <b>• DISPLAY BOXES</b>                                                              |               |              |                                                                    |        |     |
|    | 3283460076076 | 2244835N     | Hooks display stand - L 600 x W 400 x H 1400                       |        | 1   |
|    | 3283460096951 | 2244850N     | Distributor display stand H 1700 x Ø 500                           |        | 1   |
|    | 3283460099648 | 2244915F     | White display box with shelves and dividers L 790 x W 500 x H 1395 |        | 1   |
|    | 3283460109040 | 2244939Z     | Box 4 floors L 816 x P 543 x H 1490                                |        | 1   |
|    | 3283460109057 | 2244940M     | Box 16 compartments L 816 x P 543 x H 1490                         |        | 1   |
| <b>• DISTRIBUTOR BOXES</b>                                                          |               |              |                                                                    |        |     |
|  | 3283460099235 | 2244910S     | Distributor box L 100 x W 400 x H 200                              | BD100K | 1   |
|                                                                                     | 3283460099242 | 2244911A     | Distributor box L 200 x W 400 x H 200                              | BD200K | 1   |
|                                                                                     | 3283460099259 | 2244912H     | Distributor box L 300 x W 400 x H 200                              | BD300K | 1   |
|  | 3283460092694 | 2244880H     | Distributor box L 100 x W 400 x H 200                              | BD100  | 1   |
|                                                                                     | 3283460092700 | 2244881Q     | Distributor box L 200 x W 400 x H 200                              | BD200  | 1   |
|                                                                                     | 3283460092717 | 2244882Y     | Distributor box L 300 x W 400 x H 200                              | BD300  | 1   |
| <b>• BROWN DISPLAYS - 400 WIDTH</b>                                                 |               |              |                                                                    |        |     |
|  | 3283460071873 | 2244800F     | Cardboard display A1 L 100 x P 400 x H 150                         |        | 1   |
|                                                                                     | 3283460071880 | 2244803D     | Cardboard display B L 200 x P 400 x H 150                          |        | 1   |
|                                                                                     | 3283460071897 | 2244804L     | Cardboard display C L 300 x P 400 x H 150                          |        | 1   |
|                                                                                     | 3283460089274 | 2244816H     | Cardboard display F L 500 x P 400 x H 150                          |        | 1   |
| <b>• GREEN DISPLAYS - 500 WIDTH</b>                                                 |               |              |                                                                    |        |     |
|  | 3283460096739 | 2244894U     | Cardboard display A L 100 x P 500 x H 150                          | DISPAV | 1   |
|                                                                                     | 3283460096746 | 2244895C     | Cardboard display B L 200 x P 500 x H 150                          | DISPBV | 1   |
|                                                                                     | 3283460096753 | 2244896K     | Cardboard display C L 300 x P 500 x H 150                          | DISPCV | 1   |

| Picture                                                                             | EAN           | Product Code | Designation                                                       |           | Pck |
|-------------------------------------------------------------------------------------|---------------|--------------|-------------------------------------------------------------------|-----------|-----|
| <b>• « HONEY COMBS » BOTTOMS FOR DISPLAY – CARRIERS FOR ROTORS AND SPRAYS</b>       |               |              |                                                                   |           |     |
|    | 3283460086327 | 2244795X     | Bottom for A1 display - L 100 x W 360<br>« Honey comb » 12 spays  |           | 1   |
|                                                                                     | 3283460086310 | 2244794P     | Bottom for A1 display - L 200 x W 360<br>« Honey comb » 24 spays  |           | 1   |
|                                                                                     | 3283460086334 | 2244793G     | Bottom for A1 display - L 300 x W 360<br>« Honey comb » 20 rotors |           | 1   |
| <b>• PROMOTIONAL MATERIAL</b>                                                       |               |              |                                                                   |           |     |
|    | 3283460101426 | 2248805L     | 2 metal arms stand for front sales aid - H: 300 mm                |           | 12  |
|    | 3283460097835 | 2248721N     | Explanation board - Surface watering 1000 x 300 mm                | PLVARSURF | 1   |
|   | 3283460097842 | 2248722W     | Explanation board - Universal connectors 500 x 300 mm             | PLVRCDUNI | 1   |
|  | 3283460077400 | 2248772D     | Explanation board - Dripping watering 1000 x 300 mm               | (ILVGAG)  | 1   |
|  | 3283460110350 | 2248768S     | Explanation board - Dripping watering 1300 x 150 mm               | PLVGAG2   | 1   |
|  | 3283460092175 | 2248716U     | Explanation board - Mist cooling systems - 750 x 220              | (PLVBRU)  | 1   |
|  | 3283460077394 | 2248771W     | Explanation board - Underground watering - 1000 x 300             | ILVAE     | 1   |
|  | 3283460088017 | 2248782K     | Explanation board - What you need to do - 420 x 300               |           | 1   |
|  | 3283460071668 | 2247319R     | Underground projects Manual + graduated paper                     | MPM       | 1   |



## CONDITIONS GÉNÉRALES DE VENTE PROFESSIONNELLES 01.2021-1\_ap

### 1. FONDEMENT JURIDIQUE DES CONDITIONS GÉNÉRALES DE VENTE (CGV)

Les CGV constituent le socle de la négociation commerciale entre la société commercialisant les produits (ci-après désignée « le Vendeur ») et ses clients. Elles visent notamment à informer le client, préalablement à toute transaction, du barème de prix unitaire applicable et des conditions de vente applicables. Elles sont opposables aux entités qui passent les commandes au Vendeur, ainsi qu'à toute entité chargée dans le cadre d'un mécanisme de référencement, de centralisation ou de groupement d'achat de référencer le Vendeur.

Toute commande de produits au Vendeur implique l'acceptation des présentes CGV et des prix des produits à la date de la commande. Toute autre condition ou document en contradiction avec les CGV ne sera opposable au Vendeur que s'il a fait l'objet d'un accord express et écrit du Vendeur avant la date de commande du client.

Les CGV sont mises à jour régulièrement. Le texte intégral des CGV et les barèmes de prix applicables mis à jour, figurent sur le site Internet du Vendeur et peuvent être transmis au client sur demande de sa part au service commercial. Chaque client doit donc s'assurer avant toute passation de commande, que les CGV et les barèmes de prix qu'il détient constituent bien la dernière version émise par le Vendeur.

Le fait de ne pas exercer, à un moment quelconque, une prérogative reconnue par les CGV, ou de ne pas exiger l'exécution d'une stipulation quelconque des CGV, ne pourra en aucun cas être interprétée ni comme une modification des CGV, ni comme une renonciation au droit de s'en prévaloir ultérieurement.

### 2. OBJET DES CGV

Les CGV s'appliquent dans leur intégralité à toutes les ventes de produits commercialisés par le Vendeur à la date de la commande. Les caractéristiques techniques, notamment les dimensions, poids et couleurs des produits sont susceptibles d'évoluer et les descriptifs figurant sur le catalogue remis au client sont donnés à titre indicatif. Le client est tenu de vérifier avant la passation de chaque commande les prix et descriptif actualisés des produits sur le site Internet précité.

### 3. LES PRODUITS

Les produits du Vendeur sont destinés à être commercialisés à des professionnels ayant une connaissance particulière des produits qu'il commande, notamment de la réglementation, des documents techniques unifiés (« DTU ») applicables et des règles de l'art. Le Vendeur n'est tenu à aucune obligation de conseil auprès de ses clients. Chaque client sélectionne seul et sous son entière responsabilité les produits qu'il commande et assume l'entière responsabilité de l'adéquation entre ces produits et l'usage auquel il les destine.

### 4. BARÈME DE PRIX

a. Sauf convention contraire, tous les prix s'entendent unitaires, hors droits et taxes, hors emballages et frais accessoires, au départ du magasin du Vendeur ou du lieu convenu entre les parties. Tous frais accessoires (frais de dossiers (« FD »), frais d'emballages, frais de transport, frais de chargement et de déchargement) seront facturés en sus. Dans tous les cas, tous les impôts, taxes et droit de douanes sont à la charge du client.

b. Les prix figurant au catalogue édité par le Client sont susceptibles d'évoluer en cours d'année. Les prix applicables sont ceux en vigueur à la date de la commande. Le client est invité à vérifier sur le site Internet du Vendeur, le prix des produits à la date de la commande. Toute offre de prix émanant du Vendeur est valable pendant une durée de 15 jours calendaires à compter de la date de sa transmission par écrit (email, fax, courrier) au client, pour une livraison des produits dans les 30 jours calendaires de la passation de la commande.

c. Dans le cas où plusieurs réductions de prix s'appliquent, celles-ci se calculent en cascade, sans arrondi intermédiaire.

d. Les réductions de prix conditionnelles ne seront considérées comme acquises qu'après règlement effectif par le client de l'ensemble des factures échues au titre de la période de référence, et la preuve de la réalisation de l'obligation à laquelle elles sont conditionnées.

### 5. COMMANDE

Les commandes ne deviennent définitives qu'après confirmation par le Vendeur, par courrier, télécopie, Internet, EDI ou tout autre moyen permettant de déterminer la date de réception des conditions de la commande, et encaissement par le Vendeur de l'acompte mentionné sur le bon de commande.

A défaut de transmission d'un accusé de réception de commande dans les 8 jours ouvrés à compter de la réception de la commande, celle-ci sera considérée comme acceptée.

Toute commande définitive ne peut faire l'objet d'une rétractation ou d'une modification de la part du client sans l'accord du Vendeur. Le client est seul responsable de ses prévisions et quantités de commande. Le Vendeur n'assume aucune conséquence financière ou autre résultant des quantités de commandes passées par le client qui se révéleraient supérieures à ses besoins.

En cas d'annulation de commande à l'initiative du client et acceptée par le Vendeur, l'acompte versé restera néanmoins acquis au Vendeur à titre d'indemnité.

Dans le cas où le Vendeur aurait, par toute information fiable et objective, connaissance d'une dégradation de la situation financière du client telle qu'elle mettrait en difficulté sa capacité à remplir ses obligations, le Vendeur pourra résilier unilatéralement les commandes en cours. Dans ce cas, le Vendeur restituera au client l'acompte versé.

### 6. LIVRAISON

La livraison des produits s'entend de la remise effective des produits au client. Sauf accord contraire des parties, la livraison s'effectue par la remise matérielle des produits au client dans le magasin du Vendeur ou à tout lieu convenu entre les parties.

#### DÉLAIS

Les délais de livraison indiqués sur le bon de commande accepté par le Vendeur sont donnés à titre indicatif. Tout retard de livraison inférieur à 8 jours ouvrés par rapport au délai indiqué sur le bon de commande accepté par le Vendeur ne pourra donner lieu ni à une annulation de commande ni au refus de prendre la marchandise, ni au versement d'une quelconque pénalité.

Les retards supérieurs à 8 jours ouvrés par rapport au délai indiqué sur le bon de commande accepté par le Vendeur pourront donner lieu à une annulation de commande de la part du client, à l'exclusion du versement de tout dommage et intérêts ou pénalités de retard de livraison. Dans ce cas, le Vendeur restituera au client l'acompte versé.

A défaut pour le client de prendre possession des produits dans un délai de 8 jours ouvrés à compter de l'envoi d'une mise en demeure restée sans effet, le Vendeur pourra à tout moment résoudre de plein droit la vente des produits, et conservera à titre d'indemnité forfaitaire un montant égal au prix d'achat des produits net hors taxes facturé au client.

#### TRANSPORT

Sauf accord écrit des parties, la livraison des produits se fera au magasin du Vendeur ou à tout lieu convenu entre les parties. Elle est effectuée par la mise à disposition des produits soit au client soit au transporteur désigné par le client. Par exception la livraison peut, après accord des parties sur le lieu et le prix du transport, être effectuée par le Vendeur. La livraison des produits s'entend, sauf accord spécifique, non déchargée. Le client devra disposer des moyens de manutention nécessaires au déchargement des produits et respecter l'ensemble des règles de sécurité nécessaires. Dans tous les cas, le transfert des risques des produits au client s'opère préalablement à la prise en charge des produits, peu important qui du Vendeur ou du client prend en charge le transport.

### 7. CONFORMITÉ – RÉCEPTION

#### VÉRIFICATION DES PRODUITS

Il appartient au client de procéder dès la livraison des produits à la vérification des produits, leur conformité, l'état de leurs emballages et conditionnements. Les frais et risques de cette vérification sont à la charge du client.

#### AVARIES ET PERTES LIÉES AU TRANSPORT

Toute réserve ou contestation relative aux produits manquants/avaries liés au transport des produits devra être portée sur le bon de livraison et confirmée au transporteur dans les conditions de l'article L.133-3 du Code de commerce, par lettre recommandée avec accusé de réception, assortie d'une copie du bon de livraison concerné, dans les trois jours suivant la livraison des produits.

#### CONFORMITÉ DES PRODUITS

Toute réserve ou contestation relative à la conformité des produits devra être formulée dans un délai de 48 heures à compter de la date de livraison des produits.

Le client devra énumérer avec précision les différents griefs et les justifier par tout élément de preuve (photographie, rapport d'analyse, etc.). A défaut de respecter ces conditions, les produits seront réputés conformes et la responsabilité du Vendeur ne pourra plus être engagée à ce titre.

Dans le cas d'une non-conformité avérée, le Vendeur ne sera tenu, à son choix, qu'au remplacement, à la réparation, ou à la fourniture d'un avoir du montant égal au prix payé par le client pour le(s) produit(s) concerné(s), qui devra être utilisé dans un délai de 60 jours nets à compter de sa date d'émission, à l'exclusion de toute autre indemnité.

#### RETOURS DE PRODUITS

En dehors du cas prévu au paragraphe précédent, aucun retour de produits n'est accepté s'il n'a pas fait l'objet préalablement d'un accord express du Vendeur.

En cas de retour des produits accepté par le Vendeur, les produits devront être en parfait état de conservation et devront être restitués dans leur conditionnement d'origine. Ils devront être retournés dans un délai convenu avec le Vendeur. Sauf convention contraire, les frais de retour, notamment de transport, sont toujours à la charge exclusive du client.

Tout produit dont le retour aura été accepté par le Vendeur entraînera l'établissement au bénéfice du client d'un avoir à valoir sur une vente ultérieure égale à 70 % du prix hors taxe facturé des produits concernés. Cet avoir devra être utilisé dans un délai de 60 jours nets à compter de sa date d'émission.

## CONDITIONS GÉNÉRALES DE VENTE PROFESSIONNELLES 01.2021-1\_ap

### 8. FACTURATION ET PAIEMENT

Sauf mention contraire figurant sur les factures, les factures sont payables comptant, en espèce, par chèque, virement ou lettre de change.

En cas de paiement anticipé ou comptant, aucun escompte ne sera accordé au client.

En cas de paiement par lettre de change, celle-ci doit être retournée acceptée au Vendeur dans les sept jours de son envoi pour acceptation.

Toute compensation ou toute déduction unilatérale de la part du client, sans accord préalable du Vendeur, sera assimilée à un défaut de paiement. En cas de retard de paiement, de défaut de paiement total ou partiel à l'échéance prévue, ou encore de défaut de retour d'une lettre de change dans les délais susvisés :

- Le Vendeur se réserve le droit d'annuler toutes les commandes en cours non livrées, sans préjudice de toute autre action ;
- Le Vendeur se réserve le droit de résoudre immédiatement les commandes livrées, 48h après l'envoi par celui-ci au client d'une mise en demeure par lettre recommandée avec accusé de réception. Dans ce cas, la restitution des produits se fera aux frais et risques du client. Les acomptes perçus par le Vendeur lui resteront acquis à titre d'indemnité, sans préjudice du droit pour le Vendeur de solliciter une indemnisation supplémentaire correspondant à la dépréciation de la valeur des produits. Toute somme impayée à son échéance donnera lieu, de plein droit et sans mise en demeure ;
- Au paiement d'une pénalité de retard égale au taux d'intérêt appliqué par la banque centrale européenne au 1er janvier de l'année en cours pour le premier semestre et au 1er juillet de l'année en cours pour le second semestre, majoré de 10 points de pourcentage ;
- Au paiement d'une participation forfaitaire de 40€ par facture correspondant aux frais de recouvrement occasionnés par cet impayé, sans préjudice du droit pour le Vendeur de solliciter le versement d'une indemnité complémentaire si les frais de recouvrement engagés sont supérieurs ;
- A la déchéance du terme de toutes les factures en cours, qui deviendraient immédiatement exigibles. Le non-paiement des factures à leur échéance entraînera la perte du droit pour le client de bénéficier des réductions de prix qui auraient pu lui être consenties.

### 9. TRANSFERT DE PROPRIÉTÉ ET DES RISQUES DES PRODUITS

Les produits demeurent la propriété exclusive du Vendeur jusqu'au paiement intégral du prix des produits, en principal et accessoires. Néanmoins, à compter de la livraison des produits, le client assume la responsabilité des dommages que les produits pourraient subir ou occasionner.

En cas d'ouverture d'une procédure de sauvegarde judiciaire, de redressement judiciaire ou de liquidation judiciaire, le Vendeur dispose du droit de revendiquer la propriété des produits livrés et non payés dans un délai de trois mois à compter de la date de publication du jugement ouvrant la procédure.

Dans le cadre d'une action en restitution ou en revendication intentée par le Vendeur, toute somme versée par le client à titre d'acompte sera conservée par le Vendeur.

### 10. GARANTIE- RESPONSABILITÉ

#### GARANTIE DES VICES CACHÉS

Les produits étant destinés à des professionnels de même spécialité que le Vendeur, et le Vendeur agissant comme grossiste-revendeur, le Vendeur garantit les produits dans la limite de la garantie accordée par chaque fabricant pour le produit concerné.

#### RESPONSABILITÉ

Le Vendeur ne garantit en aucun cas le choix du produit, son aptitude à remplir l'usage auquel il est destiné, sa résistance ou sa tenue dans le temps. Le Vendeur ne pourra être tenu responsable de tout dommage résultant de l'utilisation des produits dans des conditions d'utilisation incompatibles avec leur nature, d'un stockage inadéquat ou du non-respect de la réglementation, des règles de l'art et des DTU applicables aux produits.

Le client est seul responsable de la fixation du prix de revente des produits, ainsi que de toute publicité qu'il réalise relativement à la vente des produits. Toute action en responsabilité du Vendeur sera prescrite dans le délai d'un an à compter de la date de la vente des produits. Dans tous les cas où la responsabilité du Vendeur serait reconnue, elle sera en tout état de cause limitée au prix d'achat net hors taxes des produits concernés. Dans tous les cas, le client devra s'efforcer de minimiser son dommage, dans son intérêt comme dans celui du Vendeur.

### 11. MÉDIATION

Conformément aux dispositions des articles L611-1 et suivants du Code de la consommation, pour tout litige de consommation le consommateur peut, préalablement à toute action judiciaire, recourir gratuitement à un médiateur de la consommation en vue de la résolution amiable dudit litige.

Il est précisé que, conformément aux dispositions de l'article L612-2 du Code de la consommation, le consommateur doit, préalablement à toute saisine du médiateur, adresser une réclamation écrite au point de vente qui lui aura délivré

la marchandise afin de tenter de résoudre son litige.

Le consommateur qui estimera ne pas avoir obtenu satisfaction auprès de nos services, pourra solliciter un médiateur des litiges de la consommation, en adressant sa demande à la plateforme suivante :

MEDICYS, 73 Boulevard de Clichy, 75009 PARIS - 01 49 70 15 93

Ou sur la plateforme en ligne (<http://www.medicys.fr>).

Conformément à la réglementation en vigueur, ce service est gratuit pour les consommateurs.

Il est précisé, conformément aux dispositions de l'article L616-2 du Code de la consommation, que le consommateur peut également avoir recours à la plateforme européenne de règlement des litiges en ligne, accessible à l'URL suivante : <http://ec.europa.eu/consumers/odr/>

### 12. PROTECTION DES DONNÉES PERSONNELLES

En vertu de la loi informatique et liberté, et en application du règlement européen 2016-679 dit RGPD relatif à la protection des données à caractère personnel, le Client est informé que les données à caractère personnel communiquées au Vendeur ont pour objet la bonne exécution des commandes, la gestion des relations commerciales ainsi que l'établissement conforme des pièces comptables. Le Vendeur se laisse également la possibilité d'établir des statistiques au vu de l'amélioration du service et d'établir des offres promotionnelles ciblées.

Le Client consent à l'utilisation de ses données par le Vendeur et ses prestataires dans les conditions ci-dessus énoncées.

Conformément à la réglementation applicable en matière de protection des données à caractère personnel, le client dispose d'un droit d'accès, de rectification, de suppression et d'opposition sur les données personnelles le concernant qu'il peut exercer en envoyant un e-mail à : [RGPD@jardibric.com](mailto:RGPD@jardibric.com)

### 13. JURIDICTION COMPÉTENTE ET LOI APPLICABLE

Les présentes conditions de vente sont soumises au droit français, à l'exclusion de toute convention internationale. En cas de litige entre les parties, seront compétentes les juridictions du lieu du siège social du Vendeur, quel que soit le lieu de livraison ou le mode de paiement convenu, même en cas de référé, de demande incidente, d'appel en garantie ou de pluralité de défendeurs.





**Your contact:**

**Commercial office**

**TEL: (0033) 238 616 603**

**E-mail: [sfcint@jardibric.com](mailto:sfcint@jardibric.com)**

© Jardibric 2023  
édité le 05/01/2023 - 15.58



**S.F.C. JARDIBRIC**  
**<http://www.jardibric.com>**

71 rue du Grand Bouland - 45760 Boigny-sur-Bionne - FRANCE

**TEL: (0033) 238 616 603    FAX: (0033) 238 884 954    E-mail: [sfcint@jardibric.com](mailto:sfcint@jardibric.com)**